



# Black Cat Blades Ltd.

Black Cat Replacement Parts For  
Bobcat® Equipment  
Teeth

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . . Dimensions . . . .			Total Holes	. . . . Bolts . . . .			. . . . Hole Spacing . . . .			. . . . Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	

Serial Number:

6737325	Standard Long Tooth		TOOTH	2.189	x 2.173	x 5.500								2.20	1.00
6737326	Pin		PIN											0.02	0.01
6737324	Bolt on Top Strap Adapter		ADP	2.126	x 2.189	x 8.572								5.07	2.30



Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



# Black Cat Blades Ltd.

## Black Cat Replacement Parts For Bobcat® Equipment Miscellaneous Edges by Length

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . . Dimensions . . . .			Total Holes	. . . . Bolts . . . .			. . . . Hole Spacing . . . .			. . . . Weight. . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	

Serial Number: BY LENGTH

-->	SETUPS WITHOUT HOLES														
6589553	Base Edge Without Holes		SB\		x 3.000	x 11.260								4.00	1.81
6543896	Base Edge Without Holes		SB\	0.375	x 3.000	x 13.820								3.00	1.36
6543897	Base Edge Without Holes		SB\	0.375	x 3.000	x 13.820								3.50	1.59
6805435	Base Edge Without Holes		SB	0.625	x 6.000	x 20.250								19.00	8.62
6593405	Bent up base edge Without Holes		BUIDNH	0.500	x 4.000	x 34.480								20.00	9.07
6805815	Base Edge Without Holes		SB	0.625	x 6.000	x 39.250								37.00	16.78
6593406	Bent up base edge Without Holes		BUIDNH	0.500	x 4.000	x 43.460								23.00	10.43
6593407	Bent up base edge Without Holes		BUIDNH	0.500	x 4.000	x 53.980								27.30	12.38
6579040	Bent up base edge Without Holes		BUIDNH	0.500	x 4.000	x 55.875								28.50	12.93
6805816	Base Edge Without Holes		SB	0.625	x 6.000	x 52.250								49.00	22.23
6577903	Bent up base edge Without Holes		BUIDNH	0.500	x 6.000	x 54.020								46.00	20.87
7101774	Base Edge Without Holes		SB	0.625	x 6.000	x 60.000								57.00	25.85
6811422	Base Edge Without Holes		SB	0.500	x 4.000	x 62.000								30.00	13.61
6713381	Base Edge Without Holes		SB	0.500	x 4.000	x 68.010								34.20	15.51
7101775	Base Edge Without Holes		SB	0.625	x 6.000	x 72.000								68.00	30.84
6713768	Base Edge Without Holes		SB	0.750	x 4.000	x 74.500								51.00	23.13
637317	Bent up base edge Without Holes		BUIDNH	0.625	x 5.000	x 76.625								70.00	31.75
-->	SETUPS WITH 1/2" HOLES														
6805464	End		DB	0.500	x 6.000	x 4.000	2	0.500		2.00	2.00			3.00	1.36
6807021	Base Edge		SB	0.625	x 6.000	x 9.250	4							8.00	3.63
6807022	Base Edge		SB	0.625	x 6.000	x 12.250	6							11.00	4.99
6805433	Base Edge		SB	0.625	x 6.000	x 13.250	6							12.00	5.44
6805434	Base Edge		SB	0.625	x 6.000	x 16.250	8							15.00	6.80
6807535	Base Edge		SB	0.625	x 6.000	x 18.250	8							17.00	7.71
6805436	Base Edge		SB	0.625	x 6.000	x 24.250	10							23.00	10.43
6805437	Base Edge		SB	0.625	x 6.000	x 30.250	10							28.00	12.70
6726877	Base Edge		SB	0.500	x 4.000	x 36.000	12							18.00	8.16
6805438	Base Edge		SB	0.625	x 6.000	x 36.250	12							34.00	15.42
6727237	Base Edge		SB	0.500	x 4.000	x 44.000	14							22.00	9.98
7104136	Base Edge		SB	0.500	x 4.000	x 50.000	14							25.00	11.34
7104135	Base Edge		SB	0.500	x 4.000	x 56.000	12							28.00	12.70
6732399	Base Edge		SB	0.500	x 4.000	x 62.000	7							30.00	13.61
7104506	Base Edge		SB	0.500	x 4.000	x 62.000	14							31.00	14.06
6736392	Base Edge		SB	0.500	x 4.000	x 68.000	14							32.00	14.51
6737247	Base Edge		SB	0.500	x 4.000	x 74.000	16							37.00	16.78
-->	SETUPS WITH 5/8" HOLES														
6813941	Base Edge		SB	0.750	x 8.000	x 24.250	8							36.00	16.33
6814676	Base Edge		SB	0.750	x 8.000	x 36.250	14							54.00	24.49
6805366	One Piece bolt on		DB	0.625	x 6.000	x 53.880	9	0.625		2.94	6.00	6.00		52.00	23.59
6578956	Bent up base edge		BUID	0.500	x 4.000	x 54.020	9							29.00	13.15
6713710	Bent up base edge		BUID	0.500	x 6.000	x 54.020	9							46.00	20.87
6805367	One Piece bolt on		DB	0.625	x 6.000	x 59.880	10	0.625		2.94	6.00	6.00		57.80	26.22
6805367HT	Heat-Treated One Piece bolt on		DB	0.625	x 6.000	x 60.000	10	0.625		3.00	6.00	6.00		58.00	26.31

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



# Black Cat Blades Ltd.

## Black Cat Replacement Parts For Bobcat® Equipment Miscellaneous Edges by Length

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . . Dimensions . . . .			Total Holes	. . . . Bolts . . . .			. . . . Hole Spacing . . . .			. . . . Weight . . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
6661452	One Piece bolt on		DB	0.625	8.000	61.500	9	0.625		6.75	6.00	6.00	78.90	35.79	
6661452HT	Heat-Treated One Piece bolt on		DB	0.625	8.000	61.500	9	0.625		6.75	6.00	6.00	78.90	35.79	
6718005	One Piece bolt on		DB	0.625	8.000	62.125	7	0.625		2.19	9.63	9.63	79.90	36.24	
6718005HT	Heat-Treated One Piece bolt on		DB	0.625	8.000	62.125	7	0.625		2.19	9.63	9.63	79.90	36.24	
D33414	Heat-Treated One Piece bolt on		DB	0.625	8.000	62.750	5	0.625		2.50	13.88	15.00	81.00	36.74	
6713705	Bent up base edge		BUID	0.750	6.000	66.640	11						82.00	37.19	
6578966	Bent up base edge		BUID	0.500	4.000	66.699	7						33.50	15.20	
D34176	Base Edge		SB	0.750	6.000	67.500	7						76.00	34.47	
6718006	One Piece bolt on		DB	0.625	8.000	67.953	7	0.625		2.21	10.59	10.59	87.50	39.69	
6718006HT	Heat-Treated One Piece bolt on		DB	0.625	8.000	67.953	7	0.625		2.21	10.59	10.59	87.50	39.69	
6716015	Base Edge		SB	0.750	6.000	68.000	14						75.40	34.20	
6218006	One Piece bolt on		DB	0.625	8.000	68.000	7	0.625		2.50	10.50	10.50	87.50	39.69	
6729368	One Piece bolt on		DB	0.625	8.000	68.000	7	0.625		1.00	11.00	11.00	71.00	32.21	
6661453	One Piece bolt on		DB	0.625	8.000	68.250	11	0.625		4.13	6.00	6.00	87.40	39.64	
6661453HT	Heat-Treated One Piece bolt on		DB	0.625	8.000	68.250	11	0.625		4.13	6.00	6.00	87.40	39.64	
6805368	One Piece bolt on		DB	0.625	6.000	71.880	12	0.625		2.94	6.00	6.00	69.40	31.48	
D33363	Base Edge		SB	0.500	4.000	72.000	12						40.10	18.19	
D17000	Heat-Treated One Piece bolt on		DB	0.625	8.000	72.000	10	0.625		4.50	7.00	7.00	91.00	41.28	
D35047	Heat-Treated One Piece bolt on		DB	0.625	8.000	72.250	8	0.625		2.00	9.75	9.75	93.00	42.18	
6705036	Bent up base edge		BUID	0.750	6.000	77.750	11						87.80	39.83	
6713702	Bent up base edge		BUID	0.750	8.000	79.938	11						119.00	53.98	
D32427	Base Edge		SB	0.625	6.000	73.500	11						70.70	32.07	
6713713	One Piece bolt on		DB	0.625	8.000	74.000	11	0.625		7.00	6.00	6.00	95.00	43.09	
6732311	Base Edge		SB	0.750	8.000	74.000	16						114.00	51.71	
6718007	Base Edge		DB	0.625	8.000	74.000	8						95.20	43.18	
6718007HT	Heat-Treated One Piece bolt on		DB	0.625	8.000	74.000	8	0.625		2.22	9.94	9.94	95.20	43.18	
D32739	Heat-Treated One Piece bolt on		DB	0.625	6.000	75.000	8	0.625		2.50	10.00	10.00	72.90	33.07	
D35840	Heat-Treated One Piece bolt on		DB	0.625	8.000	76.000	8	0.625		3.00	10.00	10.00	97.90	44.41	
6713701	Bent up base edge		BUID	0.750	6.000	79.230	11						89.60	40.64	
6661455	One Piece bolt on		DB	0.625	8.000	79.500	13	0.625		3.75	6.00	6.00	101.80	46.18	
D31664	Heat-Treated One Piece bolt on		DB	0.625	6.000	79.750	8	0.625		2.25	10.75	10.75	77.60	35.20	
6718008	One Piece bolt on		DB	0.625	8.000	80.000	8	0.625		2.20	10.80	10.80	103.10	46.77	
6718008HT	Heat-Treated One Piece bolt on		DB	0.625	8.000	80.000	8	0.625		2.20	10.80	10.80	103.10	46.77	
D32471	Heat-Treated One Piece bolt on		DB	0.750	8.000	80.000	8	0.625		2.38	10.75	10.75	125.50	56.93	
6727317	One Piece bolt on		DB	0.625	8.000	88.000	9	0.625		2.00	10.50	10.50	113.40	51.44	
6731642	Base Edge		SB	0.750	6.000	88.000	11						98.00	44.45	
6731673	Base Edge		SB	0.750	6.000	100.000	19						112.00	50.80	
6715464	One Piece bolt on		DB	0.625	8.000	100.000	17	0.625		2.00	6.00	6.00	128.00	58.06	
-->	SETUPS WITH 3/4" HOLES														
6706052	One Piece bolt on		DB	0.750	6.000	61.681	9	0.750		1.84	5.00	8.00	68.20	30.94	
D35110	Heat-Treated One Piece bolt on		DB	0.750	8.000	66.000	7	0.750		1.88	10.38	10.38	103.10	46.77	
6704666	One Piece bolt on		DB	0.750	6.000	67.680	11	0.750		1.84	3.00	5.00	74.60	33.84	
D26676	Heat-Treated One Piece bolt on		DB	0.750	8.000	73.625	8	0.750		2.25	9.88	9.88	114.00	51.71	
6714565	One Piece bolt on		SB	0.750	6.000	73.680	13	0.750		1.84	3.00	3.00	81.00	36.74	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.