



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
200 210 256															
Serial Number: <u>68"</u>															
16583	Center	1	DB	0.500	6.000	51.875	13	13	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2	DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72	
200 210 256															
Serial Number: <u>72"</u>															
16040	Center	1	DB	0.500	6.000	55.875	14	14	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2	DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72	
200 210 256															
Serial Number: <u>76"</u>															
16452	Center	1	DB	0.500	6.000	59.875	15	15	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2	DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72	
200 210 256															
Serial Number: <u>80"</u>															
17808	Center	1	DB	0.500	6.000	63.875	16	16	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2	DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72	
200 210 256															
Serial Number: <u>84"</u>															
38047	Center	1	DB	0.500	6.000	67.875	17	17	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2	DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72	
200 210 256															
Serial Number: <u>88"</u>															
16792	Center	1	DB	0.500	6.000	71.875	18	18	0.500 x 2	1.94	4.00	4.00	54.40	24.68	
16187	Level Cut End Bit LH/RH	2	DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72	
300 310 320 356															
Serial Number: <u>68"</u>															
16583	Center	1	DB	0.500	6.000	51.875	13	13	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2	DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72	
300 310 320 356															
Serial Number: <u>72"</u>															
16040	Center	1	DB	0.500	6.000	55.875	14	14	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2	DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72	
300 310 320 356															
Serial Number: <u>76"</u>															
16452	Center	1	DB	0.500	6.000	59.875	15	15	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2	DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72	
300 310 320 356															
Serial Number: <u>80"</u>															
17808	Center	1	DB	0.500	6.000	63.875	16	16	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2	DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72	
300 310 320 356															
Serial Number: <u>84"</u>															
38047	Center	1	DB	0.500	6.000	67.875	17	17	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2	DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72	
300 310 320 356															
Serial Number: <u>88"</u>															

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight. . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
16792	Center	1 DB	0.500	6.000	71.875	18	18	0.500 x 2	1.94	4.00	4.00	54.40	24.68	
16187	Level Cut End Bit LH/RH	2 DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72	

D310 G
Serial Number: 90"

D38711	Center	1 DB	0.500	6.000	66.000	6	6	0.625 x 2					
D38712	Level Cut End Bit RH	1 EBLC	0.500	6.000	12.000	2	2	0.625 x 2					
D38713	Level Cut End Bit LH	1 EBLC	0.500	6.000	12.000	2	2	0.625 x 2					

350 Angle Tilt
Serial Number: 91"

R24492	Center	1 DB	0.500	6.000	63.880	9	9	0.500 x 2	1.94	6.00	8.00	48.80	22.14
R42470	Level Cut End Bit LH/RH	1 DB	0.625	6.000	13.500	3	4	0.625 x 2	1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	1 DB	0.625	6.000	13.500	3	4	0.625 x 2	1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1 EBHC	0.750	7.500	16.000	5	2	0.625 x 2	4.00	4.00		21.10	9.57
							3	0.625 x 2	2.00	4.00	4.00	...	2nd Row
D51101	Hot Cup End Bit LH	1 EBHC	0.750	7.500	15.953	5	2	0.625 x 2	4.00	4.00		21.10	9.57
							3	0.625 x 2	2.00	4.00	4.00	...	2nd Row
R41352	Hot Cup End Bit RH	1 EBHC	1.000	7.300	15.880	5	2	0.625 x 2	3.94	4.00		19.70	8.94
							3	0.625 x 2	1.94	4.00	4.00	...	2nd Row
R41351	Hot Cup End Bit LH	1 EBHC	1.000	7.300	15.880	5	2	0.625 x 2	3.94	4.00		19.70	8.94
							3	0.625 x 2	1.94	4.00	4.00	...	2nd Row

350 Angle Tilt
Serial Number: 104"

R24492	Center	1 DB	0.500	6.000	63.880	9	9	0.500 x 2	1.94	6.00	8.00	48.80	22.14
R29629	Level Cut End Bit LH/RH	1 EBLC	0.500	6.000	19.875	4	4	0.500 x 2	1.94	4.00	8.00	15.00	6.80

400 420
Serial Number: 68"

16583	Center	1 DB	0.500	6.000	51.875	13	13	0.500 x 2	1.94	4.00	4.00		
16187	Level Cut End Bit LH/RH	2 DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72

400 420
Serial Number: 72"

16040	Center	1 DB	0.500	6.000	55.875	14	14	0.500 x 2	1.94	4.00	4.00		
16187	Level Cut End Bit LH/RH	2 DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72

400 420
Serial Number: 76"

16452	Center	1 DB	0.500	6.000	59.875	15	15	0.500 x 2	1.94	4.00	4.00		
16187	Level Cut End Bit LH/RH	2 DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72

400 420
Serial Number: 80"

17808	Center	1 DB	0.500	6.000	63.875	16	16	0.500 x 2	1.94	4.00	4.00		
16187	Level Cut End Bit LH/RH	2 DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72

400 420
Serial Number: 84"

38047	Center	1 DB	0.500	6.000	67.875	17	17	0.500 x 2	1.94	4.00	4.00		
16187	Level Cut End Bit LH/RH	2 DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72

400 420
Serial Number: 88"

16792	Center	1 DB	0.500	6.000	71.875	18	18	0.500 x 2	1.94	4.00	4.00	54.40	24.68
-------	--------	------	-------	-------	--------	----	----	-----------	------	------	------	-------	-------

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	

16187	Level Cut End Bit LH/RH	2 DB	0.500 x 6.000 x 7.875			2	2	0.500 x 2		1.88	4.00		6.00	2.72
-------	-------------------------	------	-----------------------	--	--	---	---	-----------	--	------	------	--	------	------

450 455 Angle, Angle Tilt

Serial Number: 88"

R29741	Center	1 DB	0.500 x 6.000 x 63.750			16	16	0.500 x 2		1.88	4.00	4.00	48.00	21.77
R57842	Heavy Duty Center	1 DB	0.625 x 6.000 x 63.799			16	16	0.500 x 2		1.90	4.00	4.00	61.40	27.85
R29742	Level Cut End Bit LH/RH	2 DB	0.500 x 6.000 x 12.000			3	3	0.500 x 2		2.00	4.00	4.00	9.00	4.08
R57841	Heavy Duty Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 12.000			3	3	0.500 x 2		2.00	4.00	4.00	11.60	5.26
D43407	Hot Cup End Bit RH	1 EBHC	0.750 x 6.063 x 13.969			3	3	0.500 x 2		2.00	4.00	4.00	18.00	8.16
D43406	Hot Cup End Bit LH	1 EBHC	0.750 x 6.063 x 13.969			3	3	0.500 x 2		2.00	4.00	4.00	18.00	8.16

450 Angle Tilt

Serial Number: 91"

R24492	Center	1 DB	0.500 x 6.000 x 63.880			9	9	0.500 x 2		1.94	6.00	8.00	48.80	22.14
R42470	Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 13.500			3	3	0.625 x 2		1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 13.500			3	3	0.625 x 2		1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1 EBHC	0.750 x 7.500 x 16.000			5	2	0.625 x 2		4.00	4.00		21.10	9.57
							3	0.625 x 2		2.00	4.00	4.00	...2nd Row	
D51101	Hot Cup End Bit LH	1 EBHC	0.750 x 7.500 x 15.953			5	2	0.625 x 2		4.00	4.00		21.10	9.57
							3	0.625 x 2		2.00	4.00	4.00	...2nd Row	
R41352	Hot Cup End Bit RH	1 EBHC	1.000 x 7.300 x 15.880			5	2	0.625 x 2		3.94	4.00		19.70	8.94
							3	0.625 x 2		1.94	4.00	4.00	...2nd Row	
R41351	Hot Cup End Bit LH	1 EBHC	1.000 x 7.300 x 15.880			5	2	0.625 x 2		3.94	4.00		19.70	8.94
							3	0.625 x 2		1.94	4.00	4.00	...2nd Row	

450 455 Angle

Serial Number: 96"

16792	Center	1 DB	0.500 x 6.000 x 71.875			18	18	0.500 x 2		1.94	4.00	4.00	54.40	24.68
R29742	Level Cut End Bit LH/RH	2 DB	0.500 x 6.000 x 12.000			3	3	0.500 x 2		2.00	4.00	4.00	9.00	4.08
R57841	Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 12.000			3	3	0.500 x 2		2.00	4.00	4.00	11.60	5.26
D43407	Hot Cup End Bit RH	1 EBHC	0.750 x 6.063 x 13.969			3	3	0.500 x 2		2.00	4.00	4.00	18.00	8.16
D43406	Hot Cup End Bit LH	1 EBHC	0.750 x 6.063 x 13.969			3	3	0.500 x 2		2.00	4.00	4.00	18.00	8.16

450 455 Angle, LGP

Serial Number: 104"

R43179	Center	1 DB	0.500 x 6.000 x 79.750			20	20	0.500 x 2		1.88	4.00	4.00	60.00	27.22
R57843	Heavy Duty Center	1 DB	0.625 x 6.000 x 79.803			20	20	0.500 x 2		1.90	4.00	4.00	76.80	34.84
R29742	Level Cut End Bit LH/RH	2 DB	0.500 x 6.000 x 12.000			3	3	0.500 x 2		2.00	4.00	4.00	9.00	4.08
R57841	Heavy Duty Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 12.000			3	3	0.500 x 2		2.00	4.00	4.00	11.60	5.26
D43407	Hot Cup End Bit RH	1 EBHC	0.750 x 6.063 x 13.969			3	3	0.500 x 2		2.00	4.00	4.00	18.00	8.16
D43406	Hot Cup End Bit LH	1 EBHC	0.750 x 6.063 x 13.969			3	3	0.500 x 2		2.00	4.00	4.00	18.00	8.16

450 Low Ground Pressure

Serial Number: 104"

R43179	Center	1 DB	0.500 x 6.000 x 79.750			20	20	0.500 x 2		1.88	4.00	4.00	60.00	27.22
R29742	Level Cut End Bit LH/RH	2 DB	0.500 x 6.000 x 12.000			3	3	0.500 x 2		2.00	4.00	4.00	9.00	4.08
R57841	Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 12.000			3	3	0.500 x 2		2.00	4.00	4.00	11.60	5.26
D43407	Hot Cup End Bit RH	1 EBHC	0.750 x 6.063 x 13.969			3	3	0.500 x 2		2.00	4.00	4.00	18.00	8.16
D43406	Hot Cup End Bit LH	1 EBHC	0.750 x 6.063 x 13.969			3	3	0.500 x 2		2.00	4.00	4.00	18.00	8.16

500 520 530 556

Serial Number: 68"

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type	. . . Dimensions . . .			Total Holes	. . . Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
16583	Center	1 DB	0.500 x 6.000 x 51.875			13	13	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2 DB	0.500 x 6.000 x 7.875			2	2	0.500 x 2	1.88	4.00		6.00	2.72	
500 520 530 556														
Serial Number: <u>72"</u>														
16040	Center	1 DB	0.500 x 6.000 x 55.875			14	14	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2 DB	0.500 x 6.000 x 7.875			2	2	0.500 x 2	1.88	4.00		6.00	2.72	
500 520 530 556														
Serial Number: <u>76"</u>														
16452	Center	1 DB	0.500 x 6.000 x 59.875			15	15	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2 DB	0.500 x 6.000 x 7.875			2	2	0.500 x 2	1.88	4.00		6.00	2.72	
500 520 530 556														
Serial Number: <u>80"</u>														
17808	Center	1 DB	0.500 x 6.000 x 63.875			16	16	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2 DB	0.500 x 6.000 x 7.875			2	2	0.500 x 2	1.88	4.00		6.00	2.72	
500 520 530 556														
Serial Number: <u>84"</u>														
38047	Center	1 DB	0.500 x 6.000 x 67.875			17	17	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2 DB	0.500 x 6.000 x 7.875			2	2	0.500 x 2	1.88	4.00		6.00	2.72	
500 520 530 556														
Serial Number: <u>88"</u>														
16792	Center	1 DB	0.500 x 6.000 x 71.875			18	18	0.500 x 2	1.94	4.00	4.00	54.40	24.68	
16187	Level Cut End Bit LH/RH	2 DB	0.500 x 6.000 x 7.875			2	2	0.500 x 2	1.88	4.00		6.00	2.72	
550 E G Angle Tilt														
Serial Number: <u>96"</u>														
R57844	Center	1 DB	0.625 x 6.000 x 71.811			18	18	0.500 x 2	1.90	4.00	4.00	69.10	31.34	
R57841	Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 12.000			3	3	0.500 x 2	2.00	4.00	4.00	11.60	5.26	
R57845	Hot Cup End Bit RH	1 EBHC	0.750 x 7.362 x 14.724			3	3	0.500 x 2	1.94	4.00	4.00	18.40	8.35	
R57846	Hot Cup End Bit LH	1 EBHC	0.750 x 7.362 x 14.724			3	3	0.500 x 2	1.94	4.00	4.00	18.40	8.35	
550 E G Angle Tilt, LGP														
Serial Number: <u>104"</u>														
R57843	Center	1 DB	0.625 x 6.000 x 79.803			20	20	0.500 x 2	1.90	4.00	4.00	76.80	34.84	
R57841	Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 12.000			3	3	0.500 x 2	2.00	4.00	4.00	11.60	5.26	
R57845	Hot Cup End Bit RH	1 EBHC	0.750 x 7.362 x 14.724			3	3	0.500 x 2	1.94	4.00	4.00	18.40	8.35	
R57846	Hot Cup End Bit LH	1 EBHC	0.750 x 7.362 x 14.724			3	3	0.500 x 2	1.94	4.00	4.00	18.40	8.35	
550 H														
Serial Number: <u>96"</u>														
311729A1	Center	1 DB	0.625 x 8.000 x 59.685			10	10	0.750 x 2	2.84	6.00	6.00	76.20	34.56	
305440A1	Level Cut End Bit LH/RH	2 DB	0.625 x 8.000 x 18.000			3	3	0.750 x 2	3.00	6.00	6.00	23.00	10.43	
550 H														
Serial Number: <u>110"</u>														
346292A1	Center	2 DB	0.625 x 8.000 x 36.764			6	6	0.750 x 2	3.38	6.00	6.00	46.30	21.00	
305440A1	Level Cut End Bit LH/RH	2 DB	0.625 x 8.000 x 18.000			3	3	0.750 x 2	3.00	6.00	6.00	23.00	10.43	
600														
Serial Number: <u>68"</u>														
16583	Center	1 DB	0.500 x 6.000 x 51.875			13	13	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2 DB	0.500 x 6.000 x 7.875			2	2	0.500 x 2	1.88	4.00		6.00	2.72	
600														
Serial Number: <u>72"</u>														

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
16040	Center	1	DB	0.500	6.000	55.875	14	14	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2	DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72	
600															
Serial Number: 76"															
16452	Center	1	DB	0.500	6.000	59.875	15	15	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2	DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72	
600															
Serial Number: 80"															
17808	Center	1	DB	0.500	6.000	63.875	16	16	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2	DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72	
600															
Serial Number: 84"															
38047	Center	1	DB	0.500	6.000	67.875	17	17	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	2	DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72	
600															
Serial Number: 88"															
16792	Center	1	DB	0.500	6.000	71.875	18	18	0.500 x 2	1.94	4.00	4.00	54.40	24.68	
16187	Level Cut End Bit LH/RH	2	DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72	
650 Angle Tilt															
Serial Number: 107"															
R44600	Center	1	DB	0.625	6.000	74.730	13	13	0.625 x 2	1.38	6.00	6.00	72.10	32.70	
R42470	Level Cut End Bit LH/RH	1	DB	0.625	6.000	13.500	3	4	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90	
D48041	Carbon Level Cut End Bit LH/RH	1	DB	0.625	6.000	13.500	3	4	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85	
D51100	Hot Cup End Bit RH	1	EBHC	0.750	7.500	16.000	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57	
								3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row		
D51101	Hot Cup End Bit LH	1	EBHC	0.750	7.500	15.953	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57	
								3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row		
R41352	Hot Cup End Bit RH	1	EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94	
								3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row		
R41351	Hot Cup End Bit LH	1	EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94	
								3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row		
650 G															
Serial Number: 104"															
115631A1	Center	2	DB	0.750	8.000	34.134	6	6	0.750 x 2.5	2.06	6.00	6.00	53.00	24.04	
R42490	Level Cut End Bit LH/RH	2	DB	0.750	8.000	17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07	
								3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row		
R37034	Heavy Duty Level Cut End Bit LH/RH	2	DB	1.000	8.000	17.400	5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28	
								3	0.750 x 2.5	5.70	6.00		...2nd Row		
R41911	Hot Cup End Bit RH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73	
								3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row		
R41910	Hot Cup End Bit LH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73	
								3	0.750 x 2.5	2.75	6.00		...2nd Row		
650 H															
Serial Number: 98"															
327245A1	Center	1	DB	0.750	8.000	62.913	10	10	0.750 x 2.5	4.46	6.00	6.00	97.70	44.32	
R42490	Level Cut End Bit LH/RH	2	DB	0.750	8.000	17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07	
								3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row		

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight. . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
R37034	Heavy Duty Level Cut End Bit LH/RH	2 DB	1.000 x 8.000 x 17.400			5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28
							3	0.750 x 2.5	5.70	6.00		...2nd Row	
R41911	Hot Cup End Bit RH	1 EBHC	1.000 x 9.488 x 20.512			5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R41910	Hot Cup End Bit LH	1 EBHC	1.000 x 9.488 x 20.512			5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00		...2nd Row	

650 H

Serial Number: 120"

327539A1	Center	1 DB	0.750 x 8.000 x 84.960			14	14	0.750 x 2.5	3.48	6.00	6.00	131.80	59.78
R42490	Level Cut End Bit LH/RH	2 DB	0.750 x 8.000 x 17.402			5	2	0.750 x 2.5	5.75	6.00		26.60	12.07
							3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R37034	Heavy Duty Level Cut End Bit LH/RH	2 DB	1.000 x 8.000 x 17.400			5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28
							3	0.750 x 2.5	5.70	6.00		...2nd Row	
R41911	Hot Cup End Bit RH	1 EBHC	1.000 x 9.488 x 20.512			5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R41910	Hot Cup End Bit LH	1 EBHC	1.000 x 9.488 x 20.512			5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00		...2nd Row	

650 K

Serial Number: 110"

430157A1	Center	1 DB	0.750 x 8.000 x 75.118			13	13	0.750 x 2.5	1.56	6.00	6.00	116.40	52.80
R42490	Level Cut End Bit LH/RH	2 DB	0.750 x 8.000 x 17.402			5	2	0.750 x 2.5	5.75	6.00		26.60	12.07
							3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R37034	Heavy Duty Level Cut End Bit LH/RH	2 DB	1.000 x 8.000 x 17.400			5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28
							3	0.750 x 2.5	5.70	6.00		...2nd Row	
R41911	Hot Cup End Bit RH	1 EBHC	1.000 x 9.488 x 20.512			5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R41910	Hot Cup End Bit LH	1 EBHC	1.000 x 9.488 x 20.512			5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00		...2nd Row	

700 750

Serial Number: 88"

17808	Center	1 DB	0.500 x 6.000 x 63.875			16	16	0.500 x 2	1.94	4.00	4.00		
R18821	Level Cut End Bit LH/RH	2 EBLC	0.500 x 6.000 x 11.750			3	3	0.500 x 2					

700 750

Serial Number: 94"

R23000	Center	1 DB	0.625 x 6.000 x 63.875			16	16	0.625 x 2	1.94	4.00	4.00	61.00	27.67
D48041	Carbon Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 13.500			3	3	0.625 x 2.25	1.94	4.00	4.00	12.90	5.85
70441	Hot Cup End Bit RH	1 EBHC	0.750 x 7.500 x 15.000			3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98
70442	Hot Cup End Bit LH	1 EBHC	0.750 x 7.500 x 15.000			3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98

700 750

Serial Number: 114"

D32945	Center	1 DB	0.625 x 6.000 x 83.875			21	21	0.625 x 2	1.94	4.00	4.00	80.20	36.38
D48041	Carbon Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 13.500			3	3	0.625 x 2.25	1.94	4.00	4.00	12.90	5.85
70441	Hot Cup End Bit RH	1 EBHC	0.750 x 7.500 x 15.000			3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98
70442	Hot Cup End Bit LH	1 EBHC	0.750 x 7.500 x 15.000			3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98

700 750

Serial Number: 112"

70725	Center	1 DB	0.500 x 6.000 x 87.875			22	22	0.500 x 2	1.94	4.00	4.00	66.50	30.16
-------	--------	------	------------------------	--	--	----	----	-----------	------	------	------	-------	-------

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight. . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
R18821	Level Cut End Bit LH/RH	2 EBLC	0.500 x 6.000 x 11.750			3	3	0.500 x 2						
700 750														
<u>Serial Number:</u> 118"														
R22981	Center	1 DB	0.625 x 6.000 x 87.875			22	22	0.625 x 2		1.94	4.00	4.00	88.00	39.92
D48041	Carbon Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 13.500			3	3	0.625 x 2.25		1.94	4.00	4.00	12.90	5.85
70441	Hot Cup End Bit RH	1 EBHC	0.750 x 7.500 x 15.000			3	3	0.625 x 2.25		2.00	4.00	4.00	19.80	8.98
70442	Hot Cup End Bit LH	1 EBHC	0.750 x 7.500 x 15.000			3	3	0.625 x 2.25		2.00	4.00	4.00	19.80	8.98
750 G H														
<u>Serial Number:</u> 104"														
115631A1	Center	2 DB	0.750 x 8.000 x 34.134			6	6	0.750 x 2.5		2.06	6.00	6.00	53.00	24.04
R42490	Level Cut End Bit LH/RH	2 DB	0.750 x 8.000 x 17.402			5	2	0.750 x 2.5		5.75	6.00		26.60	12.07
						3	0.750 x 2.5		2.75	6.00	6.00	...	2nd Row	
R37034	Heavy Duty Level Cut End Bit LH/RH	2 DB	1.000 x 8.000 x 17.400			5	2	0.750 x 2.5		2.70	6.00	6.00	35.90	16.28
						3	0.750 x 2.5		5.70	6.00		...	2nd Row	
R41911	Hot Cup End Bit RH	1 EBHC	1.000 x 9.488 x 20.512			5	2	0.750 x 2.5		5.75	6.00		45.70	20.73
						3	0.750 x 2.5		2.75	6.00	6.00	...	2nd Row	
R41910	Hot Cup End Bit LH	1 EBHC	1.000 x 9.488 x 20.512			5	2	0.750 x 2.5		5.75	6.00		45.70	20.73
						3	0.750 x 2.5		2.75	6.00		...	2nd Row	
750 G H														
<u>Serial Number:</u> 114.5"														
327430A1	Center	1 DB	0.750 x 8.000 x 79.055			13	13	0.750 x 2.5		3.53	6.00	6.00	122.70	55.66
R42490	Level Cut End Bit LH/RH	2 DB	0.750 x 8.000 x 17.402			5	2	0.750 x 2.5		5.75	6.00		26.60	12.07
						3	0.750 x 2.5		2.75	6.00	6.00	...	2nd Row	
R37034	Heavy Duty Level Cut End Bit LH/RH	2 DB	1.000 x 8.000 x 17.400			5	2	0.750 x 2.5		2.70	6.00	6.00	35.90	16.28
						3	0.750 x 2.5		5.70	6.00		...	2nd Row	
R41911	Hot Cup End Bit RH	1 EBHC	1.000 x 9.488 x 20.512			5	2	0.750 x 2.5		5.75	6.00		45.70	20.73
						3	0.750 x 2.5		2.75	6.00	6.00	...	2nd Row	
R41910	Hot Cup End Bit LH	1 EBHC	1.000 x 9.488 x 20.512			5	2	0.750 x 2.5		5.75	6.00		45.70	20.73
						3	0.750 x 2.5		2.75	6.00		...	2nd Row	
750 G H														
<u>Serial Number:</u> 120"														
327539A1	Center	1 DB	0.750 x 8.000 x 84.960			14	14	0.750 x 2.5		3.48	6.00	6.00	131.80	59.78
R42490	Level Cut End Bit LH/RH	2 DB	0.750 x 8.000 x 17.402			5	2	0.750 x 2.5		5.75	6.00		26.60	12.07
						3	0.750 x 2.5		2.75	6.00	6.00	...	2nd Row	
R37034	Heavy Duty Level Cut End Bit LH/RH	2 DB	1.000 x 8.000 x 17.400			5	2	0.750 x 2.5		2.70	6.00	6.00	35.90	16.28
						3	0.750 x 2.5		5.70	6.00		...	2nd Row	
R41911	Hot Cup End Bit RH	1 EBHC	1.000 x 9.488 x 20.512			5	2	0.750 x 2.5		5.75	6.00		45.70	20.73
						3	0.750 x 2.5		2.75	6.00	6.00	...	2nd Row	
R41910	Hot Cup End Bit LH	1 EBHC	1.000 x 9.488 x 20.512			5	2	0.750 x 2.5		5.75	6.00		45.70	20.73
						3	0.750 x 2.5		2.75	6.00		...	2nd Row	
750 G H														
<u>Serial Number:</u> 124"														
126519A1	Center	1 DB	0.750 x 8.000 x 88.898			15	15	0.750 x 2.5		2.45	6.00	6.00	137.80	62.51
R42490	Level Cut End Bit LH/RH	2 DB	0.750 x 8.000 x 17.402			5	2	0.750 x 2.5		5.75	6.00		26.60	12.07
						3	0.750 x 2.5		2.75	6.00	6.00	...	2nd Row	
R37034	Heavy Duty Level Cut End Bit LH/RH	2 DB	1.000 x 8.000 x 17.400			5	2	0.750 x 2.5		2.70	6.00	6.00	35.90	16.28
						3	0.750 x 2.5		5.70	6.00		...	2nd Row	
R41911	Hot Cup End Bit RH	1 EBHC	1.000 x 9.488 x 20.512			5	2	0.750 x 2.5		5.75	6.00		45.70	20.73
						3	0.750 x 2.5		2.75	6.00	6.00	...	2nd Row	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
R41910	Hot Cup End Bit LH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73	
								3	0.750 x 2.5	2.75	6.00		...2nd Row		
750 K															
Serial Number: 110"															
430157A1	Center	1	DB	0.750	8.000	75.118	13	13	0.750 x 2.5	1.56	6.00	6.00	116.40	52.80	
R42490	Level Cut End Bit LH/RH	2	DB	0.750	8.000	17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07	
								3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row		
R37034	Heavy Duty Level Cut End Bit LH/RH	2	DB	1.000	8.000	17.400	5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28	
								3	0.750 x 2.5	5.70	6.00		...2nd Row		
R41911	Hot Cup End Bit RH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73	
								3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row		
R41910	Hot Cup End Bit LH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73	
								3	0.750 x 2.5	2.75	6.00		...2nd Row		
750 K															
Serial Number: 130"															
430350A1	Center	1	DB	0.750	8.000	94.803	16	16	0.750 x 2.5	2.40	6.00	6.00	147.00	66.68	
R42490	Level Cut End Bit LH/RH	2	DB	0.750	8.000	17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07	
								3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row		
R37034	Heavy Duty Level Cut End Bit LH/RH	2	DB	1.000	8.000	17.400	5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28	
								3	0.750 x 2.5	5.70	6.00		...2nd Row		
R41911	Hot Cup End Bit RH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73	
								3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row		
R41910	Hot Cup End Bit LH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73	
								3	0.750 x 2.5	2.75	6.00		...2nd Row		
800 810															
Serial Number: 87.5"															
17808	Center	1	DB	0.500	6.000	63.875	16	16	0.500 x 2	1.94	4.00	4.00			
R18821	Level Cut End Bit LH/RH	2	EBLC	0.500	6.000	11.750	3	3	0.500 x 2						
800 810															
Serial Number: 94"															
R23000	Center	1	DB	0.625	6.000	63.875	16	16	0.625 x 2	1.94	4.00	4.00	61.00	27.67	
D48041	Carbon Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.25	1.94	4.00	4.00	12.90	5.85	
70441	Hot Cup End Bit RH	1	EBHC	0.750	7.500	15.000	3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98	
70442	Hot Cup End Bit LH	1	EBHC	0.750	7.500	15.000	3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98	
800 810															
Serial Number: 102"															
16792	Center with 1/2" holes	1	DB	0.500	6.000	71.875	18	18	0.500 x 2	1.94	4.00	4.00	54.40	24.68	
R42529	Center with 5/8" holes	1	DB	0.625	6.000	71.810	18	18	0.625 x 2	1.90	4.00	4.00	68.70	31.16	
D48041	Carbon Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.25	1.94	4.00	4.00	12.90	5.85	
70441	Hot Cup End Bit RH	1	EBHC	0.750	7.500	15.000	3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98	
70442	Hot Cup End Bit LH	1	EBHC	0.750	7.500	15.000	3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98	
800 810															
Serial Number: 110"															
70391	Center with 1/2" holes	1	DB	0.500	6.000	79.875	20	20	0.500 x 2	1.94	4.00	4.00			
R22973	Center with 5/8" holes	1	DB	0.625	6.000	79.750	20	20	0.625 x 2	1.88	4.00	4.00	70.00	31.75	
D48041	Carbon Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.25	1.94	4.00	4.00	12.90	5.85	
70441	Hot Cup End Bit RH	1	EBHC	0.750	7.500	15.000	3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type	. . . Dimensions			Total Holes	. . . Bolts Hole Spacing Weight. . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
70442	Hot Cup End Bit LH	1 EBHC	0.750	7.500	15.000	3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98
800 810													
Serial Number: 114"													
D32945	Center	1 DB	0.625	6.000	83.875	21	21	0.625 x 2	1.94	4.00	4.00	80.20	36.38
D48041	Carbon Level Cut End Bit LH/RH	2 DB	0.625	6.000	13.500	3	3	0.625 x 2.25	1.94	4.00	4.00	12.90	5.85
70441	Hot Cup End Bit RH	1 EBHC	0.750	7.500	15.000	3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98
70442	Hot Cup End Bit LH	1 EBHC	0.750	7.500	15.000	3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98
800 810													
Serial Number: 118"													
70725	Center with 1/2" holes	1 DB	0.500	6.000	87.875	22	22	0.500 x 2	1.94	4.00	4.00	66.50	30.16
R22981	Center with 5/8" holes	1 DB	0.625	6.000	87.875	22	22	0.625 x 2	1.94	4.00	4.00	88.00	39.92
D48041	Carbon Level Cut End Bit LH/RH	2 DB	0.625	6.000	13.500	3	3	0.625 x 2.25	1.94	4.00	4.00	12.90	5.85
70441	Hot Cup End Bit RH	1 EBHC	0.750	7.500	15.000	3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98
70442	Hot Cup End Bit LH	1 EBHC	0.750	7.500	15.000	3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98
850 Low Ground Pressure													
Serial Number: 118.5"													
R43239	Center	1 DB	0.625	6.000	86.875	15	15	0.625 x 2	1.37	6.00	6.00	83.70	37.97
R42470	Level Cut End Bit LH/RH	2 DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	2 DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1 EBHC	0.750	7.500	16.000	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
							3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
D51101	Hot Cup End Bit LH	1 EBHC	0.750	7.500	15.953	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
							3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
R41352	Hot Cup End Bit RH	1 EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
							3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	
R41351	Hot Cup End Bit LH	1 EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
							3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	
850 Angle Tilt													
Serial Number: 103.5"													
R44592	Center	1 DB	0.625	6.000	71.750	12	12	0.625 x 2	2.88	6.00	6.00	69.00	31.30
R42470	Level Cut End Bit LH/RH	2 DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	2 DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1 EBHC	0.750	7.500	16.000	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
							3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
D51101	Hot Cup End Bit LH	1 EBHC	0.750	7.500	15.953	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
							3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
R41352	Hot Cup End Bit RH	1 EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
							3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	
R41351	Hot Cup End Bit LH	1 EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
							3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	
850 Angle Tilt													
Serial Number: 107.5													
R44600	Center	1 DB	0.625	6.000	74.730	13	13	0.625 x 2	1.38	6.00	6.00	72.10	32.70
R36267	Carbon Center	1 DB	0.625	6.000	74.875	13	13	0.625 x 2	1.44	6.00	6.00	73.00	33.11
R42470	Level Cut End Bit LH/RH	2 DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	2 DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1 EBHC	0.750	7.500	16.000	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
							3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
D51101	Hot Cup End Bit LH	1	EBHC	0.750	7.500	15.953	5	2 3	0.625 x 2.75 0.625 x 2.75	4.00 2.00	4.00 4.00	4.00	21.10 ...2nd Row	9.57	
R41352	Hot Cup End Bit RH	1	EBHC	1.000	7.300	15.880	5	2 3	0.625 x 2.75 0.625 x 2.75	3.94 1.94	4.00 4.00	4.00	19.70 ...2nd Row	8.94	
R41351	Hot Cup End Bit LH	1	EBHC	1.000	7.300	15.880	5	2 3	0.625 x 2.75 0.625 x 2.75	3.94 1.94	4.00 4.00	4.00	19.70 ...2nd Row	8.94	

850

Serial Number: 120"

D52377	Center	1	DB	0.625	6.000	87.875	15	15	0.625 x 2	1.94	6.00	6.00	84.80	38.46
R42470	Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1	EBHC	0.750	7.500	16.000	5	2 3	0.625 x 2.75 0.625 x 2.75	4.00 2.00	4.00 4.00	4.00	21.10 ...2nd Row	9.57
D51101	Hot Cup End Bit LH	1	EBHC	0.750	7.500	15.953	5	2 3	0.625 x 2.75 0.625 x 2.75	4.00 2.00	4.00 4.00	4.00	21.10 ...2nd Row	9.57
R41352	Hot Cup End Bit RH	1	EBHC	1.000	7.300	15.880	5	2 3	0.625 x 2.75 0.625 x 2.75	3.94 1.94	4.00 4.00	4.00	19.70 ...2nd Row	8.94
R41351	Hot Cup End Bit LH	1	EBHC	1.000	7.300	15.880	5	2 3	0.625 x 2.75 0.625 x 2.75	3.94 1.94	4.00 4.00	4.00	19.70 ...2nd Row	8.94

850 G H

Serial Number: 104"

115631A1	Center	2	DB	0.750	8.000	34.134	6	6	0.750 x 2.5	2.06	6.00	6.00	53.00	24.04
R42490	Level Cut End Bit LH/RH	2	DB	0.750	8.000	17.402	5	2 3	0.750 x 2.5 0.750 x 2.5	5.75 2.75	6.00 6.00	6.00	26.60 ...2nd Row	12.07
R37034	Heavy Duty Level Cut End Bit LH/RH	2	DB	1.000	8.000	17.400	5	2 3	0.750 x 2.5 0.750 x 2.5	2.70 5.70	6.00 6.00	6.00	35.90 ...2nd Row	16.28
R41911	Hot Cup End Bit RH	1	EBHC	1.000	9.488	20.512	5	2 3	0.750 x 2.5 0.750 x 2.5	5.75 2.75	6.00 6.00	6.00	45.70 ...2nd Row	20.73
R41910	Hot Cup End Bit LH	1	EBHC	1.000	9.488	20.512	5	2 3	0.750 x 2.5 0.750 x 2.5	5.75 2.75	6.00 6.00	6.00	45.70 ...2nd Row	20.73

850 G H

Serial Number: 124"

126519A1	Center	1	DB	0.750	8.000	88.898	15	15	0.750 x 2.5	2.45	6.00	6.00	137.80	62.51
R42490	Level Cut End Bit LH/RH	2	DB	0.750	8.000	17.402	5	2 3	0.750 x 2.5 0.750 x 2.5	5.75 2.75	6.00 6.00	6.00	26.60 ...2nd Row	12.07
R37034	Heavy Duty Level Cut End Bit LH/RH	2	DB	1.000	8.000	17.400	5	2 3	0.750 x 2.5 0.750 x 2.5	2.70 5.70	6.00 6.00	6.00	35.90 ...2nd Row	16.28
R41911	Hot Cup End Bit RH	1	EBHC	1.000	9.488	20.512	5	2 3	0.750 x 2.5 0.750 x 2.5	5.75 2.75	6.00 6.00	6.00	45.70 ...2nd Row	20.73
R41910	Hot Cup End Bit LH	1	EBHC	1.000	9.488	20.512	5	2 3	0.750 x 2.5 0.750 x 2.5	5.75 2.75	6.00 6.00	6.00	45.70 ...2nd Row	20.73

850 K L

Serial Number: 104"

115631A1	Center	2	DB	0.750	8.000	34.134	6	6	0.750 x 2.5	2.06	6.00	6.00	53.00	24.04
R42490	Level Cut End Bit LH/RH	2	DB	0.750	8.000	17.402	5	2 3	0.750 x 2.5 0.750 x 2.5	5.75 2.75	6.00 6.00	6.00	26.60 ...2nd Row	12.07
R37034	Heavy Duty Level Cut End Bit LH/RH	2	DB	1.000	8.000	17.400	5	2 3	0.750 x 2.5 0.750 x 2.5	2.70 5.70	6.00 6.00	6.00	35.90 ...2nd Row	16.28
R41911	Hot Cup End Bit RH	1	EBHC	1.000	9.488	20.512	5	2 3	0.750 x 2.5 0.750 x 2.5	5.75 2.75	6.00 6.00	6.00	45.70 ...2nd Row	20.73

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight. . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
R41910	Hot Cup End Bit LH	1 EBHC	1.000	x 9.488	x 20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00	...2nd Row		

850 K L
Serial Number: 110"

430157A1	Center	1 DB	0.750	x 8.000	x 75.118	13	13	0.750 x 2.5	1.56	6.00	6.00	116.40	52.80
R42490	Level Cut End Bit LH/RH	2 DB	0.750	x 8.000	x 17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07
							3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R37034	Heavy Duty Level Cut End Bit LH/RH	2 DB	1.000	x 8.000	x 17.400	5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28
							3	0.750 x 2.5	5.70	6.00	...2nd Row		
R41911	Hot Cup End Bit RH	1 EBHC	1.000	x 9.488	x 20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R41910	Hot Cup End Bit LH	1 EBHC	1.000	x 9.488	x 20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00	...2nd Row		

850 K L
Serial Number: 120"

327539A1	Center	1 DB	0.750	x 8.000	x 84.960	14	14	0.750 x 2.5	3.48	6.00	6.00	131.80	59.78
R42490	Level Cut End Bit LH/RH	2 DB	0.750	x 8.000	x 17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07
							3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R37034	Heavy Duty Level Cut End Bit LH/RH	2 DB	1.000	x 8.000	x 17.400	5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28
							3	0.750 x 2.5	5.70	6.00	...2nd Row		
R41911	Hot Cup End Bit RH	1 EBHC	1.000	x 9.488	x 20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R41910	Hot Cup End Bit LH	1 EBHC	1.000	x 9.488	x 20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00	...2nd Row		

850 K L
Serial Number: 124"

126519A1	Center	1 DB	0.750	x 8.000	x 88.898	15	15	0.750 x 2.5	2.45	6.00	6.00	137.80	62.51
R42490	Level Cut End Bit LH/RH	2 DB	0.750	x 8.000	x 17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07
							3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R37034	Heavy Duty Level Cut End Bit LH/RH	2 DB	1.000	x 8.000	x 17.400	5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28
							3	0.750 x 2.5	5.70	6.00	...2nd Row		
R41911	Hot Cup End Bit RH	1 EBHC	1.000	x 9.488	x 20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R41910	Hot Cup End Bit LH	1 EBHC	1.000	x 9.488	x 20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00	...2nd Row		

855 C
Serial Number: 118"

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
R43239	Center	1	DB	0.625	6.000	86.875	15	15	0.625 x 2	1.37	6.00	6.00	83.70	37.97	
R42470	Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90	
D48041	Carbon Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85	
D51100	Hot Cup End Bit RH	1	EBHC	0.750	7.500	16.000	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57	
								3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row		
D51101	Hot Cup End Bit LH	1	EBHC	0.750	7.500	15.953	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57	
								3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row		
R41352	Hot Cup End Bit RH	1	EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94	
								3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row		
R41351	Hot Cup End Bit LH	1	EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94	
								3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row		

1000 1010

Serial Number: 102"

16792	Center with 1/2" holes	1	DB	0.500	6.000	71.875	18	18	0.500 x 2	1.94	4.00	4.00	54.40	24.68
R42529	Center with 5/8" holes	1	DB	0.625	6.000	71.810	18	18	0.625 x 2	1.90	4.00	4.00	68.70	31.16
D48041	Carbon Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.25	1.94	4.00	4.00	12.90	5.85
70441	Hot Cup End Bit RH	1	EBHC	0.750	7.500	15.000	3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98
70442	Hot Cup End Bit LH	1	EBHC	0.750	7.500	15.000	3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98

1000 1010

Serial Number: 110"

70391	Center with 1/2" holes	1	DB	0.500	6.000	79.875	20	20	0.500 x 2	1.94	4.00	4.00		
R22973	Center with 5/8" holes	1	DB	0.625	6.000	79.750	20	20	0.625 x 2	1.88	4.00	4.00	70.00	31.75
D48041	Carbon Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.25	1.94	4.00	4.00	12.90	5.85
70441	Hot Cup End Bit RH	1	EBHC	0.750	7.500	15.000	3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98
70442	Hot Cup End Bit LH	1	EBHC	0.750	7.500	15.000	3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98

1000 1010

Serial Number: 118"

70725	Center with 1/2" holes	1	DB	0.500	6.000	87.875	22	22	0.500 x 2	1.94	4.00	4.00	66.50	30.16
R22981	Center with 5/8" holes	1	DB	0.625	6.000	87.875	22	22	0.625 x 2	1.94	4.00	4.00	88.00	39.92
D48041	Carbon Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.25	1.94	4.00	4.00	12.90	5.85
70441	Hot Cup End Bit RH	1	EBHC	0.750	7.500	15.000	3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98
70442	Hot Cup End Bit LH	1	EBHC	0.750	7.500	15.000	3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98

1150 Tilt

Serial Number: 104"

R42529	Center	1	DB	0.625	6.000	71.810	18	18	0.625 x 2	1.90	4.00	4.00	68.70	31.16
R42470	Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1	EBHC	0.750	7.500	16.000	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
								3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
D51101	Hot Cup End Bit LH	1	EBHC	0.750	7.500	15.953	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
								3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
R41352	Hot Cup End Bit RH	1	EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
								3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	
R41351	Hot Cup End Bit LH	1	EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
								3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	

1150 Tilt

Serial Number: 110"

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
R45446	Center	2 DB	0.625 x 6.000 x 38.938			7	7	0.625 x 2	1.47	6.00	6.00	37.60	17.06
R42470	Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 13.500			3	3	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 13.500			3	3	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1 EBHC	0.750 x 7.500 x 16.000			5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
D51101	Hot Cup End Bit LH	1 EBHC	0.750 x 7.500 x 15.953			5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
							3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
R41352	Hot Cup End Bit RH	1 EBHC	1.000 x 7.300 x 15.880			5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
R41351	Hot Cup End Bit LH	1 EBHC	1.000 x 7.300 x 15.880			5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
							3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	

1150 Tilt

Serial Number: 112"

R22973	Center	1 DB	0.625 x 6.000 x 79.750			20		0.625 x 2	1.88	4.00	4.00	70.00	31.75
R42470	Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 13.500			3	3	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 13.500			3	3	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1 EBHC	0.750 x 7.500 x 16.000			5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
D51101	Hot Cup End Bit LH	1 EBHC	0.750 x 7.500 x 15.953			5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
							3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
R41352	Hot Cup End Bit RH	1 EBHC	1.000 x 7.300 x 15.880			5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
R41351	Hot Cup End Bit LH	1 EBHC	1.000 x 7.300 x 15.880			5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
							3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	

1150 Tilt

Serial Number: 120"

R22981	Center	1 DB	0.625 x 6.000 x 87.875			22	22	0.625 x 2	1.94	4.00	4.00	88.00	39.92
R42470	Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 13.500			3	3	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 13.500			3	3	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1 EBHC	0.750 x 7.500 x 16.000			5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
D51101	Hot Cup End Bit LH	1 EBHC	0.750 x 7.500 x 15.953			5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
							3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
R41352	Hot Cup End Bit RH	1 EBHC	1.000 x 7.300 x 15.880			5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
R41351	Hot Cup End Bit LH	1 EBHC	1.000 x 7.300 x 15.880			5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
							3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	

1150 Tilt

Serial Number: 128"

R41350	Center	1 DB	0.625 x 6.000 x 95.810			24	24	0.625 x 2	1.91	4.00	4.00	91.70	41.59
D47776	Carbon Center	1 DB	0.625 x 6.000 x 95.875			24	24	0.625 x 2	1.94	4.00	4.00	91.70	41.59
R42470	Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 13.500			3	3	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 13.500			3	3	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1 EBHC	0.750 x 7.500 x 16.000			5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
D51101	Hot Cup End Bit LH	1 EBHC	0.750 x 7.500 x 15.953			5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
							3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
R41352	Hot Cup End Bit RH	1 EBHC	1.000 x 7.300 x 15.880			5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
R41351	Hot Cup End Bit LH	1 EBHC	1.000 x 7.300 x 15.880			5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
							3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
R41351	Hot Cup End Bit LH	1	EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94	
								3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row		

1150 Tilt

Serial Number: 134"

R45447	Center	2	DB	0.625	6.000	50.945	9	9	0.625 x 2	1.47	6.00	6.00	49.20	22.32
R42470	Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1	EBHC	0.750	7.500	16.000	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
								3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
D51101	Hot Cup End Bit LH	1	EBHC	0.750	7.500	15.953	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
								3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
R41352	Hot Cup End Bit RH	1	EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
								3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	
R41351	Hot Cup End Bit LH	1	EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
								3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	

1150 Angle Tilt Pitch

Serial Number: 110"

R45446	Center	2	DB	0.625	6.000	38.938	7	7	0.625 x 2	1.47	6.00	6.00	37.60	17.06
R42470	Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1	EBHC	0.750	7.500	16.000	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
								3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
D51101	Hot Cup End Bit LH	1	EBHC	0.750	7.500	15.953	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
								3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
R41352	Hot Cup End Bit RH	1	EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
								3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	
R41351	Hot Cup End Bit LH	1	EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
								3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	

1150 Angle Tilt Pitch

Serial Number: 128"

R41350	Center	1	DB	0.625	6.000	95.810	24	24	0.625 x 2	1.91	4.00	4.00	91.70	41.59
D47776	Carbon Center	1	DB	0.625	6.000	95.875	24	24	0.625 x 2	1.94	4.00	4.00	91.70	41.59
R42470	Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1	EBHC	0.750	7.500	16.000	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
								3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
D51101	Hot Cup End Bit LH	1	EBHC	0.750	7.500	15.953	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
								3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
R41352	Hot Cup End Bit RH	1	EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
								3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	
R41351	Hot Cup End Bit LH	1	EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
								3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	

1150 Angle Tilt Pitch

Serial Number: 130.5

R44885	Center	3	DB	0.625	6.000	33.000	6	6	0.625 x 2	1.50	6.00	6.00	31.80	14.42
R42470	Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1	EBHC	0.750	7.500	16.000	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
								3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . Dimensions . . .			Total Holes	. . . Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
D51101	Hot Cup End Bit LH	1	EBHC	0.750	7.500	15.953	5	2 3	0.625 x 2.75 0.625 x 2.75	4.00 2.00	4.00 4.00		21.10 ...2nd Row	9.57
R41352	Hot Cup End Bit RH	1	EBHC	1.000	7.300	15.880	5	2 3	0.625 x 2.75 0.625 x 2.75	3.94 1.94	4.00 4.00	4.00	19.70 ...2nd Row	8.94
R41351	Hot Cup End Bit LH	1	EBHC	1.000	7.300	15.880	5	2 3	0.625 x 2.75 0.625 x 2.75	3.94 1.94	4.00 4.00	4.00	19.70 ...2nd Row	8.94

1150 Angle Tilt Pitch

Serial Number: 132"

R32043	Center	1	DB	0.625	6.000	99.875	17	17	0.625 x 2	1.94	6.00	6.00	95.00	43.09
R42470	Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1	EBHC	0.750	7.500	16.000	5	2 3	0.625 x 2.75 0.625 x 2.75	4.00 2.00	4.00 4.00	4.00	21.10 ...2nd Row	9.57
D51101	Hot Cup End Bit LH	1	EBHC	0.750	7.500	15.953	5	2 3	0.625 x 2.75 0.625 x 2.75	4.00 2.00	4.00 4.00	4.00	21.10 ...2nd Row	9.57
R41352	Hot Cup End Bit RH	1	EBHC	1.000	7.300	15.880	5	2 3	0.625 x 2.75 0.625 x 2.75	3.94 1.94	4.00 4.00	4.00	19.70 ...2nd Row	8.94
R41351	Hot Cup End Bit LH	1	EBHC	1.000	7.300	15.880	5	2 3	0.625 x 2.75 0.625 x 2.75	3.94 1.94	4.00 4.00	4.00	19.70 ...2nd Row	8.94

1150 Low Ground Pressure

Serial Number: 114"

R53060	Center	2	DB	0.625	6.000	41.039	7	7	0.625 x 2	2.52	6.00	6.00	39.50	17.92
R42470	Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1	EBHC	0.750	7.500	16.000	5	2 3	0.625 x 2.75 0.625 x 2.75	4.00 2.00	4.00 4.00	4.00	21.10 ...2nd Row	9.57
D51101	Hot Cup End Bit LH	1	EBHC	0.750	7.500	15.953	5	2 3	0.625 x 2.75 0.625 x 2.75	4.00 2.00	4.00 4.00	4.00	21.10 ...2nd Row	9.57
R41352	Hot Cup End Bit RH	1	EBHC	1.000	7.300	15.880	5	2 3	0.625 x 2.75 0.625 x 2.75	3.94 1.94	4.00 4.00	4.00	19.70 ...2nd Row	8.94
R41351	Hot Cup End Bit LH	1	EBHC	1.000	7.300	15.880	5	2 3	0.625 x 2.75 0.625 x 2.75	3.94 1.94	4.00 4.00	4.00	19.70 ...2nd Row	8.94

1150 Low Ground Pressure

Serial Number: 128"

R54419	Center	2	DB	0.625	6.000	48.244	8	8	0.625 x 2	3.12	6.00	6.00	46.60	21.14
R42470	Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1	EBHC	0.750	7.500	16.000	5	2 3	0.625 x 2.75 0.625 x 2.75	4.00 2.00	4.00 4.00	4.00	21.10 ...2nd Row	9.57
D51101	Hot Cup End Bit LH	1	EBHC	0.750	7.500	15.953	5	2 3	0.625 x 2.75 0.625 x 2.75	4.00 2.00	4.00 4.00	4.00	21.10 ...2nd Row	9.57
R41352	Hot Cup End Bit RH	1	EBHC	1.000	7.300	15.880	5	2 3	0.625 x 2.75 0.625 x 2.75	3.94 1.94	4.00 4.00	4.00	19.70 ...2nd Row	8.94
R41351	Hot Cup End Bit LH	1	EBHC	1.000	7.300	15.880	5	2 3	0.625 x 2.75 0.625 x 2.75	3.94 1.94	4.00 4.00	4.00	19.70 ...2nd Row	8.94

1150 Low Ground Pressure

Serial Number: 134"

R45447	Center	2	DB	0.625	6.000	50.945	9	9	0.625 x 2	1.47	6.00	6.00	49.20	22.32
--------	--------	---	----	-------	-------	--------	---	---	-----------	------	------	------	-------	-------

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight. . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
R42470	Level Cut End Bit LH/RH	2 DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	2 DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1 EBHC	0.750	7.500	16.000	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
							3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
D51101	Hot Cup End Bit LH	1 EBHC	0.750	7.500	15.953	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
							3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
R41352	Hot Cup End Bit RH	1 EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
							3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	
R41351	Hot Cup End Bit LH	1 EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
							3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	

1150 Low Ground Pressure

Serial Number: 135"

R48976	Center	3 DB	0.625	6.000	34.375	6	6	0.625 x 2				50.00	22.68
R42470	Level Cut End Bit LH/RH	2 DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	13.00	5.90
D48041	Carbon Level Cut End Bit LH/RH	2 DB	0.625	6.000	13.500	3	3	0.625 x 2.75	1.94	4.00	4.00	12.90	5.85
D51100	Hot Cup End Bit RH	1 EBHC	0.750	7.500	16.000	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
							3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
D51101	Hot Cup End Bit LH	1 EBHC	0.750	7.500	15.953	5	2	0.625 x 2.75	4.00	4.00		21.10	9.57
							3	0.625 x 2.75	2.00	4.00	4.00	...2nd Row	
R41352	Hot Cup End Bit RH	1 EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
							3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	
R41351	Hot Cup End Bit LH	1 EBHC	1.000	7.300	15.880	5	2	0.625 x 2.75	3.94	4.00		19.70	8.94
							3	0.625 x 2.75	1.94	4.00	4.00	...2nd Row	

1150 G H

Serial Number: 110"

179402A1	Center	1 DB	0.750	8.000	75.122	13	13	0.750 x 2.5	1.56	6.00	6.00	115.30	52.30
R42490	Level Cut End Bit LH/RH	2 DB	0.750	8.000	17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07
							3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R37034	Heavy Duty Level Cut End Bit LH/RH	2 DB	1.000	8.000	17.400	5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28
							3	0.750 x 2.5	5.70	6.00		...2nd Row	
R41911	Hot Cup End Bit RH	1 EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R41910	Hot Cup End Bit LH	1 EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00		...2nd Row	

1150 G H

Serial Number: 124"

126519A1	Center	1 DB	0.750	8.000	88.898	15	15	0.750 x 2.5	2.45	6.00	6.00	137.80	62.51
R42490	Level Cut End Bit LH/RH	2 DB	0.750	8.000	17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07
							3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R37034	Heavy Duty Level Cut End Bit LH/RH	2 DB	1.000	8.000	17.400	5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28
							3	0.750 x 2.5	5.70	6.00		...2nd Row	
R41911	Hot Cup End Bit RH	1 EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R41910	Hot Cup End Bit LH	1 EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00		...2nd Row	

1150 K

Serial Number: 120"

327539A1	Center	1 DB	0.750	8.000	84.960	14	2	0.750 x 2.5	3.48	6.00	6.00	131.80	59.78
----------	--------	------	-------	-------	--------	----	---	-------------	------	------	------	--------	-------

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type	Dimensions			Total Holes	Bolts			Hole Spacing			Weight	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
R42490	Level Cut End Bit LH/RH	2	DB	0.750	8.000	17.402	5	2 0.750 x 2.5 3 0.750 x 2.5	5.75 2.75	6.00 6.00		26.60 ...2nd Row	12.07 16.28		
R37034	Heavy Duty Level Cut End Bit LH/RH	2	DB	1.000	8.000	17.400	5	2 0.750 x 2.5 3 0.750 x 2.5	2.70 5.70	6.00 6.00	6.00	35.90 ...2nd Row	16.28		
R41911	Hot Cup End Bit RH	1	EBHC	1.000	9.488	20.512	5	2 0.750 x 2.5 3 0.750 x 2.5	5.75 2.75	6.00 6.00	6.00	45.70 ...2nd Row	20.73		
R41910	Hot Cup End Bit LH	1	EBHC	1.000	9.488	20.512	5	2 0.750 x 2.5 3 0.750 x 2.5	5.75 2.75	6.00 6.00		45.70 ...2nd Row	20.73		

1150 K
Serial Number: 130"

430350A1	Center	1	DB	0.750	8.000	94.803	16	16 0.750 x 2.5	2.40	6.00	6.00	147.00	66.68
R42490	Level Cut End Bit LH/RH	2	DB	0.750	8.000	17.402	5	2 0.750 x 2.5 3 0.750 x 2.5	5.75 2.75	6.00 6.00	6.00	26.60 ...2nd Row	12.07
R37034	Heavy Duty Level Cut End Bit LH/RH	2	DB	1.000	8.000	17.400	5	2 0.750 x 2.5 3 0.750 x 2.5	2.70 5.70	6.00 6.00	6.00	35.90 ...2nd Row	16.28
R41911	Hot Cup End Bit RH	1	EBHC	1.000	9.488	20.512	5	2 0.750 x 2.5 3 0.750 x 2.5	5.75 2.75	6.00 6.00	6.00	45.70 ...2nd Row	20.73
R41910	Hot Cup End Bit LH	1	EBHC	1.000	9.488	20.512	5	2 0.750 x 2.5 3 0.750 x 2.5	5.75 2.75	6.00 6.00		45.70 ...2nd Row	20.73

1150 K
Serial Number: 132"

87313382	Center	1	DB	0.750	8.000	96.961	16	16 0.750 x 2.5	3.48	6.00	6.00	150.50	68.27
R42490	Level Cut End Bit LH/RH	2	DB	0.750	8.000	17.402	5	2 0.750 x 2.5 3 0.750 x 2.5	5.75 2.75	6.00 6.00	6.00	26.60 ...2nd Row	12.07
R37034	Heavy Duty Level Cut End Bit LH/RH	2	DB	1.000	8.000	17.400	5	2 0.750 x 2.5 3 0.750 x 2.5	2.70 5.70	6.00 6.00	6.00	35.90 ...2nd Row	16.28
R41911	Hot Cup End Bit RH	1	EBHC	1.000	9.488	20.512	5	2 0.750 x 2.5 3 0.750 x 2.5	5.75 2.75	6.00 6.00	6.00	45.70 ...2nd Row	20.73
R41910	Hot Cup End Bit LH	1	EBHC	1.000	9.488	20.512	5	2 0.750 x 2.5 3 0.750 x 2.5	5.75 2.75	6.00 6.00		45.70 ...2nd Row	20.73

1155 D
Serial Number: 82"

R53318	Center	1	DB	0.625	6.000	62.795	11	10 0.750 x 2	1.40	6.00	6.00	61.00	27.67
R53319	Level Cut End Bit LH/RH	2	EBLC	0.750	6.000	9.598	2	2 0.750 x 2	1.40	6.00		11.10	5.03

1450 Angle Tilt
Serial Number: 126"

R41857	Center	1	DB	0.750	8.000	86.930	15	15 0.750 x 2.5	1.47	6.00	6.00	134.80	61.14
R41859	Hot Cup End Bit RH	1	EBHC	1.000	9.500	18.400	5	2 0.750 x 2.5 3 0.750 x 2.5	4.90 1.90	6.00 6.00	6.00	43.60 ...2nd Row	19.78
R41858	Hot Cup End Bit LH	1	EBHC	1.000	9.500	18.400	5	2 0.750 x 2.5 3 0.750 x 2.5	4.90 1.90	6.00 6.00	6.00	43.60 ...2nd Row	19.78
R42501	Level Cut End Bit RH	1	DB	0.750	8.000	16.900	5	2 0.750 x 2.5 3 0.750 x 2.5	4.90 1.90	6.00 6.00	6.00	25.80 ...2nd Row	11.70
R42500	Level Cut End Bit LH	1	DB	0.750	8.000	16.900	5	2 0.750 x 2.5 3 0.750 x 2.5	4.90 1.90	6.00 6.00	6.00	25.80 ...2nd Row	11.70

1450 Pitch Tilt
Serial Number: 138"

R34906	Center	1	DB	0.750	8.000	32.750	5	5 0.750 x 2.5					
--------	--------	---	----	-------	-------	--------	---	---------------	--	--	--	--	--

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight. . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
R34688	End	2	DB	0.750	8.000	33.000	6	6	0.750 x 2.5						
R41859	Hot Cup End Bit RH	1	EBHC	1.000	9.500	18.400	5	2	0.750 x 2.5	4.90	6.00		43.60	19.78	
								3	0.750 x 2.5	1.90	6.00	6.00	...2nd Row		
R41858	Hot Cup End Bit LH	1	EBHC	1.000	9.500	18.400	5	2	0.750 x 2.5	4.90	6.00		43.60	19.78	
								3	0.750 x 2.5	1.90	6.00	6.00	...2nd Row		
R42501	Level Cut End Bit RH	1	DB	0.750	8.000	16.900	5	2	0.750 x 2.5	4.90	6.00		25.80	11.70	
								3	0.750 x 2.5	1.90	6.00	6.00	...2nd Row		
R42500	Level Cut End Bit LH	1	DB	0.750	8.000	16.900	5	2	0.750 x 2.5	4.90	6.00		25.80	11.70	
								3	0.750 x 2.5	1.90	6.00	6.00	...2nd Row		

1450 1550 Angle Tilt Pitch

Serial Number: 138"

R56772	Center	2	DB	0.750	8.000	47.453	8	8	0.750 x 2.5	2.75	6.00	6.00	73.60	33.38
R42490	Level Cut End Bit LH/RH	2	DB	0.750	8.000	17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07
								3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R37034	Heavy Duty Level Cut End Bit LH/RH	2	DB	1.000	8.000	17.400	5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28
								3	0.750 x 2.5	5.70	6.00		...2nd Row	
R41911	Hot Cup End Bit RH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
								3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R41910	Hot Cup End Bit LH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
								3	0.750 x 2.5	2.75	6.00		...2nd Row	

1450 1550 Angle Tilt Pitch

Serial Number: 155"

R41908	Center	1	DB	0.750	8.000	42.730	7	7	0.750 x 2.5	3.37	6.00	6.00	66.30	30.07
R41909	End	2	DB	0.750	8.000	34.930	6	6	0.750 x 2.5	2.47	6.00	6.00	54.00	24.49
R42490	Level Cut End Bit LH/RH	2	DB	0.750	8.000	17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07
								3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R37034	Heavy Duty Level Cut End Bit LH/RH	2	DB	1.000	8.000	17.400	5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28
								3	0.750 x 2.5	5.70	6.00		...2nd Row	
R41911	Hot Cup End Bit RH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
								3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R41910	Hot Cup End Bit LH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
								3	0.750 x 2.5	2.75	6.00		...2nd Row	

1450 1550 Angle Tilt Pitch

Serial Number: 152"

R39115	Center	2	DB	0.750	8.000	59.813	10	10	0.750 x 2.5	2.91	6.00	6.00		
R39116	Hot Cup End Bit RH	1	EBHC	0.750	10.210	17.630	6	3	0.750 x 2.5	2.25	3.50	3.50	31.00	14.06
								3	0.750 x 2.5	2.25	4.00	4.00	...2nd Row	
R39117	Hot Cup End Bit LH	1	EBHC	0.750	10.210	17.630	6	3	0.750 x 2.5	2.25	3.50	3.50	31.00	14.06
								3	0.750 x 2.5	2.25	4.00	4.00	...2nd Row	

1550 Angle Tilt

Serial Number: 126"

R41857	Center	1	DB	0.750	8.000	86.930	15	15	0.750 x 2.5	1.47	6.00	6.00	134.80	61.14
R41859	Hot Cup End Bit RH	1	EBHC	1.000	9.500	18.400	5	2	0.750 x 2.5	4.90	6.00		43.60	19.78
								3	0.750 x 2.5	1.90	6.00	6.00	...2nd Row	
R41858	Hot Cup End Bit LH	1	EBHC	1.000	9.500	18.400	5	2	0.750 x 2.5	4.90	6.00		43.60	19.78
								3	0.750 x 2.5	1.90	6.00	6.00	...2nd Row	
R42501	Level Cut End Bit RH	1	DB	0.750	8.000	16.900	5	2	0.750 x 2.5	4.90	6.00		25.80	11.70
								3	0.750 x 2.5	1.90	6.00	6.00	...2nd Row	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
R42500	Level Cut End Bit LH	1 DB	0.750 x 8.000 x 16.900			5	2	0.750 x 2.5	4.90	6.00		25.80	11.70
							3	0.750 x 2.5	1.90	6.00	6.00	...2nd Row	

1550 Low Ground Pressure

Serial Number: 143"

R42626	Center	2 DB	0.750 x 8.000 x 51.330			9	9	0.750 x 2.5	1.67	6.00	6.00	79.50	36.06
R41859	Hot Cup End Bit RH	1 EBHC	1.000 x 9.500 x 18.400			5	2	0.750 x 2.5	4.90	6.00		43.60	19.78
							3	0.750 x 2.5	1.90	6.00	6.00	...2nd Row	
R41858	Hot Cup End Bit LH	1 EBHC	1.000 x 9.500 x 18.400			5	2	0.750 x 2.5	4.90	6.00		43.60	19.78
							3	0.750 x 2.5	1.90	6.00	6.00	...2nd Row	
R42501	Level Cut End Bit RH	1 DB	0.750 x 8.000 x 16.900			5	2	0.750 x 2.5	4.90	6.00		25.80	11.70
							3	0.750 x 2.5	1.90	6.00	6.00	...2nd Row	
R42500	Level Cut End Bit LH	1 DB	0.750 x 8.000 x 16.900			5	2	0.750 x 2.5	4.90	6.00		25.80	11.70
							3	0.750 x 2.5	1.90	6.00	6.00	...2nd Row	

1650 K

Serial Number: 120"

79101015	Center	2 DB	0.750 x 8.000 x 46.299			8		0.750	1.38	6.00	6.00	71.80	32.57
CB1359	Level Cut End Bit LH/RH	2 DB	1.000 x 8.000 x 13.125			3		0.750	1.13	4.00	4.00	27.30	12.38

1850 K Angle

Serial Number: 76046824

08294269	Center	1 DB	0.750 x 8.000 x 41.850			9		0.750	2.93	6.00	6.00		
79077486	Center	2 DB	0.750 x 8.000 x 42.200			6		0.750				65.00	29.48
8294273	Hot Cup End Bit RH	1 EBHC	1.000 x 10.000 x 17.500			6		0.750	2.50	4.00	4.00	40.40	18.33
								0.750	2.50	4.00	4.00	...2nd Row	
8294274	Hot Cup End Bit LH	1 EBHC	1.000 x 10.000 x 17.500			6		0.750	2.50	4.00	4.00	40.40	18.33
								0.750	2.50	4.00	4.00	...2nd Row	
79104463	Level Cut End Bit RH	1 EBLC	1.000 x 8.000 x 18.310			6		0.750	2.33	3.94	3.94	33.20	15.06
								0.750	2.33	3.94	3.94	...2nd Row	
79104464	Level Cut End Bit LH	1 EBLC	1.000 x 8.000 x 18.307			6		0.750	2.33	3.94	3.94	33.20	15.06
								0.750	2.33	3.94	3.94	...2nd Row	

1850 K Straight

Serial Number: 76074930 76040978

76046503	End	1 DB	0.750 x 8.000 x			5		0.750					
76046502	Center	2 DB	0.750 x 8.000 x 34.370			6		0.750	1.54	6.00	6.00	53.30	24.18
08297646	Hot Cup End Bit RH	1 EBHC	1.250 x 7.563 x 14.438			6		0.750				46.00	20.87
08297645	Hot Cup End Bit LH	1 EBHC	1.250 x 7.563 x 14.438			6		0.750				46.00	20.87

1850 K Straight LGP

Serial Number: 76071388

8294668	Center	1 DB	0.750 x 8.000 x 29.843			5		0.750	2.92	6.00	6.00	46.20	20.96
76071089	End	2 DB	0.750 x 8.000 x			8		0.750					
08297646	Hot Cup End Bit RH	1 EBHC	1.250 x 7.563 x 14.438			6		0.750				46.00	20.87
08297645	Hot Cup End Bit LH	1 EBHC	1.250 x 7.563 x 14.438			6		0.750				46.00	20.87

1850 K Semi-U

Serial Number: 76074927 76074835

8294668	Center	1 DB	0.750 x 8.000 x 29.843			5		0.750	2.92	6.00	6.00	46.20	20.96
76074841	End	2 DB	0.750 x 8.000 x 36.417			6		0.750	3.47	6.00	6.00	56.50	25.63
79094511	Hot Cup End Bit RH	1 EBHC	1.000 x 9.450 x 19.441			6		0.750	2.40	4.00	4.00	38.80	17.60
								0.750	2.40	4.00	4.00	...2nd Row	
79094512	Hot Cup End Bit LH	1 EBHC	1.000 x 9.450 x 19.441			6		0.750	2.40	4.00	4.00	38.80	17.60
								0.750	2.40	4.00	4.00	...2nd Row	

GT25 GT28 GT30 GT34

Serial Number: 68"

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For
Case® Equipment
Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
16583	Center	1	DB	0.500	6.000	51.875	13	14	0.500 x 2	1.94	4.00	4.00			
16187	Level Cut End Bit LH/RH	1	DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72	

GT25 GT28 GT30 GT34

Serial Number: 72"

16040	Center	1	DB	0.500	6.000	55.875	14	14	0.500 x 2	1.94	4.00	4.00		
16187	Level Cut End Bit LH/RH	2	DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72

GT25 GT28 GT30 GT34

Serial Number: 76"

17808	Center	1	DB	0.500	6.000	63.875	16	16	0.500 x 2	1.94	4.00	4.00		
16187	Level Cut End Bit LH/RH	2	DB	0.500	6.000	7.875	2	2	0.500 x 2	1.88	4.00		6.00	2.72

W3


Serial Number: 72"

16040	Center	1	DB	0.500	6.000	55.875	14	14	0.500 x 2	1.94	4.00	4.00		
38150	Level Cut End Bit LH/RH	2	EBLC	0.500	6.000	7.000	2	2	0.500 x 2	1.94	4.00		5.20	2.36

W9 W10 W12

Serial Number: 102"

16792	Center	1	DB	0.500	6.000	71.875	18	18	0.500 x 2	1.94	4.00	4.00	54.40	24.68
D48041	Carbon Level Cut End Bit LH/RH	2	DB	0.625	6.000	13.500	3	3	0.625 x 2.25	1.94	4.00	4.00	12.90	5.85
70441	Hot Cup End Bit RH	1	EBHC	0.750	7.500	15.000	3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98
70442	Hot Cup End Bit LH	1	EBHC	0.750	7.500	15.000	3	3	0.625 x 2.25	2.00	4.00	4.00	19.80	8.98





Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Loaders

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .		
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
321 D E														
<u>Serial Number:</u>														
4552727	Center	3 DB	0.750 x 8.000 x 27.480			5	5	0.625		2.87	5.43	5.43	42.00	19.05
521 D														
<u>Serial Number:</u> 97" BUCKET														
360949A2	Base Edge With Segment Holes	1 SB	1.000 x 8.000 x 97.166			28							201.40	91.35
360940A1	Center	1 DB	1.000 x 10.000 x 49.450			6	6	0.750 x 2.25	7.67	6.69	7.02	116.70	52.93	
360941A2		2 DB	1.000 x 10.000 x 23.472			5		0.750	4.10	3.19	3.50	54.20	24.58	
362962A1	Segment	7 DB	1.000 x 10.000 x 8.859			2	2	0.750 x 2.25	1.08	6.69		20.40	9.25	
521 D														
<u>Serial Number:</u> 100" BUCKET														
87651174	Center	1 DB	1.000 x 10.000 x 52.874			8		0.750	1.91	7.01	7.01	123.00	55.79	
87651208	End	2 DB	1.000 x 10.000 x 23.346			5		0.750	4.67	3.50	3.50	53.90	24.45	
87651191	Segment	7 DB	1.000 x 10.000 x 10.551			2		0.750	1.77	7.01		24.30	11.02	
621 621B														
<u>Serial Number:</u> 97" BUCKET														
L127241	Base Edge	1 SB	1.000 x 8.000 x 96.938			18							204.20	92.62
L124454	Center	1 DB	1.000 x 12.000 x 34.331			6	3	0.750 x 2.5	5.35	11.81	11.81	111.30	50.48	
							3	0.750 x 2.5	5.35	11.81	11.81	...2nd Row		
L124455	End	2 DB	1.000 x 12.000 x 31.125			8	3	0.750 x 2.5	6.25	6.81	5.00	100.20	45.45	
							3	0.750 x 2.5	6.25	6.81	5.00	...2nd Row		
621 621B														
<u>Serial Number:</u> 97" BUCKET WITH OFFSET HOLE ON ENDS														
L127425	Base Edge	1 SB	1.000 x 8.000 x 96.938			16								
L124454	Center	1 DB	1.000 x 12.000 x 34.331			6	3	0.750 x 2.5	5.35	11.81	11.81	111.30	50.48	
							3	0.750 x 2.5	5.35	11.81	11.81	...2nd Row		
L127428	End with 1 offset hole	2 DB	1.000 x 12.000 x 31.063			5	3	0.750 x 2.5	6.22	11.81	10.00	100.90	45.77	
							2	0.750 x 2.5	3.03			...2nd Row		
621 621B														
<u>Serial Number:</u> 100" BUCKET														
747340	Base Edge	1 SB	1.250 x 10.000 x 100.000			18								
L128264	Center	1 DB	1.125 x 12.000 x 40.750			6	3	0.750 x 2.75	8.63	11.75	11.75	147.20	66.77	
								0.750 x 0	8.63	11.75	11.75	...2nd Row		
L128265	End	2 DB	1.125 x 12.000 x 29.500			6	3	0.750 x 2.75	3.00	11.75	11.75	106.00	48.08	
								0.750 x 0	3.00	11.75	11.75	...2nd Row		
621 621B														
<u>Serial Number:</u> 100" BUCKET WITH OFFSET HOLE ON ENDS														
L127359	Base Edge	1 SB	1.000 x 8.000 x 99.921			16							209.20	94.89
L127366	Center	1 DB	1.000 x 12.000 x 35.827			6	3	0.750 x 2.5	5.71	12.21	12.21	116.30	52.75	
							3	0.750 x 2.5	5.71	12.21	12.21	...2nd Row		
L127367	End with 1 offset hole	2 DB	1.000 x 12.000 x 31.813			5	3	0.750 x 2.5	6.25	10.32	12.21	98.00	44.45	
							2	0.750 x 2.5	28.78			...2nd Row		
621 621B														
<u>Serial Number:</u> 102.5" BUCKET WITH OFFSET HOLE ON ENDS														
L127426	Base Edge	1 SB	1.000 x 8.000 x 102.438			16							214.70	97.39
L127038	Center	1 DB	1.250 x 12.000 x 38.188			6	3	0.750 x 2.75	6.31	12.78	12.78	151.30	68.63	
							3	0.750 x 2.75	6.31	12.78	12.78	...2nd Row		

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Loaders

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
L127429	End with 1 offset hole	2 DB	1.250	12.000	32.205	5	3	0.750 x 2.75	6.26	12.80		127.80	57.97	
							2	0.750 x 2.75	28.74			...2nd Row		

621 D E

Serial Number: 102.5" BUCKET

371232A2	Base Edge With Segment Holes	1 SB	1.000	8.000	102.441	28						212.60	96.43
372081A1	Center	1 DB	1.000	10.000	52.126	6	6	0.750 x 2.5	7.87	7.44	7.03	121.80	55.25
372082A2	End	2 DB	1.000	10.000	24.764	5	5	0.750 x 2.5	4.10	3.92	3.52	57.80	26.22
373354A1	Segment	7 DB	1.000	10.000	9.607	2	2	0.750 x 2.5	1.08	7.44		22.20	10.07
360939A1	Bolt-On Wear Plate	2 DB	1.250	8.070	11.810	4	2	0.750 x 2.5	1.18	9.45		28.40	12.88
							2	0.750 x 2.5	1.18	9.45		...2nd Row	

721 721B

Serial Number: 103" BUCKET

L127427	Base Edge	1 SB	1.250	8.000	103.071	16						267.80	121.47
L127038	Center	1 DB	1.250	12.000	38.188	6	3	0.750 x 3	6.31	12.78	12.78	151.30	68.63
							3	0.750 x 3	6.31	12.78	12.78	...2nd Row	
L127429	End with 1 offset hole	2 DB	1.250	12.000	32.205	5	3	0.750 x 3	6.26	12.80		127.80	57.97
							2	0.750 x 3	28.74			...2nd Row	

721 D

Serial Number: 106.25" BUCKET

436293A1	Base Edge With Segment Holes	1 SB	1.250	10.000	106.300	30						343.30	155.72
115620A1	Corner 2 hole RH/LH	2 IRR	1.250	7.993	6.075	2						11.40	5.17
8500177	Center	1 DB	1.250	13.000	48.028	6	6	1.000 x 3	7.77	6.65	6.28	185.00	83.91
8500178	End	2 DB	1.250	13.000	28.741	4	4	1.000 x 3	4.77	6.28	6.65	110.40	50.08
8605842	Segment	7 DB	1.250	13.000	8.870	2		1.000	1.30	6.28		33.40	15.15
8500180	Bolt-On Wear Plate	2 DB	1.250	8.070	14.567	4	2	0.750 x 3	1.87	10.83		35.30	16.01
							2	0.750 x 3	1.87	10.83		...2nd Row	

821 821B 821C

Serial Number: 109" BUCKET

L129400	Base Edge With Segment Holes	1 SB	1.250	10.000	109.094	30						345.50	156.72
L125135	Base Edge For Bolt-on Edges or Teeth	1 SB	1.250	10.000	109.016	16						349.30	158.44
L129401	Base Edge For Bolt-on Edges Only	1 SB	1.250	10.000	109.000	9						366.00	166.01
L125136	Corner RH/LH	2 IRR	1.250	10.000	7.823	2						22.60	10.25
L125171	Center	1 DB	1.250	12.000	39.724	3	3	1.000 x 3.25	6.56	13.31	13.31	152.40	69.13
L125172	End	2 DB	1.250	12.000	34.390	3	3	1.000 x 3.25	5.81	8.75	13.31	131.60	59.69
L125814	Segment	8 DB	1.250	12.000	9.055	2	2	1.000 x 3.25	2.63	4.25		35.00	15.88

821 D

Serial Number: 119.5" BUCKET

87306133	Base Edge With Segment Holes	1 SB	1.250	10.000	119.291	30						387.10	175.59
87306785	Center	1 DB	1.250	12.724	54.244	6	6	1.000 x 3.25	8.19	8.80	5.73	202.90	92.03
87306783	End	2 DB	1.250	12.724	32.126	4	4	1.000 x 3.25	5.93	5.73	8.80	119.90	54.39
87306707	Segment	8 DB	1.250	12.724	10.224	2	2	1.000 x 3.25	2.25	5.73		37.70	17.10

921

Serial Number: 120" BUCKET

L129096	Base Edge With Segment Holes	1 SB	1.375	10.000	120.000	26						431.00	195.50
L127823	Base Edge For Bolt-on Edges or Teeth	1 SB	1.375	10.000	120.000	14						426.10	193.28
L130041	Corner 2 hole RH/LH	1 IRR	1.250	10.000	10.520	2						30.60	13.88

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
L128861	Center	1	DB	1.250	13.000	73.465	4	4	1.000 x 3.25	11.34	16.93	16.93	323.80	146.87	
L128862	End	2	DB	1.250	13.000	23.031	2	2	1.000 x 3.25	5.35	12.32		100.50	45.59	
L129097	Segment	9	DB	1.250	13.000	12.125	2	2	1.000 x 3.25	2.22	7.69		52.60	23.86	

921 E General Purpose

Serial Number: 429401A1 5.0YD BUCKET

L129096	Base Edge With Segment Holes	1	SB	1.375	10.000	120.000	26						431.00	195.50
L127823	Base Edge For Bolt-on Edges or Teeth	1	SB	1.375	10.000	120.000	14						426.10	193.28
L130041	Corner 2 hole RH/LH	1	IRR	1.250	10.000	10.520	2						30.60	13.88
L128861	Center	1	DB	1.250	13.000	73.465	4	4	1.000 x 3.25	11.34	16.93	16.93	323.80	146.87
L128862	End	2	DB	1.250	13.000	23.031	2	2	1.000 x 3.25	5.35	12.32		100.50	45.59
L129097	Segment	9	DB	1.250	13.000	12.125	2	2	1.000 x 3.25	2.22	7.69		52.60	23.86

921 E General Purpose

Serial Number: 87527910 87527908 5.25YD BUCKET

87527919	Center	1	DB	1.250	13.000	54.331	5		1.000 x 3.5	2.58	10.10	14.49	236.00	107.05
87573984	End	2	DB	1.250	13.000	31.969	4		1.000 x 3.5	5.89	5.71	8.78	138.18	62.68
87527918	Bolt on Unitooth	7	TOOTH						1.000 x 4					
87527917	Bolt on Unitooth (End)	2	TOOTH						1.000 x 4					
87527913	Segment	8	DB	1.250	13.000	9.961	2		1.000 x 3.5	2.13	5.71		43.00	19.50
87527928	Bolt-On Wear Plate	2	DB	1.250	13.000	16.850	4		0.750 x 3 0.750 x 0	1.54	13.78		73.30	33.25
										1.54	13.78		...2nd Row	

921 E General Purpose

Serial Number: 87522902 87522903 5.75YD BUCKET

87522907	Base Edge For Bolt-on Edges or Teeth	1	SB	1.500	11.811	124.016	30						574.90	260.77
87527914	Center	1	DB	1.250	13.000	57.402	5		1.000 x 3.5	2.99	10.47	15.24	240.30	109.00
87573985	End	2	DB	1.250	13.000	33.386	4		1.000 x 3.5	6.22	5.71	9.53	139.10	63.09
87527918	Bolt on Unitooth	7	TOOTH						1.000 x 4					
87527917	Bolt on Unitooth (End)	2	TOOTH						1.000 x 4					
87527913	Segment	8	DB	1.250	13.000	9.961	2		1.000 x 3.5	2.13	5.71		43.00	19.50
87527928	Bolt-On Wear Plate	2	DB	1.250	13.000	16.850	4		0.750 x 3 0.750 x 0	1.54	13.78		73.30	33.25
										1.54	13.78		...2nd Row	

1221 E

Serial Number:

61L6-00021	Base Edge	1	SB	1.500	11.811	135.827	18							
61L6-00302	Center	2	DB	1.500	13.779	60.197	5		1.250	3.19	10.04	19.29	303.00	137.44
61L6-00301	Optional Center	2	DB	1.500	13.780	60.197	3		1.250	12.05	19.29	19.29	303.00	137.44
61L6-00311	End	2	DB	1.500	19.291	7.480	3		1.250	6.89	2.95	2.95	53.00	24.04
61L6-00800	Standard Long Tooth	8	TOOTH	4.313	4.463	9.750							18.40	8.35
61L6-00810	Standard Groove Pin		PIN										0.50	0.23
61E5-11150	Standard Retainer		RET										0.50	0.23
61L6-00321	Bolt-On Wear Plate	2	SB	1.500	10.236	19.685	4		0.875 x 3.5 0.875 x 3.5	1.77	16.14	1.77	77.30	35.06
										1.77	16.14	1.77	...2nd Row	

W14 W14H

Serial Number: 84.5" BUCKETS

L111917	Bent up base edge	1	BU	0.750	6.000	84.500	8							
L112523	Bent up base edge two rows holes	1	BU	0.750	6.000	84.500	16						105.00	47.63

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Loaders

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
L115718	Center	1 DB	1.000 x 10.000 x 43.000			8	4	0.625 x 2.75	4.25	11.50	11.50	113.00	51.26
							4	0.625 x 2.75	4.25	11.50	11.50	...2nd Row	
L115719	End	2 DB	1.000 x 10.000 x 21.250			4	2	0.625 x 2.75	2.75	11.50	7.00	56.00	25.40
							2	0.625 x 2.75	2.75	11.50	7.00	...2nd Row	
L111777	Center one row of holes	1 DB	1.000 x 10.000 x 43.250			4	4	0.625 x 2.75	4.38	11.50	11.50	113.10	51.30
L111778	End one row of holes	2 DB	1.000 x 10.000 x 21.250			2	2	0.625 x 2.75	7.00	11.50		55.60	25.22

W14 W14B

Serial Number: 87.5" BUCKETS

L114235	Bent up base edge	1 BU	0.750 x 8.000 x 94.807			16						153.40	69.58
L116798	Center	1 DB	1.000 x 10.000 x 44.685			8	4	0.625 x 2.75	4.50	11.88	11.88	116.00	52.62
							4	0.625 x 2.75	4.50	11.88	11.88	...2nd Row	
L116797	End	2 DB	1.000 x 10.000 x 21.438			8	4	0.625 x 2.75	2.41	4.75	7.38	54.70	24.81
								0.625 x 0	2.91	4.25	7.38	...2nd Row	
L128944	End RH	1 DB	1.000 x 10.000 x 21.625			8		0.625	2.39	4.76	7.37	56.00	25.40
								0.625	2.91	4.24	7.37	...2nd Row	
L128943	End LH	1 DB	1.000 x 10.000 x 21.625			8		0.625	2.92	4.24	7.37	56.00	25.40
								0.625	2.40	4.76	7.37	...2nd Row	

W18 W20 W18B W20B W20C

Serial Number: 92.5" BUCKET

L300353	Bent up base edge Without Holes	1 BU	1.000 x 8.000 x 100.625									215.80	97.89
L106797	Bent up base edge	1 BU	1.000 x 8.000 x 107.125			9						219.70	99.65
L112524	Bent up base edge two rows holes	1 BU	1.000 x 8.000 x 100.300			18						212.80	96.52
L115720	Center	1 DB	1.000 x 10.000 x 37.000			6	3	0.625 x 3	7.50	11.00	11.00	96.20	43.64
							3	0.625 x 3	7.50	11.00	11.00	...2nd Row	
L115721	End	2 DB	1.000 x 10.000 x 28.600			6	3	0.625 x 3	3.30	11.00	11.00	74.00	33.57
							3	0.625 x 3	3.25	11.00	11.00	...2nd Row	
L111769	Center one row of holes	1 DB	1.000 x 10.000 x 37.125			3	3	0.625 x 3	7.56	11.00	11.00	97.20	44.09
L111770	End one row of holes	2 DB	1.000 x 10.000 x 28.625			3	3	0.625 x 3	3.31	11.00	11.00	74.80	33.93
L76611	One Piece bolt on two rows of holes	1 DB	0.750 x 10.000 x 94.625			18	9	0.625 x 3	3.31	11.00	11.00	174.00	78.93
							9	0.625 x 3	3.31	11.00	11.00	...2nd Row	
L301026	One Piece - two rows - offset holes	DB	0.750 x 10.000 x 94.625			18	9	0.625 x 3	3.31	11.00	11.00	174.00	78.93
							9	0.625 x 3	3.31	11.00	11.00	...2nd Row	
L300287	One Piece bolt on	1 DB	0.875 x 10.000 x 94.625			9	9	0.625 x 3	3.31	11.00	11.00	217.00	98.43
L106785	One Piece bolt on	1 DB	1.000 x 10.000 x 94.625			9	9	0.625 x 3	3.31	11.00	11.00	242.00	109.77

W24 W24B W24C

Serial Number: 93.5" BUCKET

L57494	Bent up base edge	1 BU	1.250 x 8.000 x 93.500			18							
L115722	Center	1 DB	1.250 x 10.000 x 37.250			6	3	0.625 x 2.5					
L115723	End	2 DB	1.250 x 10.000 x 29.000			6	3	0.625 x 2.5					
L111779	Center one row of holes	1 DB	1.250 x 10.000 x 37.375			3	3	0.625 x 2.5	7.56	11.13	11.13	126.50	57.38
L111780	End one row of holes	2 DB	1.250 x 10.000 x 29.125			3	3	0.625 x 2.5	3.44	11.13	11.13	98.40	44.63

W24 W24B W24C

Serial Number: 102" BUCKET

L54092	Bent up base edge	1 BU	1.250 x 8.000 x 102.000			18							
L112525	Bent up base edge	1 BU	1.250 x 8.000 x 102.000			18							
L115554	Center	1 DB	1.125 x 13.000 x 36.875			6	3	0.625 x 2.25	6.25	12.19	12.19	133.70	60.65
							3	0.625 x 2.25	6.25	12.19	12.19	...2nd Row	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Loaders

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
L115552	End RH	1 DB	1.125 x 13.000 x 33.500			6	3	0.625 x 2.25	5.69	12.19	11.69	121.30	55.02
							3	0.625 x 2.25	5.69	12.19	11.69	...2nd Row	
L115553	End LH	1 DB	1.125 x 13.000 x 33.500			6	3	0.625 x 2.25	5.69	12.19	11.69	121.30	55.02
							3	0.625 x 2.25	5.69	12.19	11.69	...2nd Row	
L111775	Center one row of holes	1 DB	1.250 x 10.000 x 36.563			3	3	0.625 x 2.25	6.10	12.19	12.19	123.50	56.02
L111776	End one row of holes	2 DB	1.250 x 10.000 x 33.813			3	3	0.625 x 2.25	4.25	11.41	12.19	111.00	50.35

W24 D

Serial Number: 103" BUCKET

L113887	Bent up base edge	1 BU	1.250 x 8.000 x 102.781			20							
L111836	Bent up base edge	1 BU	1.250 x 8.000 x 102.813			20							
L104555	Bent up base edge	1 SB	1.250 x 8.000 x 102.813			18							
L115405	Center Offset Holes	1 SB	1.250 x 10.000 x 41.125			6	3	0.625 x 2.5	7.72	12.84	12.84	136.60	61.96
							3	0.625 x 2.5	7.72	12.84	12.84	...2nd Row	
L115406	End Offset Holes	2 SB	1.250 x 10.000 x 31.929			8	4	0.625 x 2.5	5.00	9.09	3.74	104.70	47.49
							4	0.625 x 2.5	5.00	9.09	3.74	...2nd Row	
L111771	Center one row of holes	1 DB	1.250 x 10.000 x 41.125			3	3	0.625 x 2.5	7.72	12.84	12.84	119.20	54.07
L111772	End one row of holes	2 DB	1.250 x 10.000 x 31.938			3	4	0.625 x 2.5	5.00	9.10	12.84	92.40	41.91

W30 W36

Serial Number: 103" BUCKET WITH 3/4" HOLES

L118525	Bent up base edge	1 BU	1.250 x 8.000 x 102.875			22							
L118561	Center	1 DB	1.250 x 10.000 x 41.102			6	3	0.750 x 2.75	7.72	12.84	12.84	135.60	61.51
							3	0.750 x 2.75	7.72	12.84	12.84	...2nd Row	
L118560	End	2 DB	1.250 x 10.000 x 31.937			8	4	0.750 x 2.75	5.00	9.09	3.75	104.00	47.17
							4	0.750 x 2.75	5.00	9.09	3.75	...2nd Row	

W30 W36

Serial Number: 111" BUCKET

L112526	Bent up base edge	1 BU	1.250 x 10.000 x 111.000			20							
L111835	Bent up base edge	1 BU	1.250 x 10.000 x 111.000			20							
L104862	Bent up base edge	1 BU	1.250 x 10.000 x 111.000			20							
L59904	Bent up base edge	1 BU	1.250 x 10.000 x 111.000			18							
L115724	Center Offset Holes	1 SB	1.250 x 12.000 x 41.860			6	3	0.750 x 2.75	6.90	14.03	14.03	169.60	76.93
							3	0.750 x 2.75	6.90	14.03	14.03	...2nd Row	
L115725	End Offset Holes	1 SB	1.250 x 12.000 x 35.656			6	3	0.750 x 2.75	6.90	14.03	7.69	143.50	65.09
							3	0.750 x 2.75	6.90	14.03	7.69	...2nd Row	
L118158	End Offset Holes	1 SB	1.250 x 12.000 x 35.520			5	3	0.750 x 2.75	6.90	14.03	7.69	143.90	65.27
								0.750 x 2.75	6.90	14.03	7.69	...2nd Row	
L111773	Center one row of holes	1 DB	1.250 x 12.000 x 41.938			3	3	0.750 x 2.75	6.94	14.03	14.03	151.00	68.49
L111774	End one row of holes	2 DB	1.250 x 12.000 x 35.656			3	3	0.750 x 2.75	6.97	7.69	14.03	142.10	64.46

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Crawler Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
350															
Serial Number: <u>61.25" BUCKET</u>															
D51885	Bent up base edge	1	BU	0.750	6.000	61.219	12								
450															
Serial Number: <u>ALL BUCKETS</u>															
D51885	Bent up base edge	1	BU	0.750	6.000	61.219	12								
D39310	Bent up base edge	1	BU	0.625	6.000	68.000	12								
R42939	Bent up base edge	1	BU	0.750	6.000	67.813	12								
D39316	Multi purpose dozer center	1	SB	0.500	4.000	67.375									
D95181	Multi purpose dozer center	1	SB	0.750	4.000	67.328									
R53585	Multi purpose dozer center	1	SB	0.750	4.000	67.313									
D51886	Bent up base edge	1	BU	0.750	6.000	77.550	12							87.00	39.46
850															
Serial Number: <u>ALL BUCKETS</u>															
D29809	Rivet on base edge	1	BU	0.625	6.000	75.375	22	0.625							
D51888	Bent up base edge	1	BU	1.000	8.000	74.531	16								
D40998	Rivet on base edge	1	BU	0.625	6.000	79.625	22	0.625							
D39202	Bent up base edge	1	BU	0.750	8.000	76.625	16								
D44067	Multi purpose dozer center	1	DB	0.625	6.000	54.813	9	0.750							
R53319	Multi purpose dozer end	2	EBLC	0.750	6.000	9.598	2	0.750	1.40	6.00			11.10	5.03	
D39203	Multi purpose clam edge	1	SB	0.500	6.375	76.875									
R51167	Bent up base edge	1	BU	1.000	8.000	77.000	16								
R53443	Multi purpose dozer center	1	DB	0.625	6.000	60.394	10	0.750	3.20	6.00	6.00		58.00	26.31	
R53319	Multi purpose dozer end	2	EBLC	0.750	6.000	9.598	2	0.750	1.40	6.00			11.10	5.03	
1150															
Serial Number: <u>ALL BUCKETS</u>															
R54188	Bent up base edge	1	BU	1.000	8.000	92.126	16							191.00	86.64
R53318	Multi purpose dozer center	1	DB	0.625	6.000	62.795	11	0.750	1.40	6.00	6.00		61.00	27.67	
R53319	Multi purpose dozer end	2	EBLC	0.750	6.000	9.598	2	0.750	1.40	6.00			11.10	5.03	
D39398	Rivet on base edge	1	BU	0.750	6.000	85.438	28	0.500							
1450															
Serial Number: <u>ALL BUCKETS</u>															
R51169	Bent up base edge	1	BU	1.250	10.000	85.500	16								
R53398	Multi purpose dozer center	1	DB	0.625	6.000	69.375	12	0.750	1.69	6.00	6.00		66.25	30.05	
R53319	Multi purpose dozer end	2	EBLC	0.750	6.000	9.598	2	0.750	1.40	6.00			11.10	5.03	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Loader Backhoes

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
480 580 590 680 690															
<u>Serial Number:</u> FRONT BUCKETS WITH HOLES															
D13508	Base Edge	1	SB	0.750	6.000	82.000	10							90.00	40.82
D145680	Bent up base edge	1	BU	0.750	6.000	87.456	10							98.60	44.72
D145681	Center	1	DB	0.750	8.000	82.000	10	10	0.750 x 2.25	5.00	8.00	8.00	127.90	58.01	
ZPC215381	Center	1	DB	0.750	8.000	82.000	10	10	0.750 x 2.25	5.00	8.00	8.00	129.00	58.51	
121919A1	Multi purpose edge mounting plate	1	DB	0.625	2.250	81.102	10		0.625	4.55	8.00	8.00	31.60	14.33	
121920A1	Multi purpose dozer center	1	SB	0.500	4.000	81.890	10	10	0.625 x 2	4.95	8.00	8.00	40.40	18.33	
87418005	Base Edge	1	SB	0.750	6.000	83.193	10						93.20	42.27	
251252A1	Base Edge	1	SB	0.750	6.000	82.090	10						91.90	41.69	
132988A1	Bent up base edge	1	BU	0.750	6.000	87.484	10						99.20	45.00	
112946A1	Center	1	DB	0.750	6.000	83.188	10	10	0.750 x 2.25	3.34	8.50	8.50	97.50	44.23	
113457A1	Multi purpose edge mounting plate	1	SE	0.500	6.000	83.190	10		0.750	3.35	8.50	8.50	69.60	31.57	
142300A1	Multi purpose dozer center	1	DB	0.750	6.000	82.008	10	10	0.750 x 2	2.76	8.50	8.50	96.10	43.59	
D147136	Base Edge	1	SB	1.000	6.500	91.188	15						142.00	64.41	
D147323	Center	1	DB	0.750	10.000	91.181	15	10	0.750 x 2.5	3.59	6.00	6.00	177.00	80.29	
147323A1	Center	1	DB	0.750	10.000	91.250	15	10	0.750 x 2.5	3.63	6.00	6.00	177.10	80.33	
D32209	Base Edge	1	SB	0.750	6.000	94.180	10						105.60	47.90	
185506A1	Center	1	DB	0.750	6.000	94.173	10	10	0.750 x 2.25	3.35	9.72	9.72	110.70	50.21	
134844A1	Multi purpose edge mounting plate	1	SE	0.500	6.000	94.055	10		0.813	3.28	9.72	9.72	78.80	35.74	
142301A1	Multi purpose dozer center	1	DB	0.750	6.000	92.992	10	10	0.750 x 2	2.75	9.72	9.72	109.30	49.58	
133543A1	Multi purpose edge mounting plate	1	SE	0.625	2.250	92.126	12		0.625	2.98	1.60	7.98	35.90	16.28	
133542A1	Multi purpose clam edge	1	SB	0.500	4.000	92.874	10	10	0.625 x 2	3.35	9.58	9.58	45.80	20.77	
332448A1	Base Edge	1	SB	0.750	8.000	95.985	10						146.10	66.27	
332449A1	Center	1	DB	0.750	8.000	95.985	10	10	0.750 x 2.25	4.25	9.72	9.72	150.00	68.04	
L101620	Bent up base edge	1	BU	0.750	8.000	101.500	16						154.40	70.03	
ZPC21600HT	Center	1	DB	1.000	10.000	96.094	8		0.625	2.69	13.09	12.91	245.00	111.13	
480 580 590 680 690															
<u>Serial Number:</u> FRONT BUCKETS WITHOUT HOLES															
D95071	Bent up base edge Without Holes	1	BU	0.750	4.000	62.470							52.00	23.59	
D95072	Bent up base edge Without Holes	1	BU	0.750	4.000	83.720							61.30	27.81	
D95073	Bent up base edge Without Holes	1	BU	0.750	4.000	89.400							62.40	28.30	
D76258	Bent up base edge Without Holes	1	BU	0.750	4.000	91.250							64.50	29.26	
D122568	Bent up base edge Without Holes	1	BU	0.750	6.000	87.398							99.60	45.18	
D65287	Bent up base edge Without Holes	1	BU	0.750	4.000	99.650							71.00	32.21	
480 580 590 680 690															
<u>Serial Number:</u> REAR BUCKETS WITHOUT HOLES															
D37464CAST	Bent up base edge		BU	0.625	6.000	11.000							17.80	8.07	
D147409	Flat Base Edge Angle Cut		SBV	1.000	6.500	11.819							18.10	8.21	
D147249	Flat Base Edge Angle Cut		SBV	1.000	6.500	15.813							23.60	10.70	
D57594	Bent up base edge		BU	0.750	6.000	23.075							24.90	11.29	
372056A1	Flat Base Edge Angle Cut		SBV	1.000	6.500	17.756							26.60	12.07	
183810A1	Flat Base Edge Angle Cut		SBV	0.625	6.000	17.992							16.90	7.67	
D57591	Bent up base edge		BU	0.750	6.000	29.075							31.70	14.38	
D142012	Flat Base Edge Angle Cut		SBV	1.000	6.500	23.504							35.80	16.24	
329554A2	Flat Base Edge Angle Cut		SBV	1.000	6.500	23.740							36.00	16.33	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.


Black Cat Replacement Parts For
Case® Equipment
Loader Backhoes

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
129944A1	Flat Base Edge Angle Cut		SBV	0.625	6.000	24.016							22.80	10.34
D145061	Flat Base Edge Angle Cut		SBV	1.000	6.500	29.504							45.30	20.55
370364A1	Flat Base Edge Angle Cut		SBV	1.000	6.500	29.720							45.40	20.59
D57595	Bent up base edge		BU	0.750	6.000	41.075							45.40	20.59
D145062	Flat Base Edge Angle Cut		SBV	1.000	6.500	35.504							54.40	24.68
370748A1	Flat Base Edge Angle Cut		SBV	1.000	6.500	35.710							54.80	24.86

780

Serial Number:

L101620	Bent up base edge	1	BU	0.750	8.000	101.500	16						154.40	70.03
L301051	Center	1	DB	1.000	10.000	51.500	8	8	0.625 x 2.25 0.625 x 0	6.44	12.88	12.88	125.00	56.70
L301052	End LH	1	DB	1.000	10.000	22.188	4	4	0.625 x 2.25 0.625 x 0	6.25	13.13		54.00	24.49
L301053	End RH	1	DB	1.000	10.000	22.188	4	4	0.625 x 2.25 0.625 x 0	6.25	13.13	2.81	54.00	24.49
										6.25	13.13	2.81		...2nd Row





Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Skid Steers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg		
1816																
Serial Number: <u>ALL BUCKETS</u>																
D57144	Base Edge Without Holes	1	SB	0.375	3.000	35.000									9.70	4.40
D57149	Base Edge Without Holes	1	SB	0.375	3.000	44.000									12.20	5.53
D61289	Bent up base edge Without Holes	1	BU	0.500	3.000	59.000									22.00	9.98
1818																
Serial Number: <u>ALL BUCKETS</u>																
D138918	Base Edge Without Holes	1	SB	0.500	4.000	35.000										
D138892	Base Edge Without Holes	1	SB	0.500	4.000	44.000									22.00	9.98
1825																
Serial Number: <u>44 BUCKET</u>																
D138892	Base Edge Without Holes	1	SB	0.500	4.000	44.000									22.00	9.98
1825																
Serial Number: <u>49" GENERAL AND MULTI PURPOSE</u>																
D138861	Base Edge Without Holes	1	SB	0.500	4.000	49.000									24.70	11.20
E99753	Multi purpose dozer center	1	SB	0.500	4.000	48.656										
1830																
Serial Number: <u>ALL BUCKETS</u>																
D61271	Bent up base edge Without Holes	1	BU	0.500	3.000	61.500									22.60	10.25
D61289	Bent up base edge Without Holes	1	BU	0.500	3.000	59.000									22.00	9.98
D61597	Bent up base edge Without Holes	1	BU	0.500	3.000	69.500									25.50	11.57
1835																
Serial Number: <u>BUCKETS WITHOUT HOLES</u>																
D61271	Bent up base edge Without Holes	1	BU	0.500	3.000	61.500									22.60	10.25
D126523	Bent up base edge Without Holes	1	BU	0.750	6.000	52.719										
D61289	Bent up base edge Without Holes	1	BU	0.500	3.000	59.000									22.00	9.98
D125853	Bent up base edge Without Holes	1	BU	0.625	6.000	63.365									61.80	28.03
D126566	Bent up base edge Without Holes	1	BU	0.750	6.000	63.465									80.10	36.33
D124797	Bent up base edge Without Holes	1	BU	0.750	6.000	65.748									75.70	34.34
D61597	Bent up base edge Without Holes	1	BU	0.500	3.000	69.500									25.50	11.57
D125644	Bent up base edge Without Holes	1	BU	0.750	6.000	75.748									86.70	39.33
1840																
Serial Number: <u>ALL BUCKETS</u>																
D126523	Bent up base edge Without Holes	1	BU	0.750	6.000	52.719										
D124797	Bent up base edge Without Holes	1	BU	0.750	6.000	65.748									75.70	34.34
D125644	Bent up base edge Without Holes	1	BU	0.750	6.000	75.748									86.70	39.33
1845																
Serial Number: <u>63" BUCKET WITH BOE</u>																
H438542	Base Edge	1	SB	0.750	6.000	63.228	9								70.80	32.11
ZPC216551	Bent up base edge	1	BU	0.625	6.000	66.188	9								62.00	28.12
H439028	One Piece bolt on	1	DB	0.750	8.000	63.250	9	0.625		3.63	7.00	7.00			98.70	44.77
ZPC216561	One Piece bolt on	1		0.750	8.000	62.875	9	0.625		3.44	7.00	7.00			98.10	44.50
1845																
Serial Number: <u>73" BUCKET WITH BOE</u>																
H438919	Base Edge	1	SB	0.750	6.000	73.228	12								81.70	37.06
ZPC216531	Bent up base edge	1	BU	0.625	6.000	76.625	12								73.00	33.11

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For Case® Equipment Skid Steers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
H439029	One Piece bolt on	1	DB	0.750	8.000	73.250	12	0.625		3.63	6.00	6.00	112.00	50.80
ZPC215421	One Piece bolt on	1	DB	0.625	6.000	73.000	12	0.625		3.50	6.00	6.00	70.00	31.75

1845

Serial Number: BUCKETS WITHOUT HOLES

D63750	Bent up base edge Without Holes	1	SB	0.500	3.000	62.000								
D124797	Bent up base edge Without Holes	1	BU	0.750	6.000	65.748							75.70	34.34
D65097	Bent up base edge Without Holes	1	SB	0.500	3.000	72.000							28.00	12.70
D125851	Bent up base edge Without Holes	1	BU	0.625	6.000	75.965							73.80	33.48
D125644	Bent up base edge Without Holes	1	BU	0.750	6.000	75.748							86.70	39.33
D132605	Bent up base edge Without Holes	1	SB	0.750	6.000	82.638							94.00	42.64
D67972	Bent up base edge Without Holes	1	BU	0.500	3.000	79.500								

XT40

Serial Number:

86576800	Bent up base edge	1	BU	0.500	6.000	52.882	7						47.00	21.32
86577164	Bent up base edge	1	SB	0.500	6.000	66.630	7						52.10	23.63
86577165	One Piece bolt on	1	DB	0.750	8.000	59.874	7	0.625		2.94	9.00	9.00	92.00	41.73
86577166	Bent up base edge	1	BU	0.750	6.000	71.625	7						81.30	36.88
86577167	One Piece bolt on	1	DB	0.750	8.000	65.874	7	0.625		2.94	10.00	10.00	103.10	46.77
86577168	Bent up base edge	1	BU	0.750	6.000	77.291	7						87.50	39.69
86577169	One Piece bolt on	1	DB	0.750	8.000	71.874	7	0.625		2.94	11.00	11.00	112.60	51.07
86577170	Bent up base edge	1	BU	0.750	6.000	83.441	9						94.40	42.82
86577171	One Piece bolt on	1	DB	0.750	8.000	77.874	9	0.625		2.94	9.00	9.00	121.80	55.25
86900574	Bent up base edge	1	BU	0.750	6.000	89.370	9						101.70	46.13
86577172	Bent up base edge	1	BU	0.750	8.000	89.398	9						139.80	63.41
86577173	One Piece bolt on	1	DB	0.750	8.000	83.874	9	0.625		2.95	9.75	9.75	131.50	59.65

XT75

Serial Number: 74" BUCKET

245106A1	Base Edge	1	SB	0.750	6.000	73.898	12						83.10	37.69
245108A1	Bent up base edge	1	SB	0.750	6.000	79.622	12						90.50	41.05
294681A1	One Piece bolt on	1	DB	0.750	8.000	73.897	12	12	0.625 x 2	3.95	6.00	6.00	115.10	52.21

XT85

Serial Number: 74" BUCKET

245106A1	Base Edge	1	SB	0.750	6.000	73.898	12						83.10	37.69
245108A1	Bent up base edge	1	SB	0.750	6.000	79.622	12						90.50	41.05
294681A1	One Piece bolt on	1	DB	0.750	8.000	73.897	12	0.625		3.95	6.00	6.00	115.10	52.21

XT90

Serial Number: 82.5" BUCKET

183948A2	Base Edge	1	SB	0.750	6.000	82.677	10						93.00	42.18
299336A1	One Piece bolt on	1	DB	0.750	8.000	82.677	10	0.750		5.34	8.00	8.00	129.00	58.51

XT95

Serial Number: 82.5" BUCKET

183948A2	Base Edge	1	SB	0.750	6.000	82.677	10						93.00	42.18
299336A1	One Piece bolt on	1	DB	0.750	8.000	82.677	10	0.750		5.34	8.00	8.00	129.00	58.51

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.