



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
350 B C D														
Serial Number: <u>72"</u>														
U11711	Center	1 DB	0.500 x 6.000 x 47.880			6	6	0.625 x 2	2.94	3.00	12.00	36.40	16.51	
U11708	Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 12.000			3	3	0.625 x 2	3.00	3.00	3.00	11.50	5.22	
350 B C D														
Serial Number: <u>80"</u>														
U11707	Center	1 DB	0.500 x 6.000 x 55.875			5	5	0.625 x 2	2.94	13.00	12.00	42.60	19.32	
U11708	Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 12.000			3	3	0.625 x 2	3.00	3.00	3.00	11.50	5.22	
U41063	Level Cut End Bit LH/RH for Extended D	2 DB	0.625 x 6.000 x 24.120			6	6	0.625 x 2	2.94	3.00	3.00	23.10	10.48	
350 B C D														
Serial Number: <u>90"</u>														
U11714	Center	1 DB	0.500 x 6.000 x 65.880			7	7	0.625 x 2	2.94	6.00	12.00	50.20	22.77	
U11708	Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 12.000			3	3	0.625 x 2	3.00	3.00	3.00	11.50	5.22	
350 B C D														
Serial Number: <u>93"</u>														
U15161	Center	1 DB	0.500 x 6.000 x 68.880			7	7	0.625 x 2	2.94	7.50	12.00	52.50	23.81	
U11708	Level Cut End Bit LH/RH	2 DB	0.625 x 6.000 x 12.000			3	3	0.625 x 2	3.00	3.00	3.00	11.50	5.22	
400 G														
Serial Number: <u>84"</u>														
T127618	Center	1 DB	0.625 x 6.000 x 59.880			7	7	0.750 x 2.25	2.94	3.00	12.00	57.90	26.26	
T31148	Level Cut End Bit LH/RH	2 DB	0.750 x 6.000 x 12.000			3	3	0.750 x 2.25	3.00	3.00	3.00	13.80	6.26	
U16562	Hot Cup End Bit RH	1 EBHC	0.750 x 6.574 x 12.973			3	3	0.750 x 2.25	3.00	3.00	3.00	16.20	7.35	
U16563	Hot Cup End Bit LH	1 EBHC	0.750 x 6.574 x 12.973			3	3	0.750 x 2.25	3.00	3.00	3.00	16.20	7.35	
400 G														
Serial Number: <u>90"</u>														
U16748	Center	1 DB	0.625 x 6.000 x 65.875			7	7	0.750 x 2.25	2.94	6.00	12.00	63.90	28.98	
T31148	Level Cut End Bit LH/RH	2 DB	0.750 x 6.000 x 12.000			3	3	0.750 x 2.25	3.00	3.00	3.00	13.80	6.26	
U16562	Hot Cup End Bit RH	1 EBHC	0.750 x 6.574 x 12.973			3	3	0.750 x 2.25	3.00	3.00	3.00	16.20	7.35	
U16563	Hot Cup End Bit LH	1 EBHC	0.750 x 6.574 x 12.973			3	3	0.750 x 2.25	3.00	3.00	3.00	16.20	7.35	
450 B C D E														
Serial Number: <u>90"</u>														
U16748	Center	1 DB	0.625 x 6.000 x 65.875			7	7	0.750 x 2.25	2.94	6.00	12.00	63.90	28.98	
T31148	Level Cut End Bit LH/RH	2 DB	0.750 x 6.000 x 12.000			3	3	0.750 x 2.25	3.00	3.00	3.00	13.80	6.26	
U16562	Hot Cup End Bit RH	1 EBHC	0.750 x 6.574 x 12.973			3	3	0.750 x 2.25	3.00	3.00	3.00	16.20	7.35	
U16563	Hot Cup End Bit LH	1 EBHC	0.750 x 6.574 x 12.973			3	3	0.750 x 2.25	3.00	3.00	3.00	16.20	7.35	
450 B C D E														
Serial Number: <u>96"</u>														
T32742	Center	1 DB	0.625 x 6.000 x 71.874			7	7	0.750 x 2.25	2.94	9.00	12.00	69.80	31.66	
T31148	Level Cut End Bit LH/RH	2 DB	0.750 x 6.000 x 12.000			3	3	0.750 x 2.25	3.00	3.00	3.00	13.80	6.26	
U16562	Hot Cup End Bit RH	1 EBHC	0.750 x 6.574 x 12.973			3	3	0.750 x 2.25	3.00	3.00	3.00	16.20	7.35	
U16563	Hot Cup End Bit LH	1 EBHC	0.750 x 6.574 x 12.973			3	3	0.750 x 2.25	3.00	3.00	3.00	16.20	7.35	
450 B C D E														
Serial Number: <u>106"</u>														
U16814	Center	1 DB	0.625 x 6.000 x 81.880			9	9	0.750 x 2.25	2.94	6.00	7.00	79.30	35.97	
T31148	Level Cut End Bit LH/RH	2 DB	0.750 x 6.000 x 12.000			3	3	0.750 x 2.25	3.00	3.00	3.00	13.80	6.26	
U16562	Hot Cup End Bit RH	1 EBHC	0.750 x 6.574 x 12.973			3	3	0.750 x 2.25	3.00	3.00	3.00	16.20	7.35	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	

U16563	Hot Cup End Bit LH	1	EBHC	0.750	6.574	12.973	3	3	0.750 x 2.25	3.00	3.00	3.00	16.20	7.35
--------	--------------------	---	------	-------	-------	--------	---	---	--------------	------	------	------	-------	------

450 G H J

Serial Number: 90"

T127297	Carbon Center	1	DB	0.750	8.000	63.614	7	7	0.750 x 2.25	2.31	5.50	12.00	98.00	44.45
T120978	Carbon Level Cut End Bit LH/RH	2	DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T162841	Level Cut End Bit LH/RH	2	DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48

450 G H J

Serial Number: 97"

T120979	Carbon Center	1	DB	0.750	8.000	70.625	7	7	0.750 x 2.25	2.94	9.00	12.00	109.00	49.44
T120978	Carbon Level Cut End Bit LH/RH	2	DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T120979HT	Center	1	DB	0.750	8.000	70.625	7	7	0.750 x 2.25	2.31	9.00	12.00	110.00	49.90
T162841	Level Cut End Bit LH/RH	2	DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T120979SUP	Dozer Blade Support	1	SE	0.750	6.000	97.000	13		0.813	3.50	3.00	3.00	120.28	54.56

450 G H J

Serial Number: 115"

T140560	Carbon Center	1	DB	0.750	8.000	88.625	9	9	0.750 x 2.25	2.31	6.00	12.00	136.00	61.69
T120978	Carbon Level Cut End Bit LH/RH	2	DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T140560HT	Center	1	DB	0.750	8.000	88.625	9	9	0.750 x 2.25	2.31	6.00	12.00	136.00	61.69
T162841	Level Cut End Bit LH/RH	2	DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48

450 G H J

Serial Number: 121"

T120981	Carbon Center	1	DB	0.750	8.000	94.625	9	9	0.750 x 2.25	2.31	9.00	12.00	146.00	66.22
T120978	Carbon Level Cut End Bit LH/RH	2	DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T120981HT	Center	1	DB	0.750	8.000	94.625	9	9	0.750 x 2.25	2.31	9.00	12.00	150.00	68.04
T162841	Level Cut End Bit LH/RH	2	DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
550HSUP	Dozer Blade Support	1	SE	0.750	6.000	121.000	15		0.813	3.50	3.00	3.00	149.00	67.59

450 G H J

Serial Number: 124"

T172943	Carbon Center	1	DB	0.750	8.000	97.620	9	9	0.750 x 2.25	1.98	10.84	12.00	153.00	69.40
T120978	Carbon Level Cut End Bit LH/RH	2	DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T172943HT	Center	1	DB	0.750	8.000	97.622	9	9	0.750 x 2.25	1.97	10.84	12.00	152.80	69.31
T162841	Level Cut End Bit LH/RH		DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48

550 A B

Serial Number: 90"

U16748	Center	1	DB	0.625	6.000	65.875	7	7	0.750 x 2.25	2.94	6.00	12.00	63.90	28.98
--------	--------	---	----	-------	-------	--------	---	---	--------------	------	------	-------	-------	-------

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type	. . . Dimensions . . .			Total Holes	. . . Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
T31148	Level Cut End Bit LH/RH	2 DB	0.750	6.000	12.000	3	3	0.750 x 2.25	3.00	3.00	3.00	13.80	6.26
U16562	Hot Cup End Bit RH	1 EBHC	0.750	6.574	12.973	3	3	0.750 x 2.25	3.00	3.00	3.00	16.20	7.35
U16563	Hot Cup End Bit LH	1 EBHC	0.750	6.574	12.973	3	3	0.750 x 2.25	3.00	3.00	3.00	16.20	7.35
550 A B													
Serial Number: <u>96"</u>													
T32742	Center	1 DB	0.625	6.000	71.874	7	7	0.750 x 2.25	2.94	9.00	12.00	69.80	31.66
T31148	Level Cut End Bit LH/RH	2 DB	0.750	6.000	12.000	3	3	0.750 x 2.25	3.00	3.00	3.00	13.80	6.26
U16562	Hot Cup End Bit RH	1 EBHC	0.750	6.574	12.973	3	3	0.750 x 2.25	3.00	3.00	3.00	16.20	7.35
U16563	Hot Cup End Bit LH	1 EBHC	0.750	6.574	12.973	3	3	0.750 x 2.25	3.00	3.00	3.00	16.20	7.35
550 A B													
Serial Number: <u>106"</u>													
U16814	Center	1 DB	0.625	6.000	81.880	9	9	0.750 x 2.25	2.94	6.00	7.00	79.30	35.97
T31148	Level Cut End Bit LH/RH	2 DB	0.750	6.000	12.000	3	3	0.750 x 2.25	3.00	3.00	3.00	13.80	6.26
U16562	Hot Cup End Bit RH	1 EBHC	0.750	6.574	12.973	3	3	0.750 x 2.25	3.00	3.00	3.00	16.20	7.35
U16563	Hot Cup End Bit LH	1 EBHC	0.750	6.574	12.973	3	3	0.750 x 2.25	3.00	3.00	3.00	16.20	7.35
550 G H J													
Serial Number: <u>97"</u>													
T120979	Carbon Center	1 DB	0.750	8.000	70.625	7	7	0.750 x 2.25	2.94	9.00	12.00	109.00	49.44
T120978	Carbon Level Cut End Bit LH/RH	2 DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T120979HT	Center	1 DB	0.750	8.000	70.625	7	7	0.750 x 2.25	2.31	9.00	12.00	110.00	49.90
T162841	Level Cut End Bit LH/RH	2 DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T120979SUP	Dozer Blade Support	1 SE	0.750	6.000	97.000	13		0.813	3.50	3.00	3.00	120.28	54.56
550 G H J													
Serial Number: <u>105"</u>													
T120980	Carbon Center	1 DB	0.750	8.000	78.559	7	7	0.750 x 2.25	3.31	12.00	12.00	122.90	55.75
T120978	Carbon Level Cut End Bit LH/RH	2 DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T120980HT	Center	1 DB	0.750	8.000	78.625	7	7	0.750 x 2.25	3.31	12.00	12.00	121.00	54.88
T162841	Level Cut End Bit LH/RH	2 DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
D27661	Dozer Blade Support	1 SE	0.750	7.250	104.000	13		0.813	3.00	3.00	3.00	154.00	69.85
550 G H J													
Serial Number: <u>115"</u>													
T140560	Carbon Center	1 DB	0.750	8.000	88.625	9	9	0.750 x 2.25	2.31	6.00	12.00	136.00	61.69
T120978	Carbon Level Cut End Bit LH/RH	2 DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T140560HT	Center	1 DB	0.750	8.000	88.625	9	9	0.750 x 2.25	2.31	6.00	12.00	136.00	61.69
T162841	Level Cut End Bit LH/RH	2 DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
550 G H J													
Serial Number: <u>121"</u>													
T120981	Carbon Center	1 DB	0.750	8.000	94.625	9	9	0.750 x 2.25	2.31	9.00	12.00	146.00	66.22
T120978	Carbon Level Cut End Bit LH/RH	2 DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
T120981HT	Center	1 DB	0.750	8.000	94.625	9	9	0.750 x 2.25	2.31	9.00	12.00	150.00	68.04
T162841	Level Cut End Bit LH/RH	2 DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
550HSUP	Dozer Blade Support	1 SE	0.750	6.000	121.000	15		0.813	3.50	3.00	3.00	149.00	67.59

550 G H J

Serial Number: 124"

T172943	Carbon Center	1 DB	0.750	8.000	97.620	9	9	0.750 x 2.25	1.98	10.84	12.00	153.00	69.40
T120978	Carbon Level Cut End Bit LH/RH	2 DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T172943HT	Center	1 DB	0.750	8.000	97.622	9	9	0.750 x 2.25	1.97	10.84	12.00	152.80	69.31
T162841	Level Cut End Bit LH/RH	DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48

550 G H J

Serial Number: 128"

T155646	Carbon Center	1 DB	0.750	8.000	102.620	9	9	0.750 x 2.25	3.31	12.00	12.00	160.60	72.85
T120978	Carbon Level Cut End Bit LH/RH	2 DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T155646HT	Center	1 DB	0.750	8.000	102.622	9	9	0.750 x 2.25	3.31	12.00	12.00	158.00	71.67
T162841	Level Cut End Bit LH/RH	2 DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
650HSUP	Dozer Blade Support	1 SE	0.750	6.000	129.000	15		0.813	3.50	3.00	3.00	159.00	72.12

550 K

Serial Number: 105"

T120980	Carbon Center	1 DB	0.750	8.000	78.559	7	7	0.750 x 2.25	3.31	12.00	12.00	122.90	55.75
T120978	Carbon Level Cut End Bit LH/RH	2 DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T120980HT	Center	1 DB	0.750	8.000	78.625	7	7	0.750 x 2.25	3.31	12.00	12.00	121.00	54.88
T162841	Level Cut End Bit LH/RH	DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
D27661	Dozer Blade Support	1 SE	0.750	7.250	104.000	13		0.813	3.00	3.00	3.00	154.00	69.85

550 K

Serial Number: 115"

T140560	Carbon Center	1 DB	0.750	8.000	88.625	9	9	0.750 x 2.25	2.31	6.00	12.00	136.00	61.69
T120978	Carbon Level Cut End Bit LH/RH	2 DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T140560HT	Center	1 DB	0.750	8.000	88.625	9	9	0.750 x 2.25	2.31	6.00	12.00	136.00	61.69
T162841	Level Cut End Bit LH/RH	2 DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48

550 K

Serial Number: 124"

T172943	Carbon Center	1 DB	0.750	8.000	97.620	9	9	0.750 x 2.25	1.98	10.84	12.00	153.00	69.40
T120978	Carbon Level Cut End Bit LH/RH	2 DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T172943HT	Center	1 DB	0.750	8.000	97.622	9	9	0.750 x 2.25	1.97	10.84	12.00	152.80	69.31
T162841	Level Cut End Bit LH/RH	DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight. . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
T84555	Hot Cup End Bit RH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48

650 G H J

Serial Number: 97"

T120979	Carbon Center	1 DB	0.750	8.000	70.625	7	7	0.750 x 2.25	2.94	9.00	12.00	109.00	49.44
T120978	Carbon Level Cut End Bit LH/RH	2 DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T120979HT	Center	1 DB	0.750	8.000	70.625	7	7	0.750 x 2.25	2.31	9.00	12.00	110.00	49.90
T162841	Level Cut End Bit LH/RH	2 DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T120979SUP	Dozer Blade Support	1 SE	0.750	6.000	97.000	13		0.813	3.50	3.00	3.00	120.28	54.56

650 G H J

Serial Number: 105"

T120980	Carbon Center	1 DB	0.750	8.000	78.559	7	7	0.750 x 2.25	3.31	12.00	12.00	122.90	55.75
T120978	Carbon Level Cut End Bit LH/RH	2 DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T120980HT	Center	1 DB	0.750	8.000	78.625	7	7	0.750 x 2.25	3.31	12.00	12.00	121.00	54.88
T162841	Level Cut End Bit LH/RH	2 DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
D27661	Dozer Blade Support	1 SE	0.750	7.250	104.000	13		0.813	3.00	3.00	3.00	154.00	69.85

650 G H J

Serial Number: 115"

T140560	Carbon Center	1 DB	0.750	8.000	88.625	9	9	0.750 x 2.25	2.31	6.00	12.00	136.00	61.69
T120978	Carbon Level Cut End Bit LH/RH	2 DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T140560HT	Center	1 DB	0.750	8.000	88.625	9	9	0.750 x 2.25	2.31	6.00	12.00	136.00	61.69
T162841	Level Cut End Bit LH/RH	2 DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48

650 G H J

Serial Number: 121"

T120981	Carbon Center	1 DB	0.750	8.000	94.625	9	9	0.750 x 2.25	2.31	9.00	12.00	146.00	66.22
T120978	Carbon Level Cut End Bit LH/RH	2 DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T120981HT	Center	1 DB	0.750	8.000	94.625	9	9	0.750 x 2.25	2.31	9.00	12.00	150.00	68.04
T162841	Level Cut End Bit LH/RH	2 DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
550HSUP	Dozer Blade Support	1 SE	0.750	6.000	121.000	15		0.813	3.50	3.00	3.00	149.00	67.59

650 G H J

Serial Number: 124"

T172943	Carbon Center	1 DB	0.750	8.000	97.620	9	9	0.750 x 2.25	1.98	10.84	12.00	153.00	69.40
T120978	Carbon Level Cut End Bit LH/RH	2 DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T172943HT	Center	1 DB	0.750	8.000	97.622	9	9	0.750 x 2.25	1.97	10.84	12.00	152.80	69.31
T162841	Level Cut End Bit LH/RH	2 DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1 EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48

650 G H J

Serial Number: 128"

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T155646	Carbon Center	1	DB	0.750	8.000	102.620	9	9	0.750 x 2.25	3.31	12.00	12.00	160.60	72.85	
T120978	Carbon Level Cut End Bit LH/RH	2	DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07	
T155646HT	Center	1	DB	0.750	8.000	102.622	9	9	0.750 x 2.25	3.31	12.00	12.00	158.00	71.67	
T162841	Level Cut End Bit LH/RH	2	DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07	
T84555	Hot Cup End Bit RH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48	
T84556	Hot Cup End Bit LH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48	
650HSUP	Dozer Blade Support	1	SE	0.750	6.000	129.000	15		0.813	3.50	3.00	3.00	159.00	72.12	

650 K

Serial Number: 105"

T120980	Carbon Center	1	DB	0.750	8.000	78.559	7	7	0.750 x 2.25	3.31	12.00	12.00	122.90	55.75
T120978	Carbon Level Cut End Bit LH/RH	2	DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T120980HT	Center	1	DB	0.750	8.000	78.625	7	7	0.750 x 2.25	3.31	12.00	12.00	121.00	54.88
T162841	Level Cut End Bit LH/RH		DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
D27661	Dozer Blade Support	1	SE	0.750	7.250	104.000	13		0.813	3.00	3.00	3.00	154.00	69.85

650 K

Serial Number: 115"

T140560	Carbon Center	1	DB	0.750	8.000	88.625	9	9	0.750 x 2.25	2.31	6.00	12.00	136.00	61.69
T120978	Carbon Level Cut End Bit LH/RH	2	DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T140560HT	Center	1	DB	0.750	8.000	88.625	9	9	0.750 x 2.25	2.31	6.00	12.00	136.00	61.69
T162841	Level Cut End Bit LH/RH	2	DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48

650 K

Serial Number: 124"

T172943	Carbon Center	1	DB	0.750	8.000	97.620	9	9	0.750 x 2.25	1.98	10.84	12.00	153.00	69.40
T120978	Carbon Level Cut End Bit LH/RH	2	DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T172943HT	Center	1	DB	0.750	8.000	97.622	9	9	0.750 x 2.25	1.97	10.84	12.00	152.80	69.31
T162841	Level Cut End Bit LH/RH		DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48

650 K

Serial Number: 128"

T155646	Carbon Center	1	DB	0.750	8.000	102.620	9	9	0.750 x 2.25	3.31	12.00	12.00	160.60	72.85
T120978	Carbon Level Cut End Bit LH/RH	2	DB	0.750	8.000	13.000	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T155646HT	Center	1	DB	0.750	8.000	102.622	9	9	0.750 x 2.25	3.31	12.00	12.00	158.00	71.67
T162841	Level Cut End Bit LH/RH	2	DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07
T84555	Hot Cup End Bit RH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
T84556	Hot Cup End Bit LH	1	EBHC	0.750	9.100	16.140	3	3	0.750 x 2.25	3.50	3.00	3.00	25.30	11.48
650HSUP	Dozer Blade Support	1	SE	0.750	6.000	129.000	15		0.813	3.50	3.00	3.00	159.00	72.12

700 H

Serial Number: 120" UP TO 937546

T224178	Center	1	DB	0.750	8.000	93.622	9	9	0.750 x 2.25	2.31	8.50	12.00	146.50	66.45
T162841	Level Cut End Bit LH/RH	2	DB	0.750	8.000	12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07

700 H

Serial Number: 120" 937546 AND UP

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T224178	Center	1	DB	0.750	x 8.000	x 93.622	9	9	0.750 x 2.25	2.31	8.50	12.00	146.50	66.45	
T223519	Level Cut End Bit RH	1	DB /	0.750	x 8.000	x 13.661	6	3	0.750 x 2.25	2.00	3.50	2.50	19.20	8.71	
								3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row		
T223520	Level Cut End Bit LH	1	DB \	0.750	x 8.000	x 13.661	6	3	0.750 x 2.25	2.00	3.50	2.50	19.20	8.71	
								3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row		
T212049	Hot Cup End Bit RH	1	EBHC	0.750	x 9.083	x 15.681	6	3	0.750 x 2.25	2.00	3.50	2.50	23.90	10.84	
								3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row		
T212047	Hot Cup End Bit LH	1	EBHC	0.750	x 9.083	x 16.535	6	3	0.750 x 2.25	2.00	3.50	2.50	23.90	10.84	
								3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row		

700 H

Serial Number: 132" UP TO 937546

T224179	Center	1	DB	0.750	x 8.000	x 105.622	9	9	0.750 x 2.25	2.31	14.50	12.00	165.50	75.07
T162841	Level Cut End Bit LH/RH	2	DB	0.750	x 8.000	x 12.992	3	3	0.750 x 2.25	3.50	3.00	3.00	20.00	9.07

700 H

Serial Number: 132" 937546 AND UP

T224179	Center	1	DB	0.750	x 8.000	x 105.622	9	9	0.750 x 2.25	2.31	14.50	12.00	165.50	75.07
T223519	Level Cut End Bit RH	1	DB /	0.750	x 8.000	x 13.661	6	3	0.750 x 2.25	2.00	3.50	2.50	19.20	8.71
								3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row	
T223520	Level Cut End Bit LH	1	DB \	0.750	x 8.000	x 13.661	6	3	0.750 x 2.25	2.00	3.50	2.50	19.20	8.71
								3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row	
T212049	Hot Cup End Bit RH	1	EBHC	0.750	x 9.083	x 15.681	6	3	0.750 x 2.25	2.00	3.50	2.50	23.90	10.84
								3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row	
T212047	Hot Cup End Bit LH	1	EBHC	0.750	x 9.083	x 16.535	6	3	0.750 x 2.25	2.00	3.50	2.50	23.90	10.84
								3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row	

700 J K Long Track, Extra Long Track

Serial Number: 120" ALL

T224178	Center	1	DB	0.750	x 8.000	x 93.622	9	9	0.750 x 2.25	2.31	8.50	12.00	146.50	66.45
T223519	Level Cut End Bit RH	1	DB /	0.750	x 8.000	x 13.661	6	3	0.750 x 2.25	2.00	3.50	2.50	19.20	8.71
								3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row	
T223520	Level Cut End Bit LH	1	DB \	0.750	x 8.000	x 13.661	6	3	0.750 x 2.25	2.00	3.50	2.50	19.20	8.71
								3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row	
T212049	Hot Cup End Bit RH	1	EBHC	0.750	x 9.083	x 15.681	6	3	0.750 x 2.25	2.00	3.50	2.50	23.90	10.84
								3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row	
T212047	Hot Cup End Bit LH	1	EBHC	0.750	x 9.083	x 16.535	6	3	0.750 x 2.25	2.00	3.50	2.50	23.90	10.84
								3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row	

700 J K Low Ground Pressure

Serial Number: 132" UP TO 139435

T224179	Center	1	DB	0.750	x 8.000	x 105.622	9	9	0.750 x 2.25	2.31	14.50	12.00	165.50	75.07
T223519	Level Cut End Bit RH	1	DB /	0.750	x 8.000	x 13.661	6	3	0.750 x 2.25	2.00	3.50	2.50	19.20	8.71
								3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row	
T223520	Level Cut End Bit LH	1	DB \	0.750	x 8.000	x 13.661	6	3	0.750 x 2.25	2.00	3.50	2.50	19.20	8.71
								3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row	
T212049	Hot Cup End Bit RH	1	EBHC	0.750	x 9.083	x 15.681	6	3	0.750 x 2.25	2.00	3.50	2.50	23.90	10.84
								3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row	
T212047	Hot Cup End Bit LH	1	EBHC	0.750	x 9.083	x 16.535	6	3	0.750 x 2.25	2.00	3.50	2.50	23.90	10.84
								3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row	

700 J Low Ground Pressure

Serial Number: 126" 139436 AND UP

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type	Dimensions			Total Holes	Bolts			Hole Spacing			Weight	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T222594	Center	1 DB	0.750	8.000	99.622	9	9	0.750 x 2.25	2.31	11.50	12.00	156.00	70.76	
T223519	Level Cut End Bit RH	1 DB/	0.750	8.000	13.661	6	3	0.750 x 2.25	2.00	3.50	2.50	19.20	8.71	
							3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row		
T223520	Level Cut End Bit LH	1 DB \	0.750	8.000	13.661	6	3	0.750 x 2.25	2.00	3.50	2.50	19.20	8.71	
							3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row		
T212049	Hot Cup End Bit RH	1 EBHC	0.750	9.083	15.681	6	3	0.750 x 2.25	2.00	3.50	2.50	23.90	10.84	
							3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row		
T212047	Hot Cup End Bit LH	1 EBHC	0.750	9.083	16.535	6	3	0.750 x 2.25	2.00	3.50	2.50	23.90	10.84	
							3	0.750 x 2.25	2.00	3.50	3.50	...2nd Row		

750 A B Straight Tilt

Serial Number: 96" UP TO 283361

T73281	Center	1 DB	0.750	8.000	71.504	12	12	0.750 x 2.5	2.75	6.00	6.00	110.90	50.30
T49155	Level Cut End Bit RH	1 DB/	0.750	8.000	14.130	6	3	0.750 x 2.5	2.00	4.00	4.00	20.40	9.25
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	
T49156	Level Cut End Bit LH	1 DB \	0.750	8.000	14.130	6	3	0.750 x 2.5	2.00	4.00	4.00	20.40	9.25
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	
T49157	Hot Cup End Bit RH	1 EBHC	1.000	9.580	16.196	6	3	0.750 x 2.5	2.00	4.00	4.00	34.10	15.47
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	
T49158	Hot Cup End Bit LH	1 EBHC	1.000	9.580	16.196	6	3	0.750 x 2.5	2.00	4.00	4.00	34.10	15.47
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	

750 A B Straight Tilt

Serial Number: 96" 283362-UP

T73281	Center	1 DB	0.750	8.000	71.504	12	12	0.750 x 2.5	2.75	6.00	6.00	110.90	50.30
T58191	Level Cut End Bit RH	1 DB/	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T58192	Level Cut End Bit LH	1 DB \	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59155	Hot Cup End Bit RH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59156	Hot Cup End Bit LH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	

750 A B Straight Tilt

Serial Number: 115"

T79194	Center	1 DB	0.750	8.000	29.880	5	5	0.750 x 2.5	2.94	6.00	6.00	46.30	21.00
T79280	End	2 DB	0.750	8.000	28.180	5	5	0.750 x 2.5	2.94	6.00	6.00	43.70	19.82
T49153	Optional One Piece Edge	1 DB	0.750	8.000	86.500	15	15	0.750 x 2.5	1.25	6.00	6.00	134.00	60.78
T49155	Level Cut End Bit RH	1 DB/	0.750	8.000	14.130	6	3	0.750 x 2.5	2.00	4.00	4.00	20.40	9.25
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	
T49156	Level Cut End Bit LH	1 DB \	0.750	8.000	14.130	6	3	0.750 x 2.5	2.00	4.00	4.00	20.40	9.25
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	
T49157	Hot Cup End Bit RH	1 EBHC	1.000	9.580	16.196	6	3	0.750 x 2.5	2.00	4.00	4.00	34.10	15.47
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	
T49158	Hot Cup End Bit LH	1 EBHC	1.000	9.580	16.196	6	3	0.750 x 2.5	2.00	4.00	4.00	34.10	15.47
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	

750 A B Straight Tilt

Serial Number: 120"

T79198	Center	1 DB	0.750	8.000	35.880	6	6	0.750 x 2.5	2.94	6.00	6.00	55.60	25.22
T79197	End	2 DB	0.750	8.000	28.560	5	5	0.750 x 2.5	2.94	6.00	6.00	44.20	20.05
T60679	Optional One Piece Edge	1 DB	0.750	8.000	93.125	16	16	0.750 x 2.5				157.00	71.21

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T58191	Level Cut End Bit RH	1 DB	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66	
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row		
T58192	Level Cut End Bit LH	1 DB\	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66	
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row		
T59155	Hot Cup End Bit RH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43	
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row		
T59156	Hot Cup End Bit LH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43	
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row		

750 A B Inside Dozer

Serial Number: 128.5"

T79194	Center	1 DB	0.750	8.000	29.880	5	5	0.750 x 2.5	2.94	6.00	6.00	46.30	21.00
T79195	End	2 DB	0.750	8.000	35.380	6	6	0.750 x 2.5	2.94	6.00	6.00	54.90	24.90
T68896	Optional One Piece Edge	1 DB	0.750	8.000	100.875	17	17	0.750 x 2.5				155.00	70.31
T58191	Level Cut End Bit RH	1 DB	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T58192	Level Cut End Bit LH	1 DB\	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59155	Hot Cup End Bit RH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59156	Hot Cup End Bit LH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	

750 A B Straight Tilt, LGP

Serial Number: 132" UP TO 283361

T79196	Center	1 DB	0.750	8.000	47.880	8	8	0.750 x 2.5	2.94	6.00	6.00	74.30	33.70
T79197	End	2 DB	0.750	8.000	28.560	5	5	0.750 x 2.5	2.94	6.00	6.00	44.20	20.05
T62577	Optional One Piece Edge	1 DB	0.750	8.000	105.125	18	18	0.750 x 2.5	1.63	6.00	6.00	161.00	73.03
T49155	Level Cut End Bit RH	1 DB	0.750	8.000	14.130	6	3	0.750 x 2.5	2.00	4.00	4.00	20.40	9.25
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	
T49156	Level Cut End Bit LH	1 DB\	0.750	8.000	14.130	6	3	0.750 x 2.5	2.00	4.00	4.00	20.40	9.25
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	
T49157	Hot Cup End Bit RH	1 EBHC	1.000	9.580	16.196	6	3	0.750 x 2.5	2.00	4.00	4.00	34.10	15.47
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	
T49158	Hot Cup End Bit LH	1 EBHC	1.000	9.580	16.196	6	3	0.750 x 2.5	2.00	4.00	4.00	34.10	15.47
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	

750 A B Straight Tilt, LGP

Serial Number: 132" 283362-UP

T79196	Center	1 DB	0.750	8.000	47.880	8	8	0.750 x 2.5	2.94	6.00	6.00	74.30	33.70
T79197	End	2 DB	0.750	8.000	28.560	5	5	0.750 x 2.5	2.94	6.00	6.00	44.20	20.05
T62577	Optional One Piece Edge	1 DB	0.750	8.000	105.125	18	18	0.750 x 2.5	1.63	6.00	6.00	161.00	73.03
T58191	Level Cut End Bit RH	1 DB	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T58192	Level Cut End Bit LH	1 DB\	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59155	Hot Cup End Bit RH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59156	Hot Cup End Bit LH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	

750 A B Angle

Serial Number: 146"

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight. . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T79196	Center	1 DB	0.750	8.000	47.880	8	8	0.750 x 2.5	2.94	6.00	6.00	74.30	33.70	
T79195	End	2 DB	0.750	8.000	35.380	6	6	0.750 x 2.5	2.94	6.00	6.00	54.90	24.90	
T58190	Optional One Piece Edge	1 DB	0.750	8.000	118.750	20	20	0.750 x 2.5	2.38	6.00	6.00	184.10	83.51	
T58191	Level Cut End Bit RH	1 DB/	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66	
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row		
T58192	Level Cut End Bit LH	1 DB \	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66	
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row		
T59155	Hot Cup End Bit RH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43	
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row		
T59156	Hot Cup End Bit LH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43	
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row		

750 A B Angle

Serial Number: 150"

T79192	Center	1 DB	0.750	8.000	41.880	7	7	0.750 x 2.5	2.94	6.00	6.00	64.90	29.44
T79199	End	2 DB	0.750	8.000	40.130	7	7	0.750 x 2.5	2.94	6.00	6.00	62.20	28.21
T65937	Optional One Piece Edge	1 DB	0.750	8.000	122.375	21	21	0.750 x 2.5	1.19	6.00	6.00	189.70	86.05
T58191	Level Cut End Bit RH	1 DB/	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T58192	Level Cut End Bit LH	1 DB \	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59155	Hot Cup End Bit RH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59156	Hot Cup End Bit LH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	

750 B Semi-U

Serial Number: 126" ROCKLAND

T79192	Center	1 DB	0.750	8.000	41.880	7	7	0.750 x 2.5	2.94	6.00	6.00	64.90	29.44
T79197	End	2 DB	0.750	8.000	28.560	5	5	0.750 x 2.5	2.94	6.00	6.00	44.20	20.05
T153378	Level Cut End Bit RH	1 DB/	0.750	8.000	17.862	6	3	0.750 x 2.5	1.87	3.75	3.75	22.40	10.16
							3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	
T153379	Level Cut End Bit LH	1 DB \	0.750	8.000	17.862	6	3	0.750 x 2.5	1.87	3.75	3.75	22.40	10.16
							3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	
T112067	Hot Cup End Bit RH	1 EBHCC	0.750	8.953	16.110	6	3	0.750 x 2.5	1.88	3.75	3.75	23.50	10.66
							3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	
T112068	Hot Cup End Bit LH	1 EBHCC	0.750	8.953	16.110	6	3	0.750 x 2.5	1.88	3.75	3.75	23.50	10.66
							3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	

750 B Power Angle Tilt

Serial Number: 129" WELDCO

T79192	Center	1 DB	0.750	8.000	41.880	7	7	0.750 x 2.5	2.94	6.00	6.00	64.90	29.44
T79197	End	2 DB	0.750	8.000	28.560	5	5	0.750 x 2.5	2.94	6.00	6.00	44.20	20.05
T58191	Level Cut End Bit RH	1 DB/	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T58192	Level Cut End Bit LH	1 DB \	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59155	Hot Cup End Bit RH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59156	Hot Cup End Bit LH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	

750 C CII Straight

Serial Number: 120" ROCKLAND

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
T79198	Center	1 DB	0.750	8.000	35.880	6	6	0.750 x 2.5	2.94	6.00	6.00	55.60	25.22
T79197	End	2 DB	0.750	8.000	28.560	5	5	0.750 x 2.5	2.94	6.00	6.00	44.20	20.05
T58191	Level Cut End Bit RH	1 DB/	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T58192	Level Cut End Bit LH	1 DB \	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59155	Hot Cup End Bit RH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59156	Hot Cup End Bit LH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	

750 C CII Power Angle Tilt

Serial Number: 129" WELDCO

T79192	Center	1 DB	0.750	8.000	41.880	7	7	0.750 x 2.5	2.94	6.00	6.00	64.90	29.44
T79197	End	2 DB	0.750	8.000	28.560	5	5	0.750 x 2.5	2.94	6.00	6.00	44.20	20.05
T161730	Level Cut End Bit RH	1 DB/	0.750	8.000	14.882	4	4	0.750 x 2.5	2.00	3.00	3.00	21.90	9.93
T161731	Level Cut End Bit LH	1 DB \	0.750	8.000	14.882	4	4	0.750 x 2.5	2.00	3.00	3.00	21.90	9.93
T166807	Hot Cup End Bit RH	1 EBHC	0.750	10.210	17.630	4	4	0.750 x 2.5	2.00	3.00	3.00	31.20	14.15
T166806	Hot Cup End Bit LH	1 EBHC	0.750	10.210	17.630	4	4	0.750 x 2.5	2.00	3.00	3.00	31.20	14.15

750 C CII Straight

Serial Number: 132" ROCKLAND

T79196	Center	1 DB	0.750	8.000	47.880	8	8	0.750 x 2.5	2.94	6.00	6.00	74.30	33.70
T79197	End	2 DB	0.750	8.000	28.560	5	5	0.750 x 2.5	2.94	6.00	6.00	44.20	20.05
T58191	Level Cut End Bit RH	1 DB/	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T58192	Level Cut End Bit LH	1 DB \	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59155	Hot Cup End Bit RH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59156	Hot Cup End Bit LH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	

750 C CII Angle

Serial Number: 149" ROCKLAND

T79192	Center	1 DB	0.750	8.000	41.880	7	7	0.750 x 2.5	2.94	6.00	6.00	64.90	29.44
T79199	End	2 DB	0.750	8.000	40.130	7	7	0.750 x 2.5	2.94	6.00	6.00	62.20	28.21
T58191	Level Cut End Bit RH	1 DB/	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T58192	Level Cut End Bit LH	1 DB \	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59155	Hot Cup End Bit RH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59156	Hot Cup End Bit LH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	

750 C CII Power Angle Tilt, LGP

Serial Number: 152" WELDCO

T79192	Center	1 DB	0.750	8.000	41.880	7	7	0.750 x 2.5	2.94	6.00	6.00	64.90	29.44
T79193	End	2 DB	0.750	8.000	41.380	7	7	0.750 x 2.5	2.44	6.00	6.00	65.00	29.48
T58191	Level Cut End Bit RH	1 DB/	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T58192	Level Cut End Bit LH	1 DB \	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight. . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T59155	Hot Cup End Bit RH	1	EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43	
								3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row		
T59156	Hot Cup End Bit LH	1	EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43	
								3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row		

750 C CII Semi-U

Serial Number: 126" ROCKLAND

T79192	Center	1	DB	0.750	8.000	41.880	7	7	0.750 x 2.5	2.94	6.00	6.00	64.90	29.44
T79197	End	2	DB	0.750	8.000	28.560	5	5	0.750 x 2.5	2.94	6.00	6.00	44.20	20.05
T153378	Level Cut End Bit RH	1	DB//	0.750	8.000	17.862	6	3	0.750 x 2.5	1.87	3.75	3.75	22.40	10.16
								3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	
T153379	Level Cut End Bit LH	1	DB\\	0.750	8.000	17.862	6	3	0.750 x 2.5	1.87	3.75	3.75	22.40	10.16
								3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	
T112067	Hot Cup End Bit RH	1	EBHCC	0.750	8.953	16.110	6	3	0.750 x 2.5	1.88	3.75	3.75	23.50	10.66
								3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	
T112068	Hot Cup End Bit LH	1	EBHCC	0.750	8.953	16.110	6	3	0.750 x 2.5	1.88	3.75	3.75	23.50	10.66
								3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	

750 C CII Semi-U

Serial Number: 156" ROCKLAND

T166169	Center	1	DB	0.750	10.000	41.880	7	7	0.750 x 2.5	2.94	6.00	6.00	81.30	36.88
T166168	End	2	DB >	0.750	10.000	41.880	7	7	0.750 x 2.5	2.94	6.00	6.00	80.10	36.33
T160425	Level Cut End Bit RH	1	DB /	1.000	10.000	18.375	6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160426	Level Cut End Bit LH	1	DB \	1.000	10.000	18.375	6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160575	Hot Cup End Bit RH	1	EBHC	1.250	12.004	19.406	6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160576	Hot Cup End Bit LH	1	EBHC	1.250	12.004	19.406	6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	

750 CII Semi-U

Serial Number: 144" ROCKLAND

T166169	Center	1	DB	0.750	10.000	41.880	7	7	0.750 x 2.5	2.94	6.00	6.00	81.30	36.88
T166463	End	2	DB >	0.750	10.000	35.559	6	6	0.750 x 2.5	6.00	6.00	6.00	67.80	30.75
T160425	Level Cut End Bit RH	1	DB /	1.000	10.000	18.375	6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160426	Level Cut End Bit LH	1	DB \	1.000	10.000	18.375	6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160575	Hot Cup End Bit RH	1	EBHC	1.250	12.004	19.406	6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160576	Hot Cup End Bit LH	1	EBHC	1.250	12.004	19.406	6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	

750 J Power Angle Tilt

Serial Number: 129"

T204082	Center	1	DB	0.750	8.000	35.875	6	6	0.750 x 2.5	2.94	6.00	6.00	55.70	25.27
T195673	End	2	DB	0.750	8.000	27.750	5	5	0.750 x 2.5	2.94	6.00	6.00	43.00	19.50
T204080	Level Cut End Bit RH	1	DB /	0.750	8.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	26.90	12.20
								3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T204081	Level Cut End Bit LH	1	DB \	0.750	8.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	26.90	12.20
								3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T236314	Level Cut End Bit RH	1	DB /	1.000	8.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	36.20	16.42
								3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type	Dimensions			Total Holes	Bolts		Hole Spacing			Weight	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
T236313	Level Cut End Bit LH	1	DB\	1.000 x 8.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	36.20	16.42
												...2nd Row		
T216392	Hot Cup End Bit RH	1	EBHC	0.750 x 8.791 x 20.913			6	3	0.750 x 2.5	2.94	4.00	4.00	31.70	14.38
												...2nd Row		
T216391	Hot Cup End Bit LH	1	EBHC	0.750 x 8.787 x 20.913			6	3	0.750 x 2.5	2.94	4.00	4.00	31.70	14.38
												...2nd Row		

750 J Straight

Serial Number: 150"

T187988	Center	1	DB	0.750 x 10.000 x 47.875			8	8	0.750 x 2.5	2.93	6.00	6.00	92.90	42.14
T200759	End	2	DB	0.750 x 10.000 x 31.875			5	5	0.750 x 2.5	2.94	6.00	6.00	62.00	28.12
T187243	Level Cut End Bit RH	1	DB/	0.750 x 10.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	33.70	15.29
												...2nd Row		
T187244	Level Cut End Bit LH	1	DB\	0.750 x 10.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	33.70	15.29
												...2nd Row		
T190174	Heavy Duty Level Cut End Bit RH	1	DB/	1.000 x 10.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	47.00	21.32
												...2nd Row		
T190175	Heavy Duty Level Cut End Bit LH	1	DB\	1.000 x 10.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	47.00	21.32
												...2nd Row		
T216395	Hot Cup End Bit RH	1	EBHC	0.750 x 10.941 x 21.583			6	3	0.750 x 2.5	2.94	4.00	4.00	40.70	18.46
												...2nd Row		
T216394	Hot Cup End Bit LH	1	EBHC	0.750 x 10.941 x 21.583			6	3	0.750 x 2.5	2.94	4.00	4.00	40.70	18.46
												...2nd Row		

750 J Power Angle Tilt, LGP

Serial Number: 156"

T204082	Center	1	DB	0.750 x 8.000 x 35.875			6	6	0.750 x 2.5	2.94	6.00	6.00	55.70	25.27
T204083	End	2	DB	0.750 x 8.000 x 40.876			7	7	0.750 x 2.5	1.94	6.00	6.00	63.40	28.76
T236315	Heavy Duty Center	1	DB	1.000 x 8.000 x 35.874			6	6	0.750 x 2.5	2.94	6.00	6.00	75.40	34.20
T236316	Heavy Duty End	2	DB	1.000 x 8.000 x 40.878			7	7	0.750 x 2.5	1.94	6.00	6.00	85.80	38.92
T204080	Level Cut End Bit RH	1	DB/	0.750 x 8.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	26.90	12.20
												...2nd Row		
T204081	Level Cut End Bit LH	1	DB\	0.750 x 8.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	26.90	12.20
												...2nd Row		
T236314	Level Cut End Bit RH	1	DB/	1.000 x 8.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	36.20	16.42
												...2nd Row		
T236313	Level Cut End Bit LH	1	DB\	1.000 x 8.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	36.20	16.42
												...2nd Row		
T216391	Hot Cup End Bit LH	1	EBHC	0.750 x 8.787 x 20.913			6	3	0.750 x 2.5	2.94	4.00	4.00	31.70	14.38
												...2nd Row		
T216392	Hot Cup End Bit RH	1	EBHC	0.750 x 8.791 x 20.913			6	3	0.750 x 2.5	2.94	4.00	4.00	31.70	14.38
												...2nd Row		

750 J Semi-U

Serial Number: 128"

T162524	Center	2	DB >	0.750 x 10.000 x 48.382			8	8	0.750 x 2.5	2.94	6.00	6.00	92.70	42.05
T160425	Level Cut End Bit RH	1	DB/	1.000 x 10.000 x 18.375			6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
												...2nd Row		
T160426	Level Cut End Bit LH	1	DB\	1.000 x 10.000 x 18.375			6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
												...2nd Row		
T160575	Hot Cup End Bit RH	1	EBHC	1.250 x 12.004 x 19.406			6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98
												...2nd Row		

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight. . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T160576	Hot Cup End Bit LH	1	EBHC	1.250	12.004	19.406	6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98	
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row		

750 J Semi-U

Serial Number: 148"

T200701	Center	2	DB >	0.750	10.000	58.380	10	10	0.750 x 2.5	2.94	6.00	6.00	112.10	50.85
T160425	Level Cut End Bit RH	1	DB	1.000	10.000	18.375	6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160426	Level Cut End Bit LH	1	DB \	1.000	10.000	18.375	6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160575	Hot Cup End Bit RH	1	EBHC	1.250	12.004	19.406	6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160576	Hot Cup End Bit LH	1	EBHC	1.250	12.004	19.406	6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	

750 K Power Angle Tilt

Serial Number: 129"

T204082	Center	1	DB	0.750	8.000	35.875	6	6	0.750 x 2.5	2.94	6.00	6.00	55.70	25.27
T195673	End	2	DB	0.750	8.000	27.750	5	5	0.750 x 2.5	2.94	6.00	6.00	43.00	19.50
T204080	Level Cut End Bit RH	1	DB	0.750	8.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	26.90	12.20
								3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T204081	Level Cut End Bit LH	1	DB \	0.750	8.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	26.90	12.20
								3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T236314	Level Cut End Bit RH	1	DB	1.000	8.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	36.20	16.42
								3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T236313	Level Cut End Bit LH	1	DB \	1.000	8.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	36.20	16.42
								3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T216392	Hot Cup End Bit RH	1	EBHC	0.750	8.791	20.913	6	3	0.750 x 2.5	2.94	4.00	4.00	31.70	14.38
								3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T216391	Hot Cup End Bit LH	1	EBHC	0.750	8.787	20.913	6	3	0.750 x 2.5	2.94	4.00	4.00	31.70	14.38
								3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	

750 K Power Angle Tilt, LGP

Serial Number: 156"

T204082	Center	1	DB	0.750	8.000	35.875	6	6	0.750 x 2.5	2.94	6.00	6.00	55.70	25.27
T204083	End	2	DB	0.750	8.000	40.876	7	7	0.750 x 2.5	1.94	6.00	6.00	63.40	28.76
T236315	Heavy Duty Center	1	DB	1.000	8.000	35.874	6	6	0.750 x 2.5	2.94	6.00	6.00	75.40	34.20
T236316	Heavy Duty End	2	DB	1.000	8.000	40.878	7	7	0.750 x 2.5	1.94	6.00	6.00	85.80	38.92
T204080	Level Cut End Bit RH	1	DB	0.750	8.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	26.90	12.20
								3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T204081	Level Cut End Bit LH	1	DB \	0.750	8.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	26.90	12.20
								3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T236314	Level Cut End Bit RH	1	DB	1.000	8.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	36.20	16.42
								3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T236313	Level Cut End Bit LH	1	DB \	1.000	8.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	36.20	16.42
								3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T216391	Hot Cup End Bit LH	1	EBHC	0.750	8.787	20.913	6	3	0.750 x 2.5	2.94	4.00	4.00	31.70	14.38
								3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T216392	Hot Cup End Bit RH	1	EBHC	0.750	8.791	20.913	6	3	0.750 x 2.5	2.94	4.00	4.00	31.70	14.38
								3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	

750 K Semi-U

Serial Number: 128"

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T162524	Center	2 DB >	0.750	10.000	48.382	8	8	0.750 x 2.5	2.94	6.00	6.00	92.70	42.05	
T160425	Level Cut End Bit RH	1 DB /	1.000	10.000	18.375	6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19	
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row		
T160426	Level Cut End Bit LH	1 DB \	1.000	10.000	18.375	6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19	
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row		
T160575	Hot Cup End Bit RH	1 EBHC	1.250	12.004	19.406	6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98	
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row		
T160576	Hot Cup End Bit LH	1 EBHC	1.250	12.004	19.406	6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98	
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row		

850 A B Straight

Serial Number: 123" UP TO 705569

T79198	Center	1 DB	0.750	8.000	35.880	6	6	0.750 x 2.5	2.94	6.00	6.00	55.60	25.22
T79200	End	2 DB	0.750	8.000	29.060	5	5	0.750 x 2.5	2.94	6.00	6.00	45.00	20.41
T52751	Optional One Piece Edge	1 DB	0.750	8.000	94.250	16	16	0.750 x 2.5				144.00	65.32
T49155	Level Cut End Bit RH	1 DB /	0.750	8.000	14.130	6	3	0.750 x 2.5	2.00	4.00	4.00	20.40	9.25
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	
T49156	Level Cut End Bit LH	1 DB \	0.750	8.000	14.130	6	3	0.750 x 2.5	2.00	4.00	4.00	20.40	9.25
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	
T49157	Hot Cup End Bit RH	1 EBHC	1.000	9.580	16.196	6	3	0.750 x 2.5	2.00	4.00	4.00	34.10	15.47
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	
T49158	Hot Cup End Bit LH	1 EBHC	1.000	9.580	16.196	6	3	0.750 x 2.5	2.00	4.00	4.00	34.10	15.47
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	

850 A B Straight

Serial Number: 123" 705570-UP

T79198	Center	1 DB	0.750	8.000	35.880	6	6	0.750 x 2.5	2.94	6.00	6.00	55.60	25.22
T79194	End	2 DB	0.750	8.000	29.880	5	5	0.750 x 2.5	2.94	6.00	6.00	46.30	21.00
T58191	Level Cut End Bit RH	1 DB /	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T58192	Level Cut End Bit LH	1 DB \	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59155	Hot Cup End Bit RH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59156	Hot Cup End Bit LH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	

850 A B Angle

Serial Number: 152" UP TO 705669

T79192	Center	1 DB	0.750	8.000	41.880	7	7	0.750 x 2.5	2.94	6.00	6.00	64.90	29.44
T79193	End	2 DB	0.750	8.000	41.380	7	7	0.750 x 2.5	2.44	6.00	6.00	65.00	29.48
T58940	Optional One Piece Edge	1 DB	0.750	8.000	124.750	21	21	0.750 x 2.5	2.38	6.00	6.00	193.40	87.72
T49155	Level Cut End Bit RH	1 DB /	0.750	8.000	14.130	6	3	0.750 x 2.5	2.00	4.00	4.00	20.40	9.25
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	
T49156	Level Cut End Bit LH	1 DB \	0.750	8.000	14.130	6	3	0.750 x 2.5	2.00	4.00	4.00	20.40	9.25
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	
T49157	Hot Cup End Bit RH	1 EBHC	1.000	9.580	16.196	6	3	0.750 x 2.5	2.00	4.00	4.00	34.10	15.47
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	
T49158	Hot Cup End Bit LH	1 EBHC	1.000	9.580	16.196	6	3	0.750 x 2.5	2.00	4.00	4.00	34.10	15.47
							3	0.750 x 2.5	2.00	4.00	4.00	...2nd Row	

850 A B Angle, LGP

Serial Number: 152" 705571-UP

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T79192	Center	1 DB	0.750	8.000	41.880	7	7	0.750 x 2.5	2.94	6.00	6.00	64.90	29.44	
T79193	End	2 DB	0.750	8.000	41.380	7	7	0.750 x 2.5	2.44	6.00	6.00	65.00	29.48	
T58940	Optional One Piece Edge	1 DB	0.750	8.000	124.750	21	21	0.750 x 2.5	2.38	6.00	6.00	193.40	87.72	
T58191	Level Cut End Bit RH	1 DB/	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66	
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row		
T58192	Level Cut End Bit LH	1 DB \	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66	
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row		
T59155	Hot Cup End Bit RH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43	
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row		
T59156	Hot Cup End Bit LH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43	
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row		

850 B Semi-U

Serial Number: 138" ROCKLAND

T79199	Center	1 DB	0.750	8.000	40.130	7	7	0.750 x 2.5	2.94	6.00	6.00	62.20	28.21
T79194	End	2 DB	0.750	8.000	29.880	5	5	0.750 x 2.5	2.94	6.00	6.00	46.30	21.00
T153378	Level Cut End Bit RH	1 DB//	0.750	8.000	17.862	6	3	0.750 x 2.5	1.87	3.75	3.75	22.40	10.16
							3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	
T153379	Level Cut End Bit LH	1 DB\\	0.750	8.000	17.862	6	3	0.750 x 2.5	1.87	3.75	3.75	22.40	10.16
							3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	
T112067	Hot Cup End Bit RH	1 EBHCC	0.750	8.953	16.110	6	3	0.750 x 2.5	1.88	3.75	3.75	23.50	10.66
							3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	
T112068	Hot Cup End Bit LH	1 EBHCC	0.750	8.953	16.110	6	3	0.750 x 2.5	1.88	3.75	3.75	23.50	10.66
							3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	

850 C CII Straight

Serial Number: 123" ROCKLAND

T79198	Center	1 DB	0.750	8.000	35.880	6	6	0.750 x 2.5	2.94	6.00	6.00	55.60	25.22
T79194	End	2 DB	0.750	8.000	29.880	5	5	0.750 x 2.5	2.94	6.00	6.00	46.30	21.00
T58191	Level Cut End Bit RH	1 DB/	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T58192	Level Cut End Bit LH	1 DB \	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59155	Hot Cup End Bit RH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59156	Hot Cup End Bit LH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	

850 C CII Angle, LGP

Serial Number: 152" ROCKLAND

T79192	Center	1 DB	0.750	8.000	41.880	7	7	0.750 x 2.5	2.94	6.00	6.00	64.90	29.44
T79193	End	2 DB	0.750	8.000	41.380	7	7	0.750 x 2.5	2.44	6.00	6.00	65.00	29.48
T58191	Level Cut End Bit RH	1 DB/	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T58192	Level Cut End Bit LH	1 DB \	0.750	8.000	13.440	6	3	0.750 x 2.5	1.44	3.50	3.50	19.10	8.66
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59155	Hot Cup End Bit RH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	
T59156	Hot Cup End Bit LH	1 EBHC	0.750	9.933	15.398	6	3	0.750 x 2.5	1.44	3.50	3.50	25.20	11.43
							3	0.750 x 2.5	1.44	4.00	4.00	...2nd Row	

850 C CII Semi-U

Serial Number: 128" ROCKLAND

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
T79194	Center	1 DB	0.750 x 8.000 x 29.880			5	5	0.750 x 2.5	2.94	6.00	6.00	46.30	21.00
T79195	End	2 DB	0.750 x 8.000 x 35.380			6	6	0.750 x 2.5	2.94	6.00	6.00	54.90	24.90
T153378	Level Cut End Bit RH	1 DB//	0.750 x 8.000 x 17.862			6	3	0.750 x 2.5	1.87	3.75	3.75	22.40	10.16
							3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	
T153379	Level Cut End Bit LH	1 DB\\	0.750 x 8.000 x 17.862			6	3	0.750 x 2.5	1.87	3.75	3.75	22.40	10.16
							3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	
T112067	Hot Cup End Bit RH	1 EBHCC	0.750 x 8.953 x 16.110			6	3	0.750 x 2.5	1.88	3.75	3.75	23.50	10.66
							3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	
T112068	Hot Cup End Bit LH	1 EBHCC	0.750 x 8.953 x 16.110			6	3	0.750 x 2.5	1.88	3.75	3.75	23.50	10.66
							3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	

850 C CII Semi-U

Serial Number: 128" ROCKLAND

T162524	Center	2 DB >	0.750 x 10.000 x 48.382			8	8	0.750 x 2.5	2.94	6.00	6.00	92.70	42.05
T160425	Level Cut End Bit RH	1 DB /	1.000 x 10.000 x 18.375			6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160426	Level Cut End Bit LH	1 DB \	1.000 x 10.000 x 18.375			6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160575	Hot Cup End Bit RH	1 EBHC	1.250 x 12.004 x 19.406			6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160576	Hot Cup End Bit LH	1 EBHC	1.250 x 12.004 x 19.406			6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	

850 C CII Semi-U

Serial Number: 138" ROCKLAND

T79194	Center	1 DB	0.750 x 8.000 x 29.880			5	5	0.750 x 2.5	2.94	6.00	6.00	46.30	21.00
T79199	End	2 DB	0.750 x 8.000 x 40.130			7	7	0.750 x 2.5	2.94	6.00	6.00	62.20	28.21
T153378	Level Cut End Bit RH	1 DB//	0.750 x 8.000 x 17.862			6	3	0.750 x 2.5	1.87	3.75	3.75	22.40	10.16
							3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	
T153379	Level Cut End Bit LH	1 DB\\	0.750 x 8.000 x 17.862			6	3	0.750 x 2.5	1.87	3.75	3.75	22.40	10.16
							3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	
T112067	Hot Cup End Bit RH	1 EBHCC	0.750 x 8.953 x 16.110			6	3	0.750 x 2.5	1.88	3.75	3.75	23.50	10.66
							3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	
T112068	Hot Cup End Bit LH	1 EBHCC	0.750 x 8.953 x 16.110			6	3	0.750 x 2.5	1.88	3.75	3.75	23.50	10.66
							3	0.750 x 2.5	2.50	3.75	3.75	...2nd Row	

850 C CII Semi-U

Serial Number: 140" ROCKLAND

T160421	Center	2 DB >	0.750 x 10.000 x 54.374			9	9	0.750 x 2.5	3.50	6.00	6.00	104.30	47.31
T160425	Level Cut End Bit RH	1 DB /	1.000 x 10.000 x 18.375			6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160426	Level Cut End Bit LH	1 DB \	1.000 x 10.000 x 18.375			6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160575	Hot Cup End Bit RH	1 EBHC	1.250 x 12.004 x 19.406			6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160576	Hot Cup End Bit LH	1 EBHC	1.250 x 12.004 x 19.406			6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	

850 C CII Semi-U

Serial Number: 156" ROCKLAND

T166169	Center	1 DB	0.750 x 10.000 x 41.880			7	7	0.750 x 2.5	2.94	6.00	6.00	81.30	36.88
T166168	End	2 DB >	0.750 x 10.000 x 41.880			7	7	0.750 x 2.5	2.94	6.00	6.00	80.10	36.33

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight. . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T160425	Level Cut End Bit RH	1 DB	1.000	10.000	18.375	6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19	
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row		
T160426	Level Cut End Bit LH	1 DB\	1.000	10.000	18.375	6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19	
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row		
T160575	Hot Cup End Bit RH	1 EBHC	1.250	12.004	19.406	6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98	
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row		
T160576	Hot Cup End Bit LH	1 EBHC	1.250	12.004	19.406	6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98	
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row		

850 CII Power Angle Tilt, LGP

Serial Number: 146" WELDCO UP TO 912094

T184052	Center	3 DB	0.750	10.000	35.875	6	6	0.875 x 3	2.93	6.00	6.00	69.00	31.30
T184699	Level Cut End Bit LH	1 SB\	0.750	10.000	18.937	6	3	0.875 x 3	2.94	4.00	4.00	34.70	15.74
							3	0.875 x 3	2.94	5.00	5.00	...2nd Row	
T184698	Level Cut End Bit RH	1 SB	0.750	10.000	18.938	6	3	0.875 x 3	2.94	4.00	4.00	34.70	15.74
							3	0.875 x 3	2.94	5.00	5.00	...2nd Row	
T186152	Hot Cup End Bit LH	1 EBHC	1.000	12.500	21.000	6	3	0.875 x 3	2.94	4.00	4.00	57.50	26.08
							3	0.875 x 3	2.94	5.00	5.00	...2nd Row	
T186153	Hot Cup End Bit RH	1 EBHC	1.000	12.500	21.000	6	3	0.875 x 3	2.94	4.00	4.00	57.50	26.08
							3	0.875 x 3	2.94	5.00	5.00	...2nd Row	

850 CII Power Angle Tilt, LGP

Serial Number: 146" DEERE 912095-UP

T187987	Center	3 DB	0.750	10.000	35.874	6	6	0.750 x 2.5	2.94	6.00	6.00	69.60	31.57
T190207	Heavy Duty Center	3 DB	1.000	10.000	35.875	6	6	0.750 x 2.5	2.94	6.00	6.00	92.80	42.09
T187243	Level Cut End Bit RH	1 DB	0.750	10.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	33.70	15.29
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T187244	Level Cut End Bit LH	1 DB\	0.750	10.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	33.70	15.29
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T190174	Heavy Duty Level Cut End Bit RH	1 DB	1.000	10.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	47.00	21.32
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T190175	Heavy Duty Level Cut End Bit LH	1 DB\	1.000	10.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	47.00	21.32
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T216395	Hot Cup End Bit RH	1 EBHC	0.750	10.941	21.583	6	3	0.750 x 2.5	2.94	4.00	4.00	40.70	18.46
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T216394	Hot Cup End Bit LH	1 EBHC	0.750	10.941	21.583	6	3	0.750 x 2.5	2.94	4.00	4.00	40.70	18.46
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	

850 CII Power Angle Tilt, LGP

Serial Number: 158" WELDCO UP TO 905274

T184055	Center	1 DB	0.750	10.000	47.875	8	8	0.875 x 3	2.93	6.00	6.00	92.60	42.00
T184052	End	2 DB	0.750	10.000	35.875	6	6	0.875 x 3	2.93	6.00	6.00	69.00	31.30
T184699	Level Cut End Bit LH	1 SB\	0.750	10.000	18.937	6	3	0.875 x 3	2.94	4.00	4.00	34.70	15.74
							3	0.875 x 3	2.94	5.00	5.00	...2nd Row	
T184698	Level Cut End Bit RH	1 SB	0.750	10.000	18.938	6	3	0.875 x 3	2.94	4.00	4.00	34.70	15.74
							3	0.875 x 3	2.94	5.00	5.00	...2nd Row	
T186152	Hot Cup End Bit LH	1 EBHC	1.000	12.500	21.000	6	3	0.875 x 3	2.94	4.00	4.00	57.50	26.08
							3	0.875 x 3	2.94	5.00	5.00	...2nd Row	
T186153	Hot Cup End Bit RH	1 EBHC	1.000	12.500	21.000	6	3	0.875 x 3	2.94	4.00	4.00	57.50	26.08
							3	0.875 x 3	2.94	5.00	5.00	...2nd Row	

850 CII Power Angle Tilt, LGP

Serial Number: 158" DEERE 905275-UP

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
T187988	Center	1 DB	0.750	10.000	47.875	8	8	0.750 x 2.5	2.93	6.00	6.00	92.90	42.14
T187987	End	2 DB	0.750	10.000	35.874	6	6	0.750 x 2.5	2.94	6.00	6.00	69.60	31.57
T190208	Heavy Duty Center	1 DB	1.000	10.000	47.874	8	8	0.750 x 2.5	2.94	6.00	6.00	123.90	56.20
T190207	Heavy Duty End	2 DB	1.000	10.000	35.875	6	6	0.750 x 2.5	2.94	6.00	6.00	92.80	42.09
T187243	Level Cut End Bit RH	1 DB/	0.750	10.000	18.937	6	3	0.750 x 2.5 0.750 x 2.5	2.94 2.94	4.00 5.00	4.00 5.00	33.70	15.29
T187244	Level Cut End Bit LH	1 DB\	0.750	10.000	18.937	6	3	0.750 x 2.5 0.750 x 2.5	2.94 2.94	4.00 5.00	4.00 5.00	33.70	15.29
T190174	Heavy Duty Level Cut End Bit RH	1 DB/	1.000	10.000	18.937	6	3	0.750 x 2.5 0.750 x 2.5	2.94 2.94	4.00 5.00	4.00 5.00	47.00	21.32
T190175	Heavy Duty Level Cut End Bit LH	1 DB\	1.000	10.000	18.937	6	3	0.750 x 2.5 0.750 x 2.5	2.94 2.94	4.00 5.00	4.00 5.00	47.00	21.32
T216395	Hot Cup End Bit RH	1 EBHC	0.750	10.941	21.583	6	3	0.750 x 2.5 0.750 x 2.5	2.94 2.94	4.00 5.00	4.00 5.00	40.70	18.46
T216394	Hot Cup End Bit LH	1 EBHC	0.750	10.941	21.583	6	3	0.750 x 2.5 0.750 x 2.5	2.94 2.94	4.00 5.00	4.00 5.00	40.70	18.46

850 CII Power Angle Tilt, LGP

Serial Number: 168" WELDCO UP TO 907192

T184055	Center	1 DB	0.750	10.000	47.875	8	8	0.875 x 3	2.93	6.00	6.00	92.60	42.00
T184056	End	2 DB	0.750	10.000	40.878	7	7	0.875 x 3	1.94	6.00	6.00	79.10	35.88
T184699	Level Cut End Bit LH	1 SB\	0.750	10.000	18.937	6	3	0.875 x 3 0.875 x 3	2.94 2.94	4.00 5.00	4.00 5.00	34.70	15.74
T184698	Level Cut End Bit RH	1 SB/	0.750	10.000	18.938	6	3	0.875 x 3 0.875 x 3	2.94 2.94	4.00 5.00	4.00 5.00	34.70	15.74
T186152	Hot Cup End Bit LH	1 EBHC	1.000	12.500	21.000	6	3	0.875 x 3 0.875 x 3	2.94 2.94	4.00 5.00	4.00 5.00	57.50	26.08
T186153	Hot Cup End Bit RH	1 EBHC	1.000	12.500	21.000	6	3	0.875 x 3 0.875 x 3	2.94 2.94	4.00 5.00	4.00 5.00	57.50	26.08

850 CII Power Angle Tilt, LGP

Serial Number: 168" DEERE 907193-UP

T187988	Center	1 DB	0.750	10.000	47.875	8	8	0.750 x 2.5	2.93	6.00	6.00	92.90	42.14
T187989	End	2 DB	0.750	10.000	40.876	7	7	0.750 x 2.5	1.93	6.00	6.00	79.30	35.97
T190208	Heavy Duty Center	1 DB	1.000	10.000	47.874	8	8	0.750 x 2.5	2.94	6.00	6.00	123.90	56.20
T190209	Heavy Duty End	2 DB	1.000	10.000	40.875	7	7	0.750 x 2.5	1.94	6.00	6.00	105.70	47.94
T187243	Level Cut End Bit RH	1 DB/	0.750	10.000	18.937	6	3	0.750 x 2.5 0.750 x 2.5	2.94 2.94	4.00 5.00	4.00 5.00	33.70	15.29
T187244	Level Cut End Bit LH	1 DB\	0.750	10.000	18.937	6	3	0.750 x 2.5 0.750 x 2.5	2.94 2.94	4.00 5.00	4.00 5.00	33.70	15.29
T190174	Heavy Duty Level Cut End Bit RH	1 DB/	1.000	10.000	18.937	6	3	0.750 x 2.5 0.750 x 2.5	2.94 2.94	4.00 5.00	4.00 5.00	47.00	21.32
T190175	Heavy Duty Level Cut End Bit LH	1 DB\	1.000	10.000	18.937	6	3	0.750 x 2.5 0.750 x 2.5	2.94 2.94	4.00 5.00	4.00 5.00	47.00	21.32
T216395	Hot Cup End Bit RH	1 EBHC	0.750	10.941	21.583	6	3	0.750 x 2.5 0.750 x 2.5	2.94 2.94	4.00 5.00	4.00 5.00	40.70	18.46
T216394	Hot Cup End Bit LH	1 EBHC	0.750	10.941	21.583	6	3	0.750 x 2.5 0.750 x 2.5	2.94 2.94	4.00 5.00	4.00 5.00	40.70	18.46

850 J Power Angle Tilt

Serial Number: 130"

T195673	Center	2 DB	0.750	8.000	27.750	5	5	0.750 x 2.5	2.94	6.00	6.00	43.00	19.50
---------	--------	------	-------	-------	--------	---	---	-------------	------	------	------	-------	-------

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type	. . . Dimensions . . .			Total Holes	. . . Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T236317	Heavy Duty Center	2 DB	1.000 x 8.000 x 27.752			5	5	0.750 x 2.5	2.94	6.00	6.00	58.20	26.40	
T187243	Level Cut End Bit RH	1 DB/	0.750 x 10.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	33.70	15.29	
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row		
T187244	Level Cut End Bit LH	1 DB\	0.750 x 10.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	33.70	15.29	
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row		
T190174	Heavy Duty Level Cut End Bit RH	1 DB/	1.000 x 10.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	47.00	21.32	
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row		
T190175	Heavy Duty Level Cut End Bit LH	1 DB\	1.000 x 10.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	47.00	21.32	
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row		
T216395	Hot Cup End Bit RH	1 EBHC	0.750 x 10.941 x 21.583			6	3	0.750 x 2.5	2.94	4.00	4.00	40.70	18.46	
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row		
T216394	Hot Cup End Bit LH	1 EBHC	0.750 x 10.941 x 21.583			6	3	0.750 x 2.5	2.94	4.00	4.00	40.70	18.46	
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row		

850 J K Power Angle Tilt

Serial Number: 146"

T187987	Center	3 DB	0.750 x 10.000 x 35.874			6	6	0.750 x 2.5	2.94	6.00	6.00	69.60	31.57
T190207	Heavy Duty Center	3 DB	1.000 x 10.000 x 35.875			6	6	0.750 x 2.5	2.94	6.00	6.00	92.80	42.09
T187243	Level Cut End Bit RH	1 DB/	0.750 x 10.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	33.70	15.29
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T187244	Level Cut End Bit LH	1 DB\	0.750 x 10.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	33.70	15.29
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T190174	Heavy Duty Level Cut End Bit RH	1 DB/	1.000 x 10.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	47.00	21.32
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T190175	Heavy Duty Level Cut End Bit LH	1 DB\	1.000 x 10.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	47.00	21.32
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T216395	Hot Cup End Bit RH	1 EBHC	0.750 x 10.941 x 21.583			6	3	0.750 x 2.5	2.94	4.00	4.00	40.70	18.46
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T216394	Hot Cup End Bit LH	1 EBHC	0.750 x 10.941 x 21.583			6	3	0.750 x 2.5	2.94	4.00	4.00	40.70	18.46
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	

850 J K Straight

Serial Number: 154"

T187988	Center	1 DB	0.750 x 10.000 x 47.875			8	8	0.750 x 2.5	2.93	6.00	6.00	92.90	42.14
T200726	End	2 DB	0.750 x 10.000 x 33.875			6	6	0.750 x 2.5	2.94	6.00	6.00	65.70	29.80
T187243	Level Cut End Bit RH	1 DB/	0.750 x 10.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	33.70	15.29
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T187244	Level Cut End Bit LH	1 DB\	0.750 x 10.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	33.70	15.29
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T190174	Heavy Duty Level Cut End Bit RH	1 DB/	1.000 x 10.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	47.00	21.32
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T190175	Heavy Duty Level Cut End Bit LH	1 DB\	1.000 x 10.000 x 18.937			6	3	0.750 x 2.5	2.94	4.00	4.00	47.00	21.32
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T216395	Hot Cup End Bit RH	1 EBHC	0.750 x 10.941 x 21.583			6	3	0.750 x 2.5	2.94	4.00	4.00	40.70	18.46
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T216394	Hot Cup End Bit LH	1 EBHC	0.750 x 10.941 x 21.583			6	3	0.750 x 2.5	2.94	4.00	4.00	40.70	18.46
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	

850 J K Power Angle Tilt

Serial Number: 158"

T187988	Center	1 DB	0.750 x 10.000 x 47.875			8	8	0.750 x 2.5	2.93	6.00	6.00	92.90	42.14
T187987	End	2 DB	0.750 x 10.000 x 35.874			6	6	0.750 x 2.5	2.94	6.00	6.00	69.60	31.57

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight. . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
T190208	Heavy Duty Center	1 DB	1.000	10.000	47.874	8	8	0.750 x 2.5	2.94	6.00	6.00	123.90	56.20
T190207	Heavy Duty End	2 DB	1.000	10.000	35.875	6	6	0.750 x 2.5	2.94	6.00	6.00	92.80	42.09
T187243	Level Cut End Bit RH	1 DB/	0.750	10.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	33.70	15.29
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T187244	Level Cut End Bit LH	1 DB\	0.750	10.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	33.70	15.29
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T190174	Heavy Duty Level Cut End Bit RH	1 DB/	1.000	10.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	47.00	21.32
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T190175	Heavy Duty Level Cut End Bit LH	1 DB\	1.000	10.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	47.00	21.32
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T216395	Hot Cup End Bit RH	1 EBHC	0.750	10.941	21.583	6	3	0.750 x 2.5	2.94	4.00	4.00	40.70	18.46
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T216394	Hot Cup End Bit LH	1 EBHC	0.750	10.941	21.583	6	3	0.750 x 2.5	2.94	4.00	4.00	40.70	18.46
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	

850 J K Power Angle Tilt, LGP

Serial Number: 168"

T187988	Center	1 DB	0.750	10.000	47.875	8	8	0.750 x 2.5	2.93	6.00	6.00	92.90	42.14
T187989	End	2 DB	0.750	10.000	40.876	7	7	0.750 x 2.5	1.93	6.00	6.00	79.30	35.97
T190208	Heavy Duty Center	1 DB	1.000	10.000	47.874	8	8	0.750 x 2.5	2.94	6.00	6.00	123.90	56.20
T190209	Heavy Duty End	2 DB	1.000	10.000	40.875	7	7	0.750 x 2.5	1.94	6.00	6.00	105.70	47.94
T187243	Level Cut End Bit RH	1 DB/	0.750	10.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	33.70	15.29
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T187244	Level Cut End Bit LH	1 DB\	0.750	10.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	33.70	15.29
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T190174	Heavy Duty Level Cut End Bit RH	1 DB/	1.000	10.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	47.00	21.32
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T190175	Heavy Duty Level Cut End Bit LH	1 DB\	1.000	10.000	18.937	6	3	0.750 x 2.5	2.94	4.00	4.00	47.00	21.32
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T216395	Hot Cup End Bit RH	1 EBHC	0.750	10.941	21.583	6	3	0.750 x 2.5	2.94	4.00	4.00	40.70	18.46
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	
T216394	Hot Cup End Bit LH	1 EBHC	0.750	10.941	21.583	6	3	0.750 x 2.5	2.94	4.00	4.00	40.70	18.46
							3	0.750 x 2.5	2.94	5.00	5.00	...2nd Row	

850 J K Semi-U

Serial Number: 128"

T162524	Center	2 DB >	0.750	10.000	48.382	8	8	0.750 x 2.5	2.94	6.00	6.00	92.70	42.05
T160425	Level Cut End Bit RH	1 DB/	1.000	10.000	18.375	6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160426	Level Cut End Bit LH	1 DB\	1.000	10.000	18.375	6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160575	Hot Cup End Bit RH	1 EBHC	1.250	12.004	19.406	6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160576	Hot Cup End Bit LH	1 EBHC	1.250	12.004	19.406	6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	

850 J K Semi-U

Serial Number: 140"

T160421	Center	2 DB >	0.750	10.000	54.374	9	9	0.750 x 2.5	3.50	6.00	6.00	104.30	47.31
T160425	Level Cut End Bit RH	1 DB/	1.000	10.000	18.375	6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160426	Level Cut End Bit LH	1 DB\	1.000	10.000	18.375	6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
							3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T160575	Hot Cup End Bit RH	1	EBHC	1.250	12.004	19.406	6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98	
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row		
T160576	Hot Cup End Bit LH	1	EBHC	1.250	12.004	19.406	6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98	
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row		

850 J K Semi-U

Serial Number: 152"

T200600	Center	2	DB >	0.750	10.000	60.375	10	10	0.750 x 2.5	2.94	6.00	6.00	116.00	52.62
T160425	Level Cut End Bit RH	1	DB /	1.000	10.000	18.375	6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160426	Level Cut End Bit LH	1	DB \	1.000	10.000	18.375	6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160575	Hot Cup End Bit RH	1	EBHC	1.250	12.004	19.406	6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160576	Hot Cup End Bit LH	1	EBHC	1.250	12.004	19.406	6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	

850 JR Semi-U

Serial Number: 140"

T245971	Center	2	DB >	1.000	10.000	54.374	9	9	0.750 x 2.5	2.94	6.00	6.00	139.00	63.05
T160425	Level Cut End Bit RH	1	DB /	1.000	10.000	18.375	6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160426	Level Cut End Bit LH	1	DB \	1.000	10.000	18.375	6	3	0.750 x 2.5	2.25	3.19	3.19	42.30	19.19
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160575	Hot Cup End Bit RH	1	EBHC	1.250	12.004	19.406	6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	
T160576	Hot Cup End Bit LH	1	EBHC	1.250	12.004	19.406	6	3	0.750 x 2.5	2.25	3.19	3.19	63.90	28.98
								3	0.750 x 2.5	2.25	3.94	3.63	...2nd Row	

950 C J Angle

Serial Number:

T223473	Center	4	DB	1.000	10.000	36.220	6		0.875	3.11	6.00	6.00	93.20	42.27
T223474	Hot Cup End Bit LH	1	EBHC	1.250	11.024	17.638	7		0.875	2.91	4.00	4.00	57.00	25.85
									0.875	2.91	3.00	3.00	...2nd Row	
T223475	Hot Cup End Bit RH	1	EBHC	1.250	11.024	17.638	7		0.875	2.91	4.00	4.00	57.00	25.85
									0.875	2.91	3.00	3.00	...2nd Row	

950 C J Straight

Serial Number: AT326937

T223468	Center	4	DB	1.000	10.000	34.055	6		0.875	2.03	6.00	6.00	87.50	39.69
T223469	Heavy Duty Center	4	DB	1.375	10.000	34.055	6		0.875	2.03	6.00	6.00	124.30	56.38
T223496	Hot Cup End Bit LH	1	EBHC	1.250	12.992	20.000	8		0.875	1.63	3.50	3.50	72.20	32.75
									0.875	1.63	3.50	3.50	...2nd Row	
T223497	Hot Cup End Bit RH	1	EBHC	1.250	12.992	20.000	8		0.875	1.63	3.50	3.50	72.20	32.75
									0.875	1.63	3.50	3.50	...2nd Row	
T223498	Heavy duty hot cup end bit LH	1	EBHC	1.500	12.992	20.000	8		0.875	1.63	3.50	3.50	86.30	39.15
									0.875	1.63	3.50	3.50	...2nd Row	
T223499	Heavy duty hot cup end bit RH	1	EBHC	1.500	12.992	20.000	8		0.875	1.63	3.50	3.50	86.30	39.15
									0.875	1.63	3.50	3.50	...2nd Row	
T223906	Level Cut End Bit LH	1	DB \	1.375	10.000	20.000	8		0.875	1.63	3.50	3.50	65.40	29.66
									0.875	1.63	3.50	3.50	...2nd Row	
T223907	Level Cut End Bit RH	1	DB /	1.375	10.000	20.000	8		0.875	1.63	3.50	3.50	65.40	29.66
									0.875	1.63	3.50	3.50	...2nd Row	

950 C J Semi-U

Serial Number: AT326936

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T223468	Center	1	DB	1.000	10.000	34.055	6	0.875		2.03	6.00	6.00	87.50	39.69	
T223493	End	2	DB >	1.000	10.000	38.583	6	0.875		3.91	6.00	6.00	97.10	44.04	
T223469	Heavy Duty Center	1	DB	1.375	10.000	34.055	6	0.875		2.03	6.00	6.00	124.30	56.38	
T223470	Heavy Duty End	2	DB >	1.375	10.000	38.583	6	0.875		3.91	6.00	6.00	137.90	62.55	
T223494	Hot Cup End Bit LH	1	EBHC	1.250	12.992	22.165	7	0.875 0.875		3.00 3.00	4.00 3.00	4.00 3.00	73.80 ...2nd Row	33.48	
T223495	Hot Cup End Bit RH	1	EBHC	1.250	12.992	22.165	7	0.875 0.875		3.00 3.00	4.00 3.00	4.00 3.00	73.80 ...2nd Row	33.48	
T223471	Heavy duty hot cup end bit LH	1	EBHC	1.500	12.992	22.165	7	0.875 0.875		3.00 3.00	4.00 3.00	4.00 3.00	88.00 ...2nd Row	39.92	
T223472	Heavy duty hot cup end bit RH	1	EBHC	1.500	12.992	22.165	7	0.875 0.875		3.00 3.00	4.00 3.00	4.00 3.00	88.00 ...2nd Row	39.92	

1050 C Semi-U

Serial Number: 165"

T223804	Center	1	DB	1.125	13.000	43.307	7	7	1.000		3.65	6.00	6.00	166.60	75.57
T223802	End	2	DB >	1.125	13.000	42.717	7	7	1.000		3.65	6.00	6.00	160.00	72.57
T223805	Heavy Duty Center	1	DB	1.375	13.000	43.307	7	7	1.000		3.65	6.00	6.00	206.20	93.53
T223803	Heavy Duty End	2	DB >	1.375	13.000	42.717	7	7	1.000		3.65	6.00	6.00	197.90	89.77
T223798	Hot Cup End Bit LH	1	EBHC	1.250	16.339	23.150	7	3 4	1.000 1.000		3.00 3.00	4.00 3.00	4.00 3.00	101.60 ...2nd Row	46.08
T223799	Hot Cup End Bit RH	1	EBHC	1.250	16.339	23.150	7	3 4	1.000 1.000		3.00 3.00	4.00 3.00	4.00 3.00	101.60 ...2nd Row	46.08
T223800	Heavy duty hot cup end bit LH	1	EBHC	1.500	16.339	23.150	7	3 4	1.000 1.000		3.00 3.00	4.00 3.00	4.00 3.00	129.20 ...2nd Row	58.60
T223801	Heavy duty hot cup end bit RH	1	EBHC	1.500	16.339	23.150	7	3 4	1.000 1.000		3.00 3.00	4.00 3.00	4.00 3.00	129.20 ...2nd Row	58.60
T219090	Level Cut End Bit LH	1	DB \	1.250	13.000	23.150	7	3 4	1.000 1.000		3.00 3.00	4.00 3.00	4.00 3.00	90.50 ...2nd Row	41.05
T219091	Level Cut End Bit RH	1	DB /	1.250	13.000	23.150	7	3 4	1.000 1.000		3.00 3.00	4.00 3.00	4.00 3.00	90.50 ...2nd Row	41.05

1050 C Full-U

Serial Number: 170"

T223796	Center	2	DB >	1.125	13.000	31.496	5	5	1.000		2.89	6.00	6.00	116.90	53.02
T223794	End	2	DB	1.125	13.000	40.906	7	7	1.000		2.45	6.00	6.00	157.20	71.30
T223797	Heavy Duty Center	2	DB >	1.375	13.000	31.496	5	5	1.000		2.89	6.00	6.00	144.60	65.59
T223795	Heavy Duty End	2	DB	1.375	13.000	40.906	7	7	1.000		2.45	6.00	6.00	194.50	88.22
T223798	Hot Cup End Bit LH	1	EBHC	1.250	16.339	23.150	7	3 4	1.000 1.000		3.00 3.00	4.00 3.00	4.00 3.00	101.60 ...2nd Row	46.08
T223799	Hot Cup End Bit RH	1	EBHC	1.250	16.339	23.150	7	3 4	1.000 1.000		3.00 3.00	4.00 3.00	4.00 3.00	101.60 ...2nd Row	46.08
T223800	Heavy duty hot cup end bit LH	1	EBHC	1.500	16.339	23.150	7	3 4	1.000 1.000		3.00 3.00	4.00 3.00	4.00 3.00	129.20 ...2nd Row	58.60
T223801	Heavy duty hot cup end bit RH	1	EBHC	1.500	16.339	23.150	7	3 4	1.000 1.000		3.00 3.00	4.00 3.00	4.00 3.00	129.20 ...2nd Row	58.60
T219090	Level Cut End Bit LH	1	DB \	1.250	13.000	23.150	7	3 4	1.000 1.000		3.00 3.00	4.00 3.00	4.00 3.00	90.50 ...2nd Row	41.05
T219091	Level Cut End Bit RH	1	DB /	1.250	13.000	23.150	7	3 4	1.000 1.000		3.00 3.00	4.00 3.00	4.00 3.00	90.50 ...2nd Row	41.05

1050 J Semi-U

Serial Number: 159"

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T223804	Center	1	DB	1.125	13.000	43.307	7	7	1.000	3.65	6.00	6.00	166.60	75.57	
9400982	End	2	DB >												
T223805	Heavy Duty Center	1	DB	1.375	13.000	43.307	7	7	1.000	3.65	6.00	6.00	206.20	93.53	
9413950	Heavy Duty End	2	DB >												
9409947	Hot Cup End Bit RH	1	EBHC												
9409946	Hot Cup End Bit LH	1	EBHC												
9413951	Heavy duty hot cup end bit RH	1	EBHC												
9413952	Heavy duty hot cup end bit LH	1	EBHC												

1050 J Full-U

Serial Number: 170"

T223796	Center	2	DB >	1.125	13.000	31.496	5	5	1.000	2.89	6.00	6.00	116.90	53.02
T223794	End	2	DB	1.125	13.000	40.906	7	7	1.000	2.45	6.00	6.00	157.20	71.30
T223797	Heavy Duty Center	2	DB >	1.375	13.000	31.496	5	5	1.000	2.89	6.00	6.00	144.60	65.59
T223795	Heavy Duty End	2	DB	1.375	13.000	40.906	7	7	1.000	2.45	6.00	6.00	194.50	88.22
T223798	Hot Cup End Bit LH	1	EBHC	1.250	16.339	23.150	7	3	1.000	3.00	4.00	4.00	101.60	46.08
								4	1.000	3.00	3.00	3.00	...2nd Row	
T223799	Hot Cup End Bit RH	1	EBHC	1.250	16.339	23.150	7	3	1.000	3.00	4.00	4.00	101.60	46.08
								4	1.000	3.00	3.00	3.00	...2nd Row	
T223800	Heavy duty hot cup end bit LH	1	EBHC	1.500	16.339	23.150	7	3	1.000	3.00	4.00	4.00	129.20	58.60
								4	1.000	3.00	3.00	3.00	...2nd Row	
T223801	Heavy duty hot cup end bit RH	1	EBHC	1.500	16.339	23.150	7	3	1.000	3.00	4.00	4.00	129.20	58.60
								4	1.000	3.00	3.00	3.00	...2nd Row	
T219090	Level Cut End Bit LH	1	DB \	1.250	13.000	23.150	7	3	1.000	3.00	4.00	4.00	90.50	41.05
								4	1.000	3.00	3.00	3.00	...2nd Row	
T219091	Level Cut End Bit RH	1	DB /	1.250	13.000	23.150	7	3	1.000	3.00	4.00	4.00	90.50	41.05
								4	1.000	3.00	3.00	3.00	...2nd Row	

1050 J Coal Dozer

Serial Number: COAL BLADE

9033959	Center	2	DB >	1.000	10.000	52.362	9	9	1.000	2.48	6.00	6.00	133.30	60.46
9033958	End	2	DB<	1.000	10.000	46.031	8	8	1.000	2.02	6.00	6.00	119.20	54.07
9043494	Level Cut End Bit LH	1	DB \	1.250	10.000	20.472	7	3	1.000	2.95	4.00	4.00	58.80	26.67
								4	1.000	2.95	3.00	3.00	...2nd Row	
9043495	Level Cut End Bit RH	1	DB /	1.250	10.000	20.472	7	3	1.000	2.95	4.00	4.00	58.80	26.67
								4	1.000	2.95	3.00	3.00	...2nd Row	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg		
244 E General Purpose																
Serial Number: <u>78.25" BUCKET</u>																
T152658	Bent up base edge	1	SB	0.750	5.906	78.346	14								93.40	42.37
AT108860	Center	1	DB	0.750	8.000	36.420	3	3	0.625 x 2.25	6.00	12.21	12.21			57.20	25.95
AT108861	End	2	DB	0.750	8.000	21.340	2	2	0.625 x 2.25	6.00	12.21				33.50	15.20
244 E H General Purpose																
Serial Number: <u>78.25" JRB BUCKET</u>																
T152355	Base Edge	1	SB	0.750	8.000	78.350	14								126.50	57.38
T152344	Center	1	DB	0.750	8.000	53.161	4	4	0.625 x 2.25	8.58	12.00	12.00			83.40	37.83
T152342	End	2	DB	0.750	8.000	12.340	2	2	0.625 x 2.25	3.17	6.00				19.20	8.71
244 J General Purpose																
Serial Number: <u>0.8M BUCKET</u>																
AT314218	Base Edge	1	SB	0.750	6.000	74.803	10								83.40	37.83
AT314213	Center	2	DB	0.750	6.000	22.283	3		0.625	3.35	7.80	7.80			26.20	11.88
AT314212	End	2	DB	0.750	6.000	15.000	2	2	0.625 x 2.25	4.06	7.60				17.60	7.98
244 J General Purpose																
Serial Number: <u>1.1M BUCKET</u>																
AT314223	Base Edge	1	SB	0.750	6.000	86.614	10								97.50	44.23
AT314220	Center	2	DB	0.750	6.000	28.130	3	3	0.625 x 2.25	5.39	9.25	9.25			33.30	15.10
AT314212	End	2	DB	0.750	6.000	15.000	2	2	0.625 x 2.25	4.06	7.60				17.60	7.98
304 H General Purpose																
Serial Number: <u>1.2/1.4YD BUCKETS</u>																
AT261936	Base Edge	1	SB	0.750	6.000	82.687	16								97.20	44.09
AT261938	Center	2	DB	0.750	6.000	26.220	3	3	0.625 x 2.25	7.56	7.60	7.60			30.90	14.02
AT261937	End	2	DB	0.750	6.000	15.000	2	2	0.625 x 2.25	4.06	7.60				17.60	7.98
304 J																
Serial Number: <u>0.8M BUCKET</u>																
AT314218	Base Edge	1	SB	0.750	6.000	74.803	10								83.40	37.83
AT314213	Center	2	DB	0.750	6.000	22.283	3		0.625	3.35	7.80	7.80			26.20	11.88
AT314212	End	2	DB	0.750	6.000	15.000	2	2	0.625 x 2.25	4.06	7.60				17.60	7.98
304 J																
Serial Number: <u>1.1M BUCKET</u>																
AT314223	Base Edge	1	SB	0.750	6.000	86.614	10								97.50	44.23
AT314220	Center	2	DB	0.750	6.000	28.130	3	3	0.625 x 2.25	5.39	9.25	9.25			33.30	15.10
AT314212	End	2	DB	0.750	6.000	15.000	2	2	0.625 x 2.25	4.06	7.60				17.60	7.98
324 H General Purpose																
Serial Number: <u>1.4YD BUCKET</u>																
AT261183	Base Edge	1	SB	0.750	8.000	86.614									136.00	61.69
AT261184	Center	3	DB	0.750	8.000	28.819	2	2	0.750 x 2.25	8.17	12.48				45.20	20.50
AT250438	Weld-On Wear Plate	2	DB	0.750	6.000	6.687									8.00	3.63
324 H General Purpose																
Serial Number: <u>1.75YD BUCKET</u>																
AT219301	Base Edge	1	SB	0.750	8.000	94.487	22								141.70	64.27
AT250430	Center	1	DB	0.750	8.000	32.756	2	2	0.750 x 2.25	8.17	16.42	8.16			51.40	23.31

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loaders

Model/ Part Number	Blade Position	Qty Blade Req Type	. . . Dimensions			Total Holes	. . . Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
AT250429	End	2 DB	0.750	8.000	30.787	2	2	0.750 x 2.25	8.19	14.41		48.40	21.95	
AT250438	Weld-On Wear Plate	2 DB	0.750	6.000	6.687							8.00	3.63	

324 J General Purpose

Serial Number: 0.8M BUCKET

AT314218	Base Edge	1 SB	0.750	6.000	74.803	10						83.40	37.83
AT314213	Center	2 DB	0.750	6.000	22.283	3		0.625 x 2.25	3.35	7.80	7.80	26.20	11.88
AT314212	End	2 DB	0.750	6.000	15.000	2	2	0.625 x 2.25	4.06	7.60		17.60	7.98

324 J General Purpose

Serial Number: 1.1M BUCKET

AT314223	Base Edge	1 SB	0.750	6.000	86.614	10						97.50	44.23
AT314220	Center	2 DB	0.750	6.000	28.130	3	3	0.625 x 2.25	5.39	9.25	9.25	33.30	15.10
AT314212	End	2 DB	0.750	6.000	15.000	2	2	0.625 x 2.25	4.06	7.60		17.60	7.98

344 E G General Purpose

Serial Number: 1.6/2.0YD BUCKETS

T152653	Base Edge	1 SB	1.000	8.000	92.598	16						196.50	89.13
AT123070	Center	1 DB	0.750	8.000	51.811	4	4	0.750 x 3	6.54	12.84	13.07	81.10	36.79
AT123053	End	2 DB	0.750	8.000	20.240	2	2	0.750 x 3	6.02	11.14		31.70	14.38

344 H J General Purpose

Serial Number: 1.75/2.0YD BUCKET

AT219301	Base Edge	1 SB	0.750	8.000	94.487	22						141.70	64.27
AT250430	Center	1 DB	0.750	8.000	32.756	2	2	0.750 x 2.25	8.17	16.42	8.16	51.40	23.31
AT250429	End	2 DB	0.750	8.000	30.787	2	2	0.750 x 2.25	8.19	14.41		48.40	21.95
AT250438	Weld-On Wear Plate	2 DB	0.750	6.000	6.687							8.00	3.63

444 - C CH D General Purpose

Serial Number: 1.5YD BUCKET

T35567	Bent up base edge	1 SB _	0.875	6.000	96.370	8						135.00	61.23
T64320	One Piece bolt on	1 DB	0.625	8.000	90.620	8	8	0.625 x 2.25	5.19	11.18	11.18	116.90	53.02

444 - C CH D General Purpose

Serial Number: 3YD BUCKET

T35372	Bent up base edge Without Holes	1 SB _	1.000	8.000	109.180							224.60	101.88
PBT35372	Bent up base edge	1 SB _	1.000	8.000	109.180							223.60	101.42
T145946	One Piece bolt on	1 DB	0.750	10.000	96.000	7	7	0.750 x 2.5	4.88	14.38	14.38	188.10	85.32

444 - C CH D Multi-Purpose

Serial Number: MULTI PURPOSE BUCKET

T35567	Bent up base edge	1 SB _	0.875	6.000	96.370	8						135.00	61.23
T64320	One Piece bolt on	1 DB	0.625	8.000	90.620	8	8	0.625 x 2.25	5.19	11.18	11.18	116.90	53.02
T57501	Multi purpose dozer center	1 DB	0.625	6.000	64.250	7	7	0.750 x 2.25	2.13	6.00	12.00	62.20	28.21
T31148	Multi purpose dozer end	2 DB	0.750	6.000	12.000	3	3	0.750 x 2.25	3.00	3.00	3.00	13.80	6.26

444 - C CH D General Purpose

Serial Number: 1.75YD BUCKET

T35361	Bent up base edge	1 SB _	1.000	8.000	105.482	8						216.00	97.98
T76968	Center	2 DB	0.750	10.000	47.130	4	4	0.750 x 3	5.81	11.84	11.84	92.20	41.82

444 - C CH D General Purpose

Serial Number: 2YD BUCKET

T35308	Bent up base edge	1 SB _	1.000	8.000	108.495	8						220.80	100.15
--------	-------------------	--------	-------	-------	---------	---	--	--	--	--	--	--------	--------

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . Dimensions . . .			Total Holes	. . . Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T76971	Center	2	DB	0.750	10.000	49.188	4	4	0.750 x 3	6.13	12.32	12.32	96.30	43.68	

444 E General Purpose

Serial Number: 1.75/2.25YD BUCKETS

T120639	Base Edge	1	SE	0.875	9.055	95.276	16						203.90	92.49
AT123054	Center	1	DB	0.750	8.000	54.490	4	4	0.750 x 3	6.81	13.47	13.94	85.50	38.78
AT123053	End	2	DB	0.750	8.000	20.240	2	2	0.750 x 3	6.02	11.14		31.70	14.38
T101634	Weld-On Wear Plate	2	DB	1.000	10.000	12.500							32.90	14.92

444 E General Purpose

Serial Number: 2.25YD WITH QUICK COUPLER

T149466	Base Edge With Segment Holes	1	SB	1.000	7.813	100.390	32						204.70	92.85
T101255	Base Edge For Bolt-on Edges or Teeth	1	SB	1.000	7.811	100.394	18						206.70	93.76
T146673	Center	2	DB	1.000	10.000	41.500	3	3	0.750 x 3	6.81	13.94	13.94	109.90	49.85
T146672	End	2	DB	1.000	14.000	8.120	3	3	0.750 x 3	5.00	2.00	2.00	30.00	13.61
T149468	Segment	7	DB	1.000	10.000	10.000	2	2	0.750 x 3	2.00	6.00		25.80	11.70
T101634	Weld-On Wear Plate	2	DB	1.000	10.000	12.500							32.90	14.92

444 G General Purpose

Serial Number: 95.25" BUCKET

T152510	Base Edge	1	SB	1.000	8.000	95.276	16						202.30	91.76
AT123054	Center	1	DB	0.750	8.000	54.490	4	4	0.750 x 3	6.81	13.47	13.94	85.50	38.78
AT123053	End	2	DB	0.750	8.000	20.240	2	2	0.750 x 3	6.02	11.14		31.70	14.38
T120614	Weld-On Wear Plate	2	SB	1.000	8.000	8.580							18.00	8.16

444 H General Purpose

Serial Number: 2.0/2.5YD BUCKETS

T156603	Base Edge With Segment Holes	1	SB	1.000	8.000	95.281	30						195.10	88.50
T156637	Center	2	DB	1.000	10.000	39.055	3	3	0.750 x 3	6.61	13.37	13.37	103.30	46.86
T146672	End	2	DB	1.000	14.000	8.120	3	3	0.750 x 3	5.00	2.00	2.00	30.00	13.61
T156635	Segment	7	DB	1.000	10.000	9.449	2	2	0.750 x 3	1.35	6.75		24.60	11.16
T156599	Bolt-On Wear Plate		DB	1.000	8.000	15.748	4	2	0.625 x 2	1.18	13.39		33.00	14.97
							2	2	0.625 x 2	1.18	13.39		...	2nd Row

444 H General Purpose

Serial Number: 2.5YD JAGZ BUCKET

T169127	Base Edge	1	SB	1.000	8.000	95.276	16						200.40	90.90
T162493	Center	2	DB	1.000	10.000	47.750	8	8	0.750 x 3	2.88	6.00	6.00	123.50	56.02
T156599	Bolt-On Wear Plate	2	DB	1.000	8.000	15.748	4	2	0.625 x 2	1.18	13.39		33.00	14.97
							2	2	0.625 x 2	1.18	13.39		...	2nd Row

444 J K General Purpose

Serial Number: 100.4" BUCKET

T157282	Base Edge With Segment Holes	1	SB	1.000	8.000	100.394	30						209.70	95.12
T157311	Center	2	DB	1.000	10.000	41.594	3	3	0.750 x 3	6.96	14.08	14.08	110.10	49.94
T146672	End	2	DB	1.000	14.000	8.120	3	3	0.750 x 3	5.00	2.00	2.00	30.00	13.61
D45436	Half Arrow Center LH (Fabricated)	1	HA	1.563	10.000	50.236	4	4	0.750 x 3	6.96	14.08	14.08	245.00	111.13
D45437	Half Arrow Center RH (Fabricated)	1	HA	1.563	10.000	50.236	4	4	0.750 x 3	6.96	14.08	14.08	245.00	111.13
T157306	Segment	7	DB	1.000	10.000	10.173	2	2	0.750 x 3	1.37	7.43		26.20	11.88
T157306HA	HA Segment (Fabricated)	7	HA	1.563	10.000	10.173	2	2	0.750 x 3	1.37	7.43		49.00	22.23

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loaders

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T156599	Bolt-On Wear Plate	2 DB	1.000 x 8.000 x 15.748			4	2	0.625 x 2	1.18	13.39		33.00	14.97	
							2	0.625 x 2	1.18	13.39			...2nd Row	
444 J K General Purpose														
Serial Number: 100.4" JAGZ BUCKET														
T169142	Base Edge For Bolt-on Edges Only	1 SB	1.000 x 8.000 x 100.394			16						209.90	95.21	
T147931	Center	1 DB	1.125 x 13.000 x 35.880			6	6	1.000 x 3	2.94	6.00	6.00	137.90	62.55	
T159917	End	2 DB	1.125 x 13.000 x 31.880			5	5	1.000 x 3	2.94	6.00	6.00	122.80	55.70	
T156599	Bolt-On Wear Plate	2 DB	1.000 x 8.000 x 15.748			4	2	0.625 x 2	1.18	13.39		33.00	14.97	
							2	0.625 x 2	1.18	13.39			...2nd Row	
544 A B General Purpose														
Serial Number: 2YD BUCKET														
T35308	Bent up base edge	1 SB _]	1.000 x 8.000 x 108.495			8						220.80	100.15	
T76971	Center	2 DB	0.750 x 10.000 x 49.188			4	4	0.750 x 3	6.13	12.32	12.32	96.30	43.68	
544 A B General Purpose														
Serial Number: 3YD BUCKET														
T35372	Bent up base edge Without Holes	1 SB _]	1.000 x 8.000 x 109.180									224.60	101.88	
PBT35372	Bent up base edge	1 SB _]	1.000 x 8.000 x 109.180			7						223.60	101.42	
T145946	One Piece bolt on	1 DB	0.750 x 10.000 x 96.000			7	7	0.750 x 2.5	4.88	14.38	14.38	188.10	85.32	
544 B C D General Purpose														
Serial Number: 1.5YD BUCKET														
T35567	Bent up base edge	1 SB _]	0.875 x 6.000 x 96.370			8						135.00	61.23	
T64320	One Piece bolt on	1 DB	0.625 x 8.000 x 90.620			8	8	0.625 x 2.25	5.19	11.18	11.18	116.90	53.02	
544 B Multi-Purpose														
Serial Number: 1.75YD MULTI-PURPOSE														
T32742	Multi purpose dozer center	1 DB	0.625 x 6.000 x 71.874			7	7	0.750 x 2.25	2.94	9.00	12.00	69.80	31.66	
T31148	Multi purpose dozer end	2 DB	0.750 x 6.000 x 12.000			3	3	0.750 x 2.25	3.00	3.00	3.00	13.80	6.26	
544 B C D General Purpose														
Serial Number: 1.75YD BUCKET														
T35361	Bent up base edge	1 SB _]	1.000 x 8.000 x 105.482			8						216.00	97.98	
T76968	Center	2 DB	0.750 x 10.000 x 47.130			4	4	0.750 x 3	5.81	11.84	11.84	92.20	41.82	
544 C D Multi-Purpose														
Serial Number: 1.75 MULTI-PURPSE														
T65841	Bent up base edge	1 SB _]	1.000 x 8.000 x 108.240			7						219.60	99.61	
T145946	One Piece bolt on	1 DB	0.750 x 10.000 x 96.000			7	7	0.750 x 2.5	4.88	14.38	14.38	188.10	85.32	
T65842	Multi purpose dozer center	1 DB	0.625 x 6.000 x 70.250			7	7	0.750 x 2.25	2.13	9.00	12.00	68.10	30.89	
T31148	Multi purpose dozer end	2 DB	0.750 x 6.000 x 12.000			3	3	0.750 x 2.25	3.00	3.00	3.00	13.80	6.26	
544 C D General Purpose														
Serial Number: 2YD BUCKET														
T65443	Bent up base edge	1 SB _]	1.000 x 8.000 x 108.835			7						224.80	101.97	
T35372	Bent up base edge Without Holes	1 SB _]	1.000 x 8.000 x 109.180									224.60	101.88	
T145946	One Piece bolt on	1 DB	0.750 x 10.000 x 96.000			7	7	0.750 x 2.5	4.88	14.38	14.38	188.10	85.32	
544 C D General Purpose														
Serial Number: 3YD BUCKET														
T26809	Base Edge	1 SB	1.000 x 8.000 x 102.250			10						212.90	96.57	
PBT65455	Bent up base edge	1 SB _]	1.000 x 8.000 x 117.490			10						242.50	110.00	
T65455	Bent up base edge Without Holes	1 SB _]	1.000 x 8.000 x 102.250									249.00	112.94	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . Dimensions . . .			Total Holes	. . . Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	

T84184	One Piece bolt on	1	DB	0.750	x 10.000	x 104.370	10	10	0.750 x 2.5	4.88	11.18	11.18	204.00	92.53
--------	-------------------	---	----	-------	----------	-----------	----	----	-------------	------	-------	-------	--------	-------

544 E G General Purpose

Serial Number: 2.25/2.5YD BUCKET

T149466	Base Edge With Segment Holes	1	SB	1.000	x 7.813	x 100.390	32						204.70	92.85
T101255	Base Edge For Bolt-on Edges or Teeth	1	SB	1.000	x 7.811	x 100.394	18						206.70	93.76
T146673	Center	2	DB	1.000	x 10.000	x 41.500	3	3	0.750 x 3	6.81	13.94	13.94	109.90	49.85
T146672	End	2	DB	1.000	x 14.000	x 8.120	3	3	0.750 x 3	5.00	2.00	2.00	30.00	13.61
T149468	Segment	7	DB	1.000	x 10.000	x 10.000	2	2	0.750 x 3	2.00	6.00		25.80	11.70
T101634	Weld-On Wear Plate	2	DB	1.000	x 10.000	x 12.500							32.90	14.92

544 G General Purpose

Serial Number: 2.5YD JAGZ BUCKET

T169142	Base Edge For Bolt-on Edges Only	1	SB	1.000	x 8.000	x 100.394	16						209.90	95.21
T147931	Center	1	DB	1.125	x 13.000	x 35.880	6	6	1.000 x 3	2.94	6.00	6.00	137.90	62.55
T159917	End	2	DB	1.125	x 13.000	x 31.880	5	5	1.000 x 3	2.94	6.00	6.00	122.80	55.70
T101634	Weld-On Wear Plate	2	DB	1.000	x 10.000	x 12.500							32.90	14.92

544 H General Purpose

Serial Number: 2.625/3.0YD BUCKET

T157282	Base Edge With Segment Holes	1	SB	1.000	x 8.000	x 100.394	30						209.70	95.12
T157311	Center	2	DB	1.000	x 10.000	x 41.594	3	3	0.750 x 3	6.96	14.08	14.08	110.10	49.94
T146672	End	2	DB	1.000	x 14.000	x 8.120	3	3	0.750 x 3	5.00	2.00	2.00	30.00	13.61
D45436	Half Arrow Center LH (Fabricated)	1	HA	1.563	x 10.000	x 50.236	4	4	0.750 x 3	6.96	14.08	14.08	245.00	111.13
D45437	Half Arrow Center RH (Fabricated)	1	HA	1.563	x 10.000	x 50.236	4	4	0.750 x 3	6.96	14.08	14.08	245.00	111.13
T157306	Segment	7	DB	1.000	x 10.000	x 10.173	2	2	0.750 x 3	1.37	7.43		26.20	11.88
T157306HA	HA Segment (Fabricated)	7	HA	1.563	x 10.000	x 10.173	2	2	0.750 x 3	1.37	7.43		49.00	22.23
T156599	Bolt-On Wear Plate	2	DB	1.000	x 8.000	x 15.748	4	2	0.625 x 2	1.18	13.39		33.00	14.97
							2	2	0.625 x 2	1.18	13.39		...2nd Row	

544 H General Purpose

Serial Number: 3.0YD JAGZ BUCKET

T169142	Base Edge For Bolt-on Edges Only	1	SB	1.000	x 8.000	x 100.394	16						209.90	95.21
T147931	Center	1	DB	1.125	x 13.000	x 35.880	6	6	1.000 x 3	2.94	6.00	6.00	137.90	62.55
T159917	End	2	DB	1.125	x 13.000	x 31.880	5	5	1.000 x 3	2.94	6.00	6.00	122.80	55.70
T156599	Bolt-On Wear Plate	2	DB	1.000	x 8.000	x 15.748	4	2	0.625 x 2	1.18	13.39		33.00	14.97
							2	2	0.625 x 2	1.18	13.39		...2nd Row	

544 H J K General Purpose

Serial Number: 100.4" BUCKET

T157282	Base Edge With Segment Holes	1	SB	1.000	x 8.000	x 100.394	30						209.70	95.12
T157311	Center	2	DB	1.000	x 10.000	x 41.594	3	3	0.750 x 3	6.96	14.08	14.08	110.10	49.94
T146672	End	2	DB	1.000	x 14.000	x 8.120	3	3	0.750 x 3	5.00	2.00	2.00	30.00	13.61
D45436	Half Arrow Center LH (Fabricated)	1	HA	1.563	x 10.000	x 50.236	4	4	0.750 x 3	6.96	14.08	14.08	245.00	111.13
D45437	Half Arrow Center RH (Fabricated)	1	HA	1.563	x 10.000	x 50.236	4	4	0.750 x 3	6.96	14.08	14.08	245.00	111.13
T157306	Segment	7	DB	1.000	x 10.000	x 10.173	2	2	0.750 x 3	1.37	7.43		26.20	11.88
T157306HA	HA Segment (Fabricated)	7	HA	1.563	x 10.000	x 10.173	2	2	0.750 x 3	1.37	7.43		49.00	22.23
T156599	Bolt-On Wear Plate	2	DB	1.000	x 8.000	x 15.748	4	2	0.625 x 2	1.18	13.39		33.00	14.97
							2	2	0.625 x 2	1.18	13.39		...2nd Row	

544 J K General Purpose

Serial Number: 100.4" JAGZ BUCKET

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . Dimensions . . .			Total Holes	. . . Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T169142	Base Edge For Bolt-on Edges Only	1	SB	1.000	8.000	100.394	16							209.90	95.21
T147931	Center	1	DB	1.125	13.000	35.880	6	6	1.000 x 3	2.94	6.00	6.00		137.90	62.55
T159917	End	2	DB	1.125	13.000	31.880	5	5	1.000 x 3	2.94	6.00	6.00		122.80	55.70
T156599	Bolt-On Wear Plate	2	DB	1.000	8.000	15.748	4	2	0.625 x 2	1.18	13.39			33.00	14.97
								2	0.625 x 2	1.18	13.39			...	2nd Row

544 J K General Purpose

Serial Number: 105.9" BUCKET

T157465	Base Edge With Segment Holes	1	SB	1.000	8.000	105.906	30							221.40	100.43
T157492	Center	2	DB	1.000	10.000	44.260	3	3	0.750 x 3	7.26	14.87	14.87		117.20	53.16
T146672	End	2	DB	1.000	14.000	8.120	3	3	0.750 x 3	5.00	2.00	2.00		30.00	13.61
D45434	Half Arrow Center LH (Fabricated)	1	HA	1.563	10.000	53.012	4	4	0.750 x 3	7.37	14.87	14.87		358.60	162.66
D45435	Half Arrow Center RH (Fabricated)	1	HA	1.563	10.000	52.972	4	4	0.750 x 3	7.37	14.87	14.87		259.00	117.48
T157493	Segment	7	DB	1.000	10.000	10.961	2	2	0.750 x 3	1.38	8.21			28.30	12.84
T157493HA	HA Segment (Fabricated)	7	HA	1.563	10.000	10.961	2	2	0.750 x 3	1.37	8.21			52.90	24.00
T157457	Bolt-On Wear Plate	2	DB	1.000	10.000	19.685	4	2	0.625 x 2	1.18	17.32			51.60	23.41
								2	0.625 x 2	1.18	17.32			...	2nd Row

544 J K General Purpose

Serial Number: 105.9" JAGZ BUCKET

T169128	Base Edge	1	SB	1.000	8.000	105.906	17							220.80	100.15
T148082	Center	1	DB	1.125	13.000	41.875	7	7	1.000 x 3	2.94	6.00	6.00		161.00	73.03
T159917	End	2	DB	1.125	13.000	31.880	5	5	1.000 x 3	2.94	6.00	6.00		122.80	55.70
T157457	Bolt-On Wear Plate	2	DB	1.000	10.000	19.685	4	2	0.625 x 2	1.18	17.32			51.60	23.41
								2	0.625 x 2	1.18	17.32			...	2nd Row

624 E General Purpose

Serial Number: 2.625/3.0YD BUCKET (101.77")

T149467	Base Edge With Segment Holes	1	SB	1.000	9.813	101.770	32							265.00	120.20
T102646	Base Edge For Bolt-on Edges or Teeth	1	SB	1.000	9.813	101.770	18							267.10	121.15
T102695	Center	2	DB	1.000	10.000	42.250	3	3	0.750 x 3	6.94	14.19	14.19		112.30	50.94
T146672	End	2	DB	1.000	14.000	8.120	3	3	0.750 x 3	5.00	2.00	2.00		30.00	13.61
T149468	Segment	7	DB	1.000	10.000	10.000	2	2	0.750 x 3	2.00	6.00			25.80	11.70
T101634	Weld-On Wear Plate	2	DB	1.000	10.000	12.500								32.90	14.92

624 G General Purpose

Serial Number: 2.625/3.0YD BUCKET

T129782	Base Edge	1	SB	1.000	9.811	101.772	18							267.10	121.15
T129787	Center	1	DB	1.000	13.000	56.374	4	4	0.750 x 3	5.88	14.87	14.87		194.70	88.31
T129786	End	2	DB	1.000	13.000	22.335	4	4	0.750 x 3	4.48	2.44	8.50		76.40	34.65
T101634	Weld-On Wear Plate	2	DB	1.000	10.000	12.500								32.90	14.92

624 G General Purpose

Serial Number: 2.625/3.0YD BUCKET (101.77")

T149467	Base Edge With Segment Holes	1	SB	1.000	9.813	101.770	32							265.00	120.20
T102646	Base Edge For Bolt-on Edges or Teeth	1	SB	1.000	9.813	101.770	18							267.10	121.15
T102695	Center	2	DB	1.000	10.000	42.250	3	3	0.750 x 3	6.94	14.19	14.19		112.30	50.94
T146672	End	2	DB	1.000	14.000	8.120	3	3	0.750 x 3	5.00	2.00	2.00		30.00	13.61
T149468	Segment	7	DB	1.000	10.000	10.000	2	2	0.750 x 3	2.00	6.00			25.80	11.70

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loaders

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight. . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T101634	Weld-On Wear Plate	2 DB	1.000 x 10.000 x 12.500										32.90	14.92

624 G General Purpose

Serial Number: 3.25YD JAGZ BUCKET

T159674	Base Edge	1 SB	1.000 x 9.813 x 101.750			17							265.10	120.25
T148082	Center	1 DB	1.125 x 13.000 x 41.875			7	7	1.000 x 3	2.94	6.00	6.00		161.00	73.03
T159916	End	2 DB	1.125 x 13.000 x 29.880			5	5	1.000 x 3	2.94	6.00	6.00		114.90	52.12
T101634	Weld-On Wear Plate	2 DB	1.000 x 10.000 x 12.500										32.90	14.92

624 H General Purpose

Serial Number: 105.9" BUCKET

T157465	Base Edge With Segment Holes	1 SB	1.000 x 8.000 x 105.906			30							221.40	100.43
T157492	Center	2 DB	1.000 x 10.000 x 44.260			3	3	0.750 x 3	7.26	14.87	14.87		117.20	53.16
T146672	End	2 DB	1.000 x 14.000 x 8.120			3	3	0.750 x 3	5.00	2.00	2.00		30.00	13.61
D45434	Half Arrow Center LH (Fabricated)	1 HA	1.563 x 10.000 x 53.012			4	4	0.750	7.37	14.87	14.87		358.60	162.66
D45435	Half Arrow Center RH (Fabricated)	1 HA	1.563 x 10.000 x 52.972			4	4	0.750 x 3	7.37	14.87	14.87		259.00	117.48
T157493	Segment	7 DB	1.000 x 10.000 x 10.961			2	2	0.750 x 3	1.38	8.21			28.30	12.84
T157493HA	HA Segment (Fabricated)	7 HA	1.563 x 10.000 x 10.961			2	2	0.750 x 3	1.37	8.21			52.90	24.00
T157457	Bolt-On Wear Plate	2 DB	1.000 x 10.000 x 19.685			4	2	0.625 x 2	1.18	17.32			51.60	23.41
						2	2	0.625 x 2	1.18	17.32			...2nd Row	

624 H General Purpose

Serial Number: 105.9" JAGZ BUCKET

T169128	Base Edge	1 SB	1.000 x 8.000 x 105.906			17							220.80	100.15
T148082	Center	1 DB	1.125 x 13.000 x 41.875			7	7	1.000 x 3	2.94	6.00	6.00		161.00	73.03
T159917	End	2 DB	1.125 x 13.000 x 31.880			5	5	1.000 x 3	2.94	6.00	6.00		122.80	55.70
T157457	Bolt-On Wear Plate	2 DB	1.000 x 10.000 x 19.685			4	2	0.625 x 2	1.18	17.32			51.60	23.41
						2	2	0.625 x 2	1.18	17.32			...2nd Row	

624 J General Purpose

Serial Number: 100.4" BUCKET

T157282	Base Edge With Segment Holes	1 SB	1.000 x 8.000 x 100.394			30							209.70	95.12
T157311	Center	2 DB	1.000 x 10.000 x 41.594			3	3	0.750 x 3	6.96	14.08	14.08		110.10	49.94
T146672	End	2 DB	1.000 x 14.000 x 8.120			3	3	0.750 x 3	5.00	2.00	2.00		30.00	13.61
D45436	Half Arrow Center LH (Fabricated)	1 HA	1.563 x 10.000 x 50.236			4	4	0.750 x 3	6.96	14.08	14.08		245.00	111.13
D45437	Half Arrow Center RH (Fabricated)	1 HA	1.563 x 10.000 x 50.236			4	4	0.750 x 3	6.96	14.08	14.08		245.00	111.13
T157306	Segment	7 DB	1.000 x 10.000 x 10.173			2	2	0.750 x 3	1.37	7.43			26.20	11.88
T157306HA	HA Segment (Fabricated)	7 HA	1.563 x 10.000 x 10.173			2	2	0.750 x 3	1.37	7.43			49.00	22.23
T156599	Bolt-On Wear Plate	2 DB	1.000 x 8.000 x 15.748			4	2	0.625 x 2	1.18	13.39			33.00	14.97
						2	2	0.625 x 2	1.18	13.39			...2nd Row	

624 J General Purpose

Serial Number: 100.4" JAGZ BUCKET

T169142	Base Edge For Bolt-on Edges Only	1 SB	1.000 x 8.000 x 100.394			16							209.90	95.21
T147931	Center	1 DB	1.125 x 13.000 x 35.880			6	6	1.000 x 3	2.94	6.00	6.00		137.90	62.55
T159917	End	2 DB	1.125 x 13.000 x 31.880			5	5	1.000 x 3	2.94	6.00	6.00		122.80	55.70
T156599	Bolt-On Wear Plate	2 DB	1.000 x 8.000 x 15.748			4	2	0.625 x 2	1.18	13.39			33.00	14.97
						2	2	0.625 x 2	1.18	13.39			...2nd Row	

624 J General Purpose

Serial Number: 105.9" BUCKET

T157465	Base Edge With Segment Holes	1 SB	1.000 x 8.000 x 105.906			30							221.40	100.43
---------	------------------------------	------	-------------------------	--	--	----	--	--	--	--	--	--	--------	--------

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . Dimensions . . .			Total Holes	. . . Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T157492	Center	2	DB	1.000	10.000	44.260	3	3	0.750 x 3	7.26	14.87	14.87	117.20	53.16	
T146672	End	2	DB	1.000	14.000	8.120	3	3	0.750 x 3	5.00	2.00	2.00	30.00	13.61	
D45434	Half Arrow Center LH (Fabricated)	1	HA	1.563	10.000	53.012	4	4	0.750 x 3	7.37	14.87	14.87	358.60	162.66	
D45435	Half Arrow Center RH (Fabricated)	1	HA	1.563	10.000	52.972	4	4	0.750 x 3	7.37	14.87	14.87	259.00	117.48	
T157493	Segment	7	DB	1.000	10.000	10.961	2	2	0.750 x 3	1.38	8.21		28.30	12.84	
T157493HA	HA Segment (Fabricated)	7	HA	1.563	10.000	10.961	2	2	0.750 x 3	1.37	8.21		52.90	24.00	
T157457	Bolt-On Wear Plate	2	DB	1.000	10.000	19.685	4	2	0.625 x 2	1.18	17.32		51.60	23.41	
								2	0.625 x 2	1.18	17.32		...2nd Row		

624 J General Purpose

Serial Number: 105.9" JAGZ BUCKET

T169128	Base Edge	1	SB	1.000	8.000	105.906	17						220.80	100.15
T148082	Center	1	DB	1.125	13.000	41.875	7	7	1.000 x 3	2.94	6.00	6.00	161.00	73.03
T159917	End	2	DB	1.125	13.000	31.880	5	5	1.000 x 3	2.94	6.00	6.00	122.80	55.70
T157457	Bolt-On Wear Plate	2	DB	1.000	10.000	19.685	4	2	0.625 x 2	1.18	17.32		51.60	23.41
								2	0.625 x 2	1.18	17.32		...2nd Row	

624 J Waste Handling

Serial Number: 5.0/6.0/7.0YD BUCKET

T167802	Base Edge With Segment Holes	1	SB	1.250	10.000	114.173	30						369.90	167.78
T167828	Center	2	DB	1.180	14.170	47.504	3	3	1.000 x 3.25	7.80	15.95	15.95	196.50	89.13
T167829	End	2	DB	1.250	19.169	9.161	3	3	1.000 x 3.25	7.09	2.50	2.50	55.10	24.99
T209345	HD Center	2	DB	1.250	14.170	47.504	3	3	1.000 x 3.25	7.80	15.95	15.95	207.80	94.26
T167828HAN	HA Center (Cast)	3	HA	1.625	10.375	31.654	2	2	1.000 x 3.25	7.85	15.95		124.21	56.34
T167829HAR	HA End (Cast)	1	HA	1.625	14.750	9.354	3	3	1.000 x 3.25	3.25	2.50	2.50	50.84	23.06
T167829HAL	HA End (Cast)	1	HA	1.625	14.750	9.354	3	3	1.000 x 3.25	3.25	2.50	2.50	51.32	23.28
T226229	Segment	7	DB	1.250	13.000	11.850	2	2	1.000 x 3.25	1.56	8.73		46.40	21.05
T226229HA	HA Segment (Fabricated)	7	HA	1.563	10.000	11.850	2	2	1.000 x 3.25	1.56	8.73		56.60	25.67
T157457	Bolt-On Wear Plate	2	DB	1.000	10.000	19.685	4	2	0.625 x 2	1.18	17.32		51.60	23.41
								2	0.625 x 2	1.18	17.32		...2nd Row	
T229777	Heavy Duty Wear Plate	2	DB	1.375	10.000	19.685	4	2	0.625 x 2	1.18	17.32		72.50	32.89
								2	0.625 x 2	1.18	17.32		...2nd Row	

624 K General Purpose

Serial Number: 3.0/3.5YD BUCKET

T157465	Base Edge With Segment Holes	1	SB	1.000	8.000	105.906	30						221.40	100.43
T157492	Center	2	DB	1.000	10.000	44.260	3	3	0.750 x 3	7.26	14.87	14.87	117.20	53.16
T146672	End	2	DB	1.000	14.000	8.120	3	3	0.750 x 3	5.00	2.00	2.00	30.00	13.61
D45434	Half Arrow Center LH (Fabricated)	1	HA	1.563	10.000	53.012	4	4	0.750 x 3	7.37	14.87	14.87	358.60	162.66
D45435	Half Arrow Center RH (Fabricated)	1	HA	1.563	10.000	52.972	4	4	0.750 x 3	7.37	14.87	14.87	259.00	117.48
T157493	Segment	7	DB	1.000	10.000	10.961	2	2	0.750 x 3	1.38	8.21		28.30	12.84
T157493HA	HA Segment (Fabricated)	7	HA	1.563	10.000	10.961	2	2	0.750 x 3	1.37	8.21		52.90	24.00
T157457	Bolt-On Wear Plate	2	DB	1.000	10.000	19.685	4	2	0.625 x 2	1.18	17.32		51.60	23.41
								2	0.625 x 2	1.18	17.32		...2nd Row	

644 A General Purpose

Serial Number: 2.5YD UP TO 121499

T26809	Base Edge	1	SB	1.000	8.000	102.250	10						212.90	96.57
PBT65455	Bent up base edge	1	SB _	1.000	8.000	117.490	10						242.50	110.00
T65455	Bent up base edge Without Holes		SB _	1.000	8.000	102.250							249.00	112.94

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T84184	One Piece bolt on	1	DB	0.750 x 10.000 x 104.370	10	10	0.750 x 2.5	4.88	11.18	11.18	204.00	92.53			
644 A B General Purpose															
Serial Number: <u>2.5/3.0YD BUCKET</u>															
T35327	Bent up base edge	1	SB _	1.250 x 8.000 x 117.000	10							287.40	130.36		
T76976	Center	1	DB	1.000 x 13.000 x 39.055	4	4	0.875 x 3.5	5.06	9.65	9.65	134.20	60.87			
T76975	End	2	DB	1.000 x 13.000 x 33.440	3	3	0.875 x 3.5	5.81	10.91	10.91	115.10	52.21			
644 A B General Purpose															
Serial Number: <u>4.5YD BUCKET</u>															
PBT35374	Bent up base edge	1	SB _	1.250 x 8.000 x 123.740	11							308.30	139.84		
T35374	Bent up base edge Without Holes	1	SB _	1.250 x 8.000 x 123.740								311.00	141.07		
T76975	Center	1	DB	1.000 x 13.000 x 33.440	3	3	0.875 x 3.5	5.81	10.91	10.91	115.10	52.21			
T76976	End	2	DB	1.000 x 13.000 x 39.055	4	4	0.875 x 3.5	5.06	9.65	9.65	134.20	60.87			
644 B Multi-Purpose															
Serial Number: <u>2.5YD MULTI-PURPOSE</u>															
T35327	Bent up base edge	1	SB _	1.250 x 8.000 x 117.000	10							287.40	130.36		
T76976	Center	1	DB	1.000 x 13.000 x 39.055	4	4	0.875 x 3.5	5.06	9.65	9.65	134.20	60.87			
T76975	End	2	DB	1.000 x 13.000 x 33.440	3	3	0.875 x 3.5	5.81	10.91	10.91	115.10	52.21			
T44639	Multi purpose dozer center	1	DB	0.625 x 6.000 x 80.500	9	9	0.750 x 2.25	2.25	6.00	7.00	78.00	35.38			
T31148	Multi purpose dozer end	2	DB	0.750 x 6.000 x 12.000	3	3	0.750 x 2.25	3.00	3.00	3.00	13.80	6.26			
644 C D Multi-Purpose															
Serial Number: <u>2.5YD MULTI-PURPOSE</u>															
T65255	Bent up base edge	1	SB _	1.250 x 8.000 x 116.875	9							296.50	134.49		
T76979	Center RH	1	DB	1.000 x 13.000 x 58.937	5	5	0.875 x 3	5.81	11.83	11.83	202.90	92.03			
T76980	Center LH	1	DB	1.000 x 13.000 x 47.120	4	4	0.875 x 3	5.81	11.83	11.83	162.20	73.57			
T65268	Optional three piece center	3	DB	1.000 x 13.000 x 35.310	3	3	0.750 x 3	5.81	11.83	11.83	121.80	55.25			
T44639	Multi purpose dozer center	1	DB	0.625 x 6.000 x 80.500	9	9	0.750 x 2.25	2.25	6.00	7.00	78.00	35.38			
T31148	Multi purpose dozer end	2	DB	0.750 x 6.000 x 12.000	3	3	0.750 x 2.25	3.00	3.00	3.00	13.80	6.26			
644 C D General Purpose															
Serial Number: <u>3.0YD BUCKET</u>															
T65255	Bent up base edge	1	SB _	1.250 x 8.000 x 116.875	9							296.50	134.49		
T76979	Center RH	1	DB	1.000 x 13.000 x 58.937	5	5	0.875 x 3	5.81	11.83	11.83	202.90	92.03			
T76980	Center LH	1	DB	1.000 x 13.000 x 47.120	4	4	0.875 x 3	5.81	11.83	11.83	162.20	73.57			
T65268	Optional three piece center	3	DB	1.000 x 13.000 x 35.310	3	3	0.750 x 3	5.81	11.83	11.83	121.80	55.25			
644 C D General Purpose															
Serial Number: <u>4.5YD BUCKET</u>															
PBT65259	Bent up base edge	1	SB _	1.250 x 8.000 x 123.740	11							311.70	141.38		
T65259	Bent up base edge Without Holes	1	SB _	1.250 x 8.000 x 123.740								314.00	142.43		
T76975	Center	1	DB	1.000 x 13.000 x 33.440	3	3	0.875 x 3.5	5.81	10.91	10.91	115.10	52.21			
T76976	End	2	DB	1.000 x 13.000 x 39.055	4	4	0.875 x 3.5	5.06	9.65	9.65	134.20	60.87			
644 E General Purpose															
Serial Number: <u>109" BUCKET</u>															
T144321	Base Edge With Segment Holes	1	SB	1.250 x 9.813 x 109.450	30							348.20	157.94		
T101923	Base Edge For Bolt-on Edges Only	1	SB	1.250 x 9.813 x 109.450	18							350.70	159.07		
T101939	Center	2	DB	1.000 x 10.000 x 45.000	3	3	1.000 x 3	7.38	15.13	15.13	117.70	53.39			
T101940	End	2	DB	1.000 x 14.810 x 9.120	3	3	1.000 x 3	5.00	2.41	2.41	35.50	16.10			

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loaders

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T144577	Segment	7 DB	1.000	10.000	11.500	2	2	1.000 x 3	1.25	9.00	1.25	29.40	13.34	
T101634	Weld-On Wear Plate	2 DB	1.000	10.000	12.500							32.90	14.92	

644 E General Purpose

Serial Number: 112" BUCKET

T148684	Base Edge With Segment Holes	1 SB	1.250	9.813	112.205	30						357.60	162.20
T123976	Base Edge For Bolt-on Edges Only	1 SB	1.250	9.500	112.188	18						345.50	156.72
T123988	Center	2 DB	1.000	10.000	46.360	3	3	1.000 x 3	7.63	15.55	15.55	122.30	55.47
T101940	End	2 DB	1.000	14.810	9.120	3	3	1.000 x 3	5.00	2.41	2.41	35.50	16.10
T144577	Segment	7 DB	1.000	10.000	11.500	2	2	1.000 x 3	1.25	9.00	1.25	29.40	13.34
T101634	Weld-On Wear Plate	2 DB	1.000	10.000	12.500							32.90	14.92

644 G General Purpose

Serial Number: 112" BUCKET

T130080	Base Edge	1 SB	1.250	9.813	112.205	18						360.50	163.52
T130078	Center	1 DB	1.180	14.170	62.883	4	4	1.000 x 3	8.11	15.55	15.55	260.10	117.98
T130079	End	2 DB	1.180	14.170	24.287	4	4	1.000 x 3	4.66	2.41	10.15	100.20	45.45
T101634	Weld-On Wear Plate	2 DB	1.000	10.000	12.500							32.90	14.92

644 G General Purpose

Serial Number: 112" BUCKET WITH SEGMENT HOLES

T148684	Base Edge With Segment Holes	1 SB	1.250	9.813	112.205	30						357.60	162.20
T123976	Base Edge For Bolt-on Edges or Teeth	1 SB	1.250	9.500	112.188	18						345.50	156.72
T123988	Center	2 DB	1.000	10.000	46.360	3	3	1.000 x 3	7.63	15.55	15.55	122.30	55.47
T101940	End	2 DB	1.000	14.810	9.120	3	3	1.000 x 3	5.00	2.41	2.41	35.50	16.10
T144577	Segment	7 DB	1.000	10.000	11.500	2	2	1.000 x 3	1.25	9.00	1.25	29.40	13.34
T101634	Weld-On Wear Plate	2 DB	1.000	10.000	12.500							32.90	14.92

644 G General Purpose

Serial Number: 112" JAGZ BUCKET

T159635	Base Edge	1 SB	1.250	9.813	112.205	18						360.70	163.61
T147932	Center	1 DB	1.125	13.000	47.880	8	8	1.000 x 3.25	2.94	6.00	6.00	184.10	83.51
T159917	End	2 DB	1.125	13.000	31.880	5	5	1.000 x 3.25	2.94	6.00	6.00	122.80	55.70
T101634	Weld-On Wear Plate	2 DB	1.000	10.000	12.500							32.90	14.92

644 H J General Purpose

Serial Number: 3.5/4.3YD BUCKET

T167802	Base Edge With Segment Holes	1 SB	1.250	10.000	114.173	30						369.90	167.78
T167828	Center	2 DB	1.180	14.170	47.504	3	3	1.000 x 3.25	7.80	15.95	15.95	196.50	89.13
T167829	End	2 DB	1.250	19.169	9.161	3	3	1.000 x 3.25	7.09	2.50	2.50	55.10	24.99
T209345	HD Center	2 DB	1.250	14.170	47.504	3	3	1.000 x 3.25	7.80	15.95	15.95	207.80	94.26
T167828HAN	HA Center (Cast)	3 HA	1.625	10.375	31.654	2	2	1.000 x 3.25	7.85	15.95		124.21	56.34
T167829HAR	HA End (Cast)	1 HA	1.625	14.750	9.354	3	3	1.000 x 3.25	3.25	2.50	2.50	50.84	23.06
T167829HAL	HA End (Cast)	1 HA	1.625	14.750	9.354	3	3	1.000 x 3.25	3.25	2.50	2.50	51.32	23.28
T226229	Segment	7 DB	1.250	13.000	11.850	2	2	1.000 x 3.25	1.56	8.73		46.40	21.05
T226229HA	HA Segment (Fabricated)	7 HA	1.563	10.000	11.850	2	2	1.000 x 3.25	1.56	8.73		56.60	25.67
T157457	Bolt-On Wear Plate	2 DB	1.000	10.000	19.685	4	2	0.625 x 2	1.18	17.32		51.60	23.41
							2	0.625 x 2	1.18	17.32		...	2nd Row
T229777	Heavy Duty Wear Plate	2 DB	1.375	10.000	19.685	4	2	0.625 x 2	1.18	17.32		72.50	32.89
							2	0.625 x 2	1.18	17.32		...	2nd Row

644 H J General Purpose

Serial Number: 4.3/4.5YD BUCKET

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loaders

Model/ Part Number	Blade Position	Qty Blade Req Type	. . . Dimensions . . .			Total Holes	. . . Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T171165	Base Edge With Segment Holes	1 SB	1.250	x 10.000	x 119.685	30							388.70	176.31
T171386	Center	2 DB	1.180	x 14.170	x 50.267	3	3	1.000 x 3.25	8.39	16.74	16.74		208.10	94.39
T167829	End	2 DB	1.250	x 19.169	x 9.161	3	3	1.000 x 3.25	7.09	2.50	2.50		55.10	24.99
T209348	HD Center	2 DB	1.250	x 14.170	x 50.268	3	3	1.000 x 3.25	8.39	16.74	16.74		222.00	100.70
T171386HANC	HA Center (Cast)	1 HA	1.625	x 10.375	x 33.618	2	2	1.000 x 3.25	8.44	16.74			131.48	59.64
T171386HAN	HA Intermediate (Cast)	2 HA	1.625	x 10.375	x 33.244	2	2	1.000 x 3.25	8.05	17.14			132.83	60.25
T167829HAR	HA End (Cast)	1 HA	1.625	x 14.750	x 9.354	3	3	1.000 x 3.25	3.25	2.50	2.50		50.84	23.06
T167829HAL	HA End (Cast)	1 HA	1.625	x 14.750	x 9.354	3	3	1.000 x 3.25	3.25	2.50	2.50		51.32	23.28
T226229	Segment	7 DB	1.250	x 13.000	x 11.850	2	2	1.000 x 3.25	1.56	8.73			46.40	21.05
T226229HA	HA Segment (Fabricated)	7 HA	1.563	x 10.000	x 11.850	2	2	1.000 x 3.25	1.56	8.73			56.60	25.67
T157457	Bolt-On Wear Plate	2 DB	1.000	x 10.000	x 19.685	4	2	0.625 x 2	1.18	17.32			51.60	23.41
							2	0.625 x 2	1.18	17.32			...2nd Row	
T229777	Heavy Duty Wear Plate	2 DB	1.375	x 10.000	x 19.685	4	2	0.625 x 2	1.18	17.32			72.50	32.89
							2	0.625 x 2	1.18	17.32			...2nd Row	

644 H J General Purpose

Serial Number: 4.3YD JAGZ BUCKET

T169129	Base Edge	1 SB	1.252	x 10.000	x 114.173	19							372.00	168.74
T148082	Center	1 DB	1.125	x 13.000	x 41.875	7	7	1.000 x 3.5	2.94	6.00	6.00		161.00	73.03
T147931	End	2 DB	1.125	x 13.000	x 35.880	6	6	1.000 x 3.5	2.94	6.00	6.00		137.90	62.55
T157457	Bolt-On Wear Plate	2 DB	1.000	x 10.000	x 19.685	4	2	0.625 x 2	1.18	17.32			51.60	23.41
							2	0.625 x 2	1.18	17.32			...2nd Row	

644 J General Purpose

Serial Number: 4.5YD JAGZ BUCKET

T207421	Base Edge	1 SB	1.250	x 10.000	x 119.685	17							403.00	182.80
D45444	Center	1 DB	1.125	x 13.000	x 48.874	7	7	1.000 x 3	3.44	7.00	7.00		189.00	85.73
D45443	End	2 DB	1.125	x 13.000	x 35.465	5	5	1.000 x 3	3.44	7.00	7.00		137.20	62.23
T157457	Bolt-On Wear Plate	2 DB	1.000	x 10.000	x 19.685	4	2	0.625 x 2	1.18	17.32			51.60	23.41
							2	0.625 x 2	1.18	17.32			...2nd Row	

644 J Waste Handling

Serial Number: 3.5/4.3YD BUCKET

T167802	Base Edge With Segment Holes	1 SB	1.250	x 10.000	x 114.173	30							369.90	167.78
T167828	Center	2 DB	1.180	x 14.170	x 47.504	3	3	1.000 x 3.25	7.80	15.95	15.95		196.50	89.13
T167829	End	2 DB	1.250	x 19.169	x 9.161	3	3	1.000 x 3.25	7.09	2.50	2.50		55.10	24.99
T209345	HD Center	2 DB	1.250	x 14.170	x 47.504	3	3	1.000 x 3.25	7.80	15.95	15.95		207.80	94.26
T167828HAN	HA Center (Cast)	3 HA	1.625	x 10.375	x 31.654	2	2	1.000 x 3.25	7.85	15.95			124.21	56.34
T167829HAR	HA End (Cast)	1 HA	1.625	x 14.750	x 9.354	3	3	1.000 x 3.25	3.25	2.50	2.50		50.84	23.06
T167829HAL	HA End (Cast)	1 HA	1.625	x 14.750	x 9.354	3	3	1.000 x 3.25	3.25	2.50	2.50		51.32	23.28
T226229	Segment	7 DB	1.250	x 13.000	x 11.850	2	2	1.000 x 3.25	1.56	8.73			46.40	21.05
T226229HA	HA Segment (Fabricated)	7 HA	1.563	x 10.000	x 11.850	2	2	1.000 x 3.25	1.56	8.73			56.60	25.67
T157457	Bolt-On Wear Plate	2 DB	1.000	x 10.000	x 19.685	4	2	0.625 x 2	1.18	17.32			51.60	23.41
							2	0.625 x 2	1.18	17.32			...2nd Row	
T229777	Heavy Duty Wear Plate	2 DB	1.375	x 10.000	x 19.685	4	2	0.625 x 2	1.18	17.32			72.50	32.89
							2	0.625 x 2	1.18	17.32			...2nd Row	

724 J K General Purpose

Serial Number: 119.8" BUCKET

T171165	Base Edge With Segment Holes	1 SB	1.250	x 10.000	x 119.685	30							388.70	176.31
---------	------------------------------	------	-------	----------	-----------	----	--	--	--	--	--	--	--------	--------

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loaders

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight. . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T171386	Center	2 DB	1.180	x 14.170	x 50.267	3	3	1.000 x 3.25	8.39	16.74	16.74	208.10	94.39	
T167829	End	2 DB	1.250	x 19.169	x 9.161	3	3	1.000 x 3.25	7.09	2.50	2.50	55.10	24.99	
T209348	HD Center	2 DB	1.250	x 14.170	x 50.268	3	3	1.000 x 3.25	8.39	16.74	16.74	222.00	100.70	
T171386HANC	HA Center (Cast)	1 HA	1.625	x 10.375	x 33.618	2	2	1.000 x 3.25	8.44	16.74		131.48	59.64	
T171386HAN	HA Intermediate (Cast)	2 HA	1.625	x 10.375	x 33.244	2	2	1.000 x 3.25	8.05	17.14		132.83	60.25	
T167829HAR	HA End (Cast)	1 HA	1.625	x 14.750	x 9.354	3	3	1.000 x 3.25	3.25	2.50	2.50	50.84	23.06	
T167829HAL	HA End (Cast)	1 HA	1.625	x 14.750	x 9.354	3	3	1.000 x 3.25	3.25	2.50	2.50	51.32	23.28	
T226229	Segment	7 DB	1.250	x 13.000	x 11.850	2	2	1.000 x 3.25	1.56	8.73		46.40	21.05	
T226229HA	HA Segment (Fabricated)	7 HA	1.563	x 10.000	x 11.850	2	2	1.000 x 3.25	1.56	8.73		56.60	25.67	
T157457	Bolt-On Wear Plate	2 DB	1.000	x 10.000	x 19.685	4	2	0.625 x 2	1.18	17.32		51.60	23.41	
							2	0.625 x 2	1.18	17.32		...2nd Row		
T229777	Heavy Duty Wear Plate	2 DB	1.375	x 10.000	x 19.685	4	2	0.625 x 2	1.18	17.32		72.50	32.89	
							2	0.625 x 2	1.18	17.32		...2nd Row		

724 J K General Purpose

Serial Number: 119.8" BUCKET

T207421	Base Edge	1 SB	1.250	x 10.000	x 119.685	17						403.00	182.80
D45444	Center	1 DB	1.125	x 13.000	x 48.874	7	7	1.000 x 3	3.44	7.00	7.00	189.00	85.73
D45443	End	2 DB	1.125	x 13.000	x 35.465	5	5	1.000 x 3	3.44	7.00	7.00	137.20	62.23
T157457	Bolt-On Wear Plate	2 DB	1.000	x 10.000	x 19.685	4	2	0.625 x 2	1.18	17.32		51.60	23.41
							2	0.625 x 2	1.18	17.32		...2nd Row	

724 J K Waste Handling

Serial Number: 5.0/6.0/7.0YD BUCKET

T167802	Base Edge With Segment Holes	1 SB	1.250	x 10.000	x 114.173	30						369.90	167.78
T167828	Center	2 DB	1.180	x 14.170	x 47.504	3	3	1.000 x 3.25	7.80	15.95	15.95	196.50	89.13
T167829	End	2 DB	1.250	x 19.169	x 9.161	3	3	1.000 x 3.25	7.09	2.50	2.50	55.10	24.99
T209345	HD Center	2 DB	1.250	x 14.170	x 47.504	3	3	1.000 x 3.25	7.80	15.95	15.95	207.80	94.26
T167828HAN	HA Center (Cast)	3 HA	1.625	x 10.375	x 31.654	2	2	1.000 x 3.25	7.85	15.95		124.21	56.34
T167829HAR	HA End (Cast)	1 HA	1.625	x 14.750	x 9.354	3	3	1.000 x 3.25	3.25	2.50	2.50	50.84	23.06
T167829HAL	HA End (Cast)	1 HA	1.625	x 14.750	x 9.354	3	3	1.000 x 3.25	3.25	2.50	2.50	51.32	23.28
T226229	Segment	7 DB	1.250	x 13.000	x 11.850	2	2	1.000 x 3.25	1.56	8.73		46.40	21.05
T226229HA	HA Segment (Fabricated)	7 HA	1.563	x 10.000	x 11.850	2	2	1.000 x 3.25	1.56	8.73		56.60	25.67
T157457	Bolt-On Wear Plate	2 DB	1.000	x 10.000	x 19.685	4	2	0.625 x 2	1.18	17.32		51.60	23.41
							2	0.625 x 2	1.18	17.32		...2nd Row	
T229777	Heavy Duty Wear Plate	2 DB	1.375	x 10.000	x 19.685	4	2	0.625 x 2	1.18	17.32		72.50	32.89
							2	0.625 x 2	1.18	17.32		...2nd Row	

744 E General Purpose

Serial Number: 4.25/5.0YD BUCKET

T156031	Base Edge With Segment Holes	1 SB	1.500	x 12.031	x 119.685	30						556.20	252.29
AT139630	Base Edge For Bolt-on Edges or Teeth	1 SB	1.500	x 11.810	x 119.670	18						562.70	255.24
AT139623	Center	2 DB	1.500	x 16.000	x 50.000	3	3	1.250 x 3.75	8.27	16.73	16.73	293.10	132.95
AT139622	End	2 DB	1.500	x 21.970	x 9.530	3	3	1.250 x 3.75	7.98	3.00	3.00	77.20	35.02
T167922HAN	Half Arrow Center (Cast)	3 HA	1.500	x 11.375	x 33.190	2	2	1.250 x 3.75	8.23	16.73		139.40	63.23
AT139622HAL	HA End LH (Cast)	1 HA	1.750	x 15.625	x 9.530	3	3	1.250 x 3.75	4.25	3.00	3.00	64.80	29.39
AT139622HAR	HA End RH (Cast)	1 HA	1.750	x 15.625	x 9.530	3	3	1.250 x 3.75	4.25	3.00	3.00	64.80	29.39
T144578	Segment	7 DB	1.375	x 13.000	x 11.750	2	2	1.250 x 3.75	1.97	7.81		55.10	24.99

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . Dimensions . . .			Total Holes	. . . Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
AT139621	Bolt-On Wear Plate	2	DB	1.250	13.000	22.440	4	2	1.000	1.38	19.68		92.20	41.82	
								2	1.000	1.38	19.68		...2nd Row		

744 H J General Purpose

Serial Number: 4.5/5.25YD BUCKET

T156031	Base Edge With Segment Holes	1	SB	1.500	12.031	119.685	30						556.20	252.29
AT139630	Base Edge For Bolt-on Edges or Teeth	1	SB	1.500	11.810	119.670	18						562.70	255.24
T167922	Center	2	DB	1.250	16.000	49.922	3	3	1.250 x 4	8.23	16.73	16.73	254.20	115.30
AT139622	End	2	DB	1.500	21.970	9.530	3	3	1.250 x 4	7.98	3.00	3.00	77.20	35.02
T209347	HD Center	2	DB	1.500	16.000	49.921	3	3	1.250 x 4	8.23	16.73	16.73	293.00	132.90
T167922HAN	Half Arrow Center (Cast)	3	HA	1.500	11.375	33.190	2	2	1.250 x 4	8.23	16.73		139.40	63.23
AT139622HAL	HA End LH (Cast)	1	HA	1.750	15.625	9.530	3	3	1.250 x 4	4.25	3.00	3.00	64.80	29.39
AT139622HAR	HA End RH (Cast)	1	HA	1.750	15.625	9.530	3	3	1.250 x 4	4.25	3.00	3.00	64.80	29.39
T156106	Segment	7	DB	1.500	15.984	11.750	2	2	1.250 x 4	1.97	7.81		67.30	30.53
T156079	Bolt-On Wear Plate	2	DB	1.500	10.000	22.441	4	2	1.000 x 3	1.38	19.69		89.60	40.64
								2	1.000 x 3	1.38	19.69		...2nd Row	

744 H J General Purpose

Serial Number: 5.25YD JAGZ BUCKET

T169126	Base Edge	1	SB	1.500	12.031	119.685	19						568.30	257.78
T161117	Center	1	DB	1.500	16.000	41.875	7	7	1.000 x 3.5	2.94	6.00	6.00	268.00	121.56
T161116	End	2	DB	1.500	16.000	38.880	6	6	1.000 x 3.5	2.94	6.00	6.00	247.30	112.17
T156079	Bolt-On Wear Plate	2	DB	1.500	10.000	22.441	4	2	1.000 x 3	1.38	19.69		89.60	40.64
								2	1.000 x 3	1.38	19.69		...2nd Row	

744 H J K General Purpose

Serial Number: 128.9" BUCKET

T156262	Base Edge With Segment Holes	1	SB	1.500	12.031	128.913	32						599.40	271.88
T156530	Center	2	DB	1.250	16.000	54.629	3	3	1.250 x 4	8.94	18.00	18.00	278.90	126.51
AT139622	End	2	DB	1.500	21.970	9.530	3	3	1.250 x 4	7.98	3.00	3.00	77.20	35.02
T209349	HD Center	2	DB	1.500	16.000	54.630	3	3	1.250 x 4	8.94	18.00	18.00	321.70	145.92
T156530HANC	Half Arrow Center (Cast)	1	HA	1.500	11.375	35.750	2	2	1.250 x 4	8.88	18.00	8.88	150.20	68.13
T156530HANL	Half Arrow Center LH (Cast)	1	HA	1.500	11.375	36.556	2	2	1.250 x 4	8.88	18.00	9.68	153.40	69.58
T156530HANR	Half Arrow Center RH (Cast)	1	HA	1.500	11.375	36.556	2	2	1.250 x 4	8.88	18.00	9.68	153.40	69.58
AT139622HAL	HA End LH (Cast)	1	HA	1.750	15.625	9.530	3	3	1.250 x 4	4.25	3.00	3.00	64.80	29.39
AT139622HAR	HA End RH (Cast)	1	HA	1.750	15.625	9.530	3	3	1.250 x 4	4.25	3.00	3.00	64.80	29.39
T156132	Segment	7	DB	1.500	15.984	12.520	2	2	1.250 x 4	3.26	6.00		71.90	32.61
T156079	Bolt-On Wear Plate	2	DB	1.500	10.000	22.441	4	2	1.000 x 3	1.38	19.69		89.60	40.64
								2	1.000 x 3	1.38	19.69		...2nd Row	

824 J K General Purpose

Serial Number: 6.0/6.75YD JAGZ BUCKETS

T156262	Base Edge With Segment Holes	1	SB	1.500	12.031	128.913	32						599.40	271.88
T156530	Center	2	DB	1.250	16.000	54.629	3	3	1.250 x 4	8.94	18.00	18.00	278.90	126.51
AT139622	End	2	DB	1.500	21.970	9.530	3	3	1.250 x 4	7.98	3.00	3.00	77.20	35.02
T209349	HD Center	2	DB	1.500	16.000	54.630	3	3	1.250 x 4	8.94	18.00	18.00	321.70	145.92
T156530HANC	Half Arrow Center (Cast)	1	HA	1.500	11.375	35.750	2	2	1.250 x 4	8.88	18.00	8.88	150.20	68.13
T156530HANL	Half Arrow Center LH (Cast)	1	HA	1.500	11.375	36.556	2	2	1.250 x 4	8.88	18.00	9.68	153.40	69.58
T156530HANR	Half Arrow Center RH (Cast)	1	HA	1.500	11.375	36.556	2	2	1.250 x 4	8.88	18.00	9.68	153.40	69.58

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
AT139622HAL	HA End LH (Cast)	1	HA	1.750	15.625	9.530	3	3	1.250 x 4	4.25	3.00	3.00	64.80	29.39	
AT139622HAR	HA End RH (Cast)	1	HA	1.750	15.625	9.530	3	3	1.250 x 4	4.25	3.00	3.00	64.80	29.39	
T156132	Segment	7	DB	1.500	15.984	12.520	2	2	1.250 x 4	3.26	6.00		71.90	32.61	
T156079	Bolt-On Wear Plate	2	DB	1.500	10.000	22.441	4	2	1.000 x 3	1.38	19.69		89.60	40.64	
								2	1.000 x 3	1.38	19.69			...2nd Row	

844 General Purpose

Serial Number: UP TO 506509 3.5YD BUCKET

T57442	Base Edge	1	SB	1.750	10.500	114.250								
--------	-----------	---	----	-------	--------	---------	--	--	--	--	--	--	--	--

844 General Purpose

Serial Number: UP TO 506509 4.5/5/5.5YD BUCKETS

T57407	Base Edge	1	SB	1.750	10.500	124.563								
T57933	Center	4	DB	1.250	16.000	31.750	8		0.875 x 3.5	7.88	16.00		167.80	76.11
									0.875 x 0	7.88	16.00			...2nd Row

844 Spade Nose Rock

Serial Number: UP TO 506509 4.5YD ROCK BUCKET

T57432	Base Edge	1	SB	1.750	27.000	128.125								
--------	-----------	---	----	-------	--------	---------	--	--	--	--	--	--	--	--

844 General Purpose

Serial Number: 506810-UP 5.0/5.5YD BUCKET

T78994	Base Edge	1	SB	1.750	11.813	129.125	18						696.00	315.70
T101647	Center	2	DB	1.250	13.000	53.370	3		1.250	8.81	17.86	17.86	234.00	106.14
T101648	End	2	DB	1.250	19.000	12.000	3		1.250	6.50	3.00	3.00	74.90	33.97

844 General Purpose

Serial Number: 7.0YD BUCKET

T57422	Base Edge	1	SB	1.750	10.500	147.750							705.00	319.78
--------	-----------	---	----	-------	--------	---------	--	--	--	--	--	--	--------	--------

844 J K General Purpose

Serial Number: 136" BUCKET

T196210	Base Edge	1	SB	1.500	12.000	136.181	32						632.60	286.94
T198126	Center	3	DB	1.500	16.000	37.598	4	4	1.250 x 4	3.04	12.61	6.30	219.00	99.34
T196455	End	2	DB	1.500	21.984	11.122	3	3	1.250 x 4	7.98	3.00	3.00	90.90	41.23
T198126HA	HA Center (Cast)	3	HA	1.875	16.732	37.559	4	2	1.250 x 4	9.33	18.91		271.16	123.00
								2	1.250 x 4	9.33	18.91			...2nd Row
T196455HA	HA End (Cast)	2	HA	1.875	16.732	11.102	3	3	1.250 x 4	4.20	3.00	3.00	83.00	37.65
T196607	Segment	7	DB	1.500	16.000	13.322	2	2	1.250 x 4	3.51	6.30		76.80	34.84
T196607FHA	HA Segment (Fabricated)	7	HA	1.750	13.000	13.315	2	2	1.250 x 4	3.51	6.30		87.10	39.51
T198121	Bolt-On Wear Plate	2	DB	1.500	10.000	25.531	4	2	1.000 x 3	1.38	22.78		102.40	46.45
								2	1.000 x 3	1.38	22.78			...2nd Row
T210715	Sidebar Protector	2	HAIRR	1.125	10.000	32.224	2						89.60	40.64

844 J K Spade Nose Rock

Serial Number: BASE EDGE WITH SEGMENT HOLES

T211766	Spade Nose Base Edge	1	SB_/	1.750	25.394	137.481	21						1205.60	546.85
T211887	Segment	1	DB	1.375	19.000	11.819	3	3	1.250 x 4	2.54	3.38	3.38	79.70	36.15
T211888	Segment RH	3	DB\\	1.375	19.000	17.752	3	3	1.250 x 4	5.50	3.38	3.38	83.10	37.69
T211889	Segment LH	3	DB//	1.375	19.000	17.752	3	3	1.250 x 4	5.50	3.38	3.38	83.10	37.69
1167460	HA Segment (Cast)	1	HA	2.000	18.827	12.283	3	3	1.250 x 4	2.80	3.35	3.35	86.64	39.30
1167461	HA Segment RH (Cast)	3	HA\\	2.000	18.827	12.283	3	3	1.250 x 4		3.35	3.35	89.95	40.80

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
1167462	HA Segment LH (Cast)	3	HA//	2.000	x 18.827	x 12.283	3	3	1.250 x 4		3.35	3.35	90.61	41.10	
TEETH	J400 Options	8													
1258404	J400 Weld-On Center Adapter	2	ADP	5.689	x 4.882	x 16.366							37.20	16.87	
1258405	J400 Weld-On RH Adapter	3	ADP	5.689	x 4.882	x 16.366							37.20	16.87	
1258406	J400 Weld-On LH Adapter	3	ADP	5.689	x 4.882	x 16.366							37.20	16.87	
T198121	Bolt-On Wear Plate	2	DB	1.500	x 10.000	x 25.531	4	2	1.000 x 3	1.38	22.78		102.40	46.45	
								2	1.000 x 3	1.38	22.78		...2nd Row		
T210715	Sidebar Protector	2	HAIRR	1.125	x 10.000	x 32.224	2						89.60	40.64	

844 J K Spade Nose Rock

Serial Number:

T230663	Spade Nose Base Edge	1	SB_/	1.750	x 25.394	x 137.480	25						1197.20	543.04
T230659	Center	1	DB	1.375	x 16.000	x 25.000	5		1.250 x 4	2.77	6.38	3.35	143.20	64.95
T230660	End RH	1	DB//	1.375	x 16.000	x 30.000	5		1.250 x 4	5.21	6.44	3.35	147.50	66.90
T230661	Center RH	1	DB//	1.375	x 16.000	x 36.380	6		1.250 x 4	5.06	3.35	3.35	184.30	83.60
T230665	End LH	1	DB\\	1.375	x 16.000	x 30.000	5		1.250 x 4	5.21	6.44	3.35	147.50	66.90
T230666	Center LH	1	DB\\	1.375	x 16.000	x 36.380	6		1.250 x 4	5.06	3.35	3.35	184.30	83.60
T198121	Bolt-On Wear Plate	2	DB	1.500	x 10.000	x 25.531	4	2	1.000	1.38	22.78		102.40	46.45
								2	1.000	1.38	22.78		...2nd Row	
T210715	Sidebar Protector	2	HAIRR	1.125	x 10.000	x 32.224	2						89.60	40.64

TC44 H General Purpose

Serial Number: 2.5YD BUCKET

T156603	Base Edge With Segment Holes	1	SB	1.000	x 8.000	x 95.281	30						195.10	88.50
T156637	Center	2	DB	1.000	x 10.000	x 39.055	3	3	0.750 x 3	6.61	13.37	13.37	103.30	46.86
T146672	End	2	DB	1.000	x 14.000	x 8.120	3	3	0.750 x 3	5.00	2.00	2.00	30.00	13.61
T156635	Segment	7	DB	1.000	x 10.000	x 9.449	2	2	0.750 x 3	1.35	6.75		24.60	11.16
T156599	Bolt-On Wear Plate	2	DB	1.000	x 8.000	x 15.748	4	2	0.625 x 2	1.18	13.39		33.00	14.97
								2	0.625 x 2	1.18	13.39		...2nd Row	

TC44 H General Purpose

Serial Number: 2.5YD JAGZ BUCKET

T169127	Base Edge	1	SB	1.000	x 8.000	x 95.276	16						200.40	90.90
T162493	Center	2	DB	1.000	x 10.000	x 47.750	8	8	0.750 x 3	2.88	6.00	6.00	123.50	56.02
T156599	Bolt-On Wear Plate	2	DB	1.000	x 8.000	x 15.748	4	2	0.625 x 2	1.18	13.39		33.00	14.97
								2	0.625 x 2	1.18	13.39		...2nd Row	

TC44 H General Purpose

Serial Number: 100.4" BUCKET

T157282	Base Edge With Segment Holes	1	SB	1.000	x 8.000	x 100.394	30						209.70	95.12
T157311	Center	2	DB	1.000	x 10.000	x 41.594	3	3	0.750 x 3	6.96	14.08	14.08	110.10	49.94
T146672	End	2	DB	1.000	x 14.000	x 8.120	3	3	0.750 x 3	5.00	2.00	2.00	30.00	13.61
D45436	Half Arrow Center LH (Fabricated)	1	HA	1.563	x 10.000	x 50.236	4	4	0.750 x 3	6.96	14.08	14.08	245.00	111.13
D45437	Half Arrow Center RH (Fabricated)	1	HA	1.563	x 10.000	x 50.236	4	4	0.750 x 3	6.96	14.08	14.08	245.00	111.13
T157306	Segment	7	DB	1.000	x 10.000	x 10.173	2	2	0.750 x 3	1.37	7.43		26.20	11.88
T157306HA	HA Segment (Fabricated)	7	HA	1.563	x 10.000	x 10.173	2	2	0.750 x 3	1.37	7.43		49.00	22.23
T156599	Bolt-On Wear Plate	2	DB	1.000	x 8.000	x 15.748	4	2	0.625 x 2	1.18	13.39		33.00	14.97
								2	0.625 x 2	1.18	13.39		...2nd Row	

TC44 H General Purpose

Serial Number: 100.4 JAGZ BUCKET

T169142	Base Edge For Bolt-on Edges Only	1	SB	1.000	x 8.000	x 100.394	16						209.90	95.21
---------	----------------------------------	---	----	-------	---------	-----------	----	--	--	--	--	--	--------	-------

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loaders

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T147931	Center	1 DB	1.125	13.000	35.880	6	6	1.000 x 3	2.94	6.00	6.00	137.90	62.55	
T159917	End	2 DB	1.125	13.000	31.880	5	5	1.000 x 3	2.94	6.00	6.00	122.80	55.70	
T156599	Bolt-On Wear Plate	2 DB	1.000	8.000	15.748	4	2	0.625 x 2	1.18	13.39		33.00	14.97	
							2	0.625 x 2	1.18	13.39		...2nd Row		

TC54 H General Purpose

Serial Number: 3.0YD BUCKET

T157282	Base Edge With Segment Holes	1 SB	1.000	8.000	100.394	30						209.70	95.12
T157311	Center	2 DB	1.000	10.000	41.594	3	3	0.750 x 3	6.96	14.08	14.08	110.10	49.94
T146672	End	2 DB	1.000	14.000	8.120	3	3	0.750 x 3	5.00	2.00	2.00	30.00	13.61
D45436	Half Arrow Center LH (Fabricated)	1 HA	1.563	10.000	50.236	4	4	0.750 x 3	6.96	14.08	14.08	245.00	111.13
D45437	Half Arrow Center RH (Fabricated)	1 HA	1.563	10.000	50.236	4	4	0.750 x 3	6.96	14.08	14.08	245.00	111.13
T157306	Segment	7 DB	1.000	10.000	10.173	2	2	0.750 x 3	1.37	7.43		26.20	11.88
T157306HA	HA Segment (Fabricated)	7 HA	1.563	10.000	10.173	2	2	0.750 x 3	1.37	7.43		49.00	22.23
T156599	Bolt-On Wear Plate	2 DB	1.000	8.000	15.748	4	2	0.625 x 2	1.18	13.39		33.00	14.97
							2	0.625 x 2	1.18	13.39		...2nd Row	

TC54 H General Purpose

Serial Number: 3.0YD JAGZ BUCKET

T169142	Base Edge For Bolt-on Edges Only	1 SB	1.000	8.000	100.394	16						209.90	95.21
T147931	Center	1 DB	1.125	13.000	35.880	6	6	1.000 x 3	2.94	6.00	6.00	137.90	62.55
T159917	End	2 DB	1.125	13.000	31.880	5	5	1.000 x 3	2.94	6.00	6.00	122.80	55.70
T156599	Bolt-On Wear Plate	2 DB	1.000	8.000	15.748	4	2	0.625 x 2	1.18	13.39		33.00	14.97
							2	0.625 x 2	1.18	13.39		...2nd Row	

TC54 H General Purpose

Serial Number: 105.9" BUCKET

T157465	Base Edge With Segment Holes	1 SB	1.000	8.000	105.906	30						221.40	100.43
T157492	Center	2 DB	1.000	10.000	44.260	3	3	0.750 x 3	7.26	14.87	14.87	117.20	53.16
T146672	End	2 DB	1.000	14.000	8.120	3	3	0.750 x 3	5.00	2.00	2.00	30.00	13.61
D45434	Half Arrow Center LH (Fabricated)	1 HA	1.563	10.000	53.012	4	4	0.750 x 3	7.37	14.87	14.87	358.60	162.66
D45435	Half Arrow Center RH (Fabricated)	1 HA	1.563	10.000	52.972	4	4	0.750 x 3	7.37	14.87	14.87	259.00	117.48
T157493	Segment	7 DB	1.000	10.000	10.961	2	2	0.750 x 3	1.38	8.21		28.30	12.84
T157493HA	HA Segment (Fabricated)	7 HA	1.563	10.000	10.961	2	2	0.750 x 3	1.37	8.21		52.90	24.00
T157457	Bolt-On Wear Plate	2 DB	1.000	10.000	19.685	4	2	0.625 x 2	1.18	17.32		51.60	23.41
							2	0.625 x 2	1.18	17.32		...2nd Row	

TC54 H General Purpose

Serial Number: 105.9" JAGZ BUCKET

T169128	Base Edge	1 SB	1.000	8.000	105.906	17						220.80	100.15
T148082	Center	1 DB	1.125	13.000	41.875	7	7	1.000 x 3	2.94	6.00	6.00	161.00	73.03
T159917	End	2 DB	1.125	13.000	31.880	5	5	1.000 x 3	2.94	6.00	6.00	122.80	55.70
T157457	Bolt-On Wear Plate	2 DB	1.000	10.000	19.685	4	2	0.625 x 2	1.18	17.32		51.60	23.41
							2	0.625 x 2	1.18	17.32		...2nd Row	

TC62 H General Purpose

Serial Number: 3.0/3.5YD BUCKET

T157465	Base Edge With Segment Holes	1 SB	1.000	8.000	105.906	30						221.40	100.43
T157492	Center	2 DB	1.000	10.000	44.260	3	3	0.750 x 3	7.26	14.87	14.87	117.20	53.16
T146672	End	2 DB	1.000	14.000	8.120	3	3	0.750 x 3	5.00	2.00	2.00	30.00	13.61

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight. . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
D45434	Half Arrow Center LH (Fabricated)	1	HA	1.563	x 10.000	x 53.012	4	4	0.750 x 3	7.37	14.87	14.87	358.60	162.66	
D45435	Half Arrow Center RH (Fabricated)	1	HA	1.563	x 10.000	x 52.972	4	4	0.750 x 3	7.37	14.87	14.87	259.00	117.48	
T157493	Segment	7	DB	1.000	x 10.000	x 10.961	2	2	0.750 x 3	1.38	8.21		28.30	12.84	
T157493HA	HA Segment (Fabricated)	7	HA	1.563	x 10.000	x 10.961	2	2	0.750 x 3	1.37	8.21		52.90	24.00	
T157457	Bolt-On Wear Plate	2	DB	1.000	x 10.000	x 19.685	4	2	0.625 x 2	1.18	17.32		51.60	23.41	
								2	0.625 x 2	1.18	17.32		...	2nd Row	

TC62 H General Purpose

Serial Number: 3.5YD JAGZ BUCKET

T169128	Base Edge	1	SB	1.000	x 8.000	x 105.906	17						220.80	100.15
T148082	Center	1	DB	1.125	x 13.000	x 41.875	7	7	1.000 x 3	2.94	6.00	6.00	161.00	73.03
T159917	End	2	DB	1.125	x 13.000	x 31.880	5	5	1.000 x 3	2.94	6.00	6.00	122.80	55.70
T157457	Bolt-On Wear Plate	2	DB	1.000	x 10.000	x 19.685	4	2	0.625 x 2	1.18	17.32		51.60	23.41
								2	0.625 x 2	1.18	17.32		...	2nd Row

TC62 H Waste Handling

Serial Number: 114.2" BUCKET

T167802	Base Edge With Segment Holes	1	SB	1.250	x 10.000	x 114.173	30						369.90	167.78
T167828	Center	2	DB	1.180	x 14.170	x 47.504	3	3	1.000 x 3.25	7.80	15.95	15.95	196.50	89.13
T167829	End	2	DB	1.250	x 19.169	x 9.161	3	3	1.000 x 3.25	7.09	2.50	2.50	55.10	24.99
T209345	HD Center	2	DB	1.250	x 14.170	x 47.504	3	3	1.000 x 3.25	7.80	15.95	15.95	207.80	94.26
T167828HAN	HA Center (Cast)	3	HA	1.625	x 10.375	x 31.654	2	2	1.000 x 3.25	7.85	15.95		124.21	56.34
T167829HAR	HA End (Cast)	1	HA	1.625	x 14.750	x 9.354	3	3	1.000 x 3.25	3.25	2.50	2.50	50.84	23.06
T167829HAL	HA End (Cast)	1	HA	1.625	x 14.750	x 9.354	3	3	1.000 x 3.25	3.25	2.50	2.50	51.32	23.28
T226229	Segment	7	DB	1.250	x 13.000	x 11.850	2	2	1.000 x 3.25	1.56	8.73		46.40	21.05
T226229HA	HA Segment (Fabricated)	7	HA	1.563	x 10.000	x 11.850	2	2	1.000 x 3.25	1.56	8.73		56.60	25.67
T157457	Bolt-On Wear Plate	2	DB	1.000	x 10.000	x 19.685	4	2	0.625 x 2	1.18	17.32		51.60	23.41
								2	0.625 x 2	1.18	17.32		...	2nd Row
T229777	Heavy Duty Wear Plate	2	DB	1.375	x 10.000	x 19.685	4	2	0.625 x 2	1.18	17.32		72.50	32.89
								2	0.625 x 2	1.18	17.32		...	2nd Row

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Crawler Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg		
350 B C D General Purpose																
Serial Number: <u>0.75YD BUCKET</u>																
U11792	Bent up base edge	1	SB _	0.875	x 4.000	x 73.374	8								89.00	40.37
T84180	One Piece bolt on	1	DB	0.750	x 8.000	x 66.250	8	8	0.500 x 2.75	3.50	7.50	9.75			103.90	47.13
350 B C D Multi Purpose																
Serial Number: <u>0.75YD MULTI-PURPOSE BUCKET</u>																
T45864	Bent up base edge	1	SB _	0.875	x 6.000	x 73.375	16								99.70	45.22
T84180	One Piece bolt on	1	DB	0.750	x 8.000	x 66.250	8	8	0.500 x 2.75	3.50	7.50	9.75			103.90	47.13
U16748	Multi purpose dozer center	1	DB	0.625	x 6.000	x 65.875	7	7	0.750 x 2.25	2.94	6.00	12.00			63.90	28.98
T45861	Multi purpose clam edge	1	SB	0.875	x 4.000	x 64.440									57.60	26.13
350 B C D General Purpose																
Serial Number: <u>1.25YD BUCKET</u>																
U14065	Bent up base edge Without Holes	1	SB _	0.875	x 4.000	x 85.345									77.00	34.93
PBU14065	Bent up base edge	1	SB _	0.875	x 4.000	x 85.345	7								76.10	34.52
T120980	One Piece bolt on	1	DB	0.750	x 8.000	x 78.559	7	7	0.750 x 2.25	3.31	12.00	12.00			122.90	55.75
400 General Purpose																
Serial Number: <u>0.625YD BUCKET</u>																
U11768	Bent up base edge Without Holes	1	BU	0.500	x 4.000	x 64.438									38.00	17.24
PBU11768	Bent up base edge	1	BU	0.500	x 4.000	x 64.438	7								37.00	16.78
U11714	One Piece bolt on	1	DB	0.500	x 6.000	x 65.880	7	7	0.625 x 2.25	2.94	6.00	12.00			50.20	22.77
400 General Purpose																
Serial Number: <u>0.75/1.0YD BUCKETS</u>																
T105892	Bent up base edge Without Holes	1	SB _	0.875	x 4.000	x 87.000									79.10	35.88
PBT105892	Bent up base edge	1	SB _	0.875	x 4.000	x 87.325	8								78.40	35.56
T103142	Center	1	DB	0.750	x 8.000	x 43.560	4	4	0.625 x 2.75	10.94	10.94	10.94			68.30	30.98
T103141	End	2	DB	0.750	x 8.000	x 18.940	2	2	0.625 x 2.75	2.63	10.94				29.70	13.47
450 B C General Purpose																
Serial Number: <u>1.125/1.25YD BUCKET</u>																
U16966	Bent up base edge	1	SB _	0.875	x 6.000	x 80.984	7								111.30	50.48
T84182	One Piece bolt on	1	DB	0.750	x 8.000	x 72.500	7	7	0.750 x 2.25	3.31	10.14	11.40			113.40	51.44
450 B Multi Purpose																
Serial Number: <u>1.25YD MULTI PURPOSE BUCKET</u>																
U16966	Bent up base edge	1	SB _	0.875	x 6.000	x 80.984	7								111.30	50.48
T84182	One Piece bolt on	1	DB	0.750	x 8.000	x 72.500	7	7	0.750 x 2.25	3.31	10.14	11.40			113.40	51.44
U11711	Multi purpose dozer center	1	DB	0.500	x 6.000	x 47.880	6	6	0.625 x 2	2.94	3.00	12.00			36.40	16.51
U11708	Multi purpose dozer end	2	DB	0.625	x 6.000	x 12.000	3	3	0.625 x 2	3.00	3.00	3.00			11.50	5.22
T43485	Multi purpose clam edge	1	SB	1.000	x 6.000	x 70.500									106.50	48.31
450 B C Light Materials																
Serial Number: <u>1.75YD BUCKET</u>																
U40116	Bent up base edge Without Holes	1	SB _	0.875	x 6.000	x 96.205									134.40	60.96
455 D E General Purpose																
Serial Number: <u>1.25YD BUCKET</u>																
U16966	Bent up base edge	1	SB _	0.875	x 6.000	x 80.984	7								111.30	50.48
T84182	One Piece bolt on	1	DB	0.750	x 8.000	x 72.500	7	7	0.750 x 2.25	3.31	10.14	11.40			113.40	51.44
455 D E Multi Purpose																
Serial Number: <u>1.25YD MULTI PURPOSE BUCKET</u>																
U16966	Bent up base edge	1	SB _	0.875	x 6.000	x 80.984	7								111.30	50.48

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Crawler Loaders

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T84182	One Piece bolt on	1 DB	0.750	8.000	72.500	7	7	0.750 x 2.25	3.31	10.14	11.40	113.40	51.44	
U11711	Multi purpose dozer center	1 DB	0.500	6.000	47.880	6	6	0.625 x 2	2.94	3.00	12.00	36.40	16.51	
U11708	Multi purpose dozer end	2 DB	0.625	6.000	12.000	3	3	0.625 x 2	3.00	3.00	3.00	11.50	5.22	
T43485	Multi purpose clam edge	1 SB	1.000	6.000	70.500							106.50	48.31	

455 C General Purpose

Serial Number: 1.75YD BUCKET

U40116	Bent up base edge Without Holes	1 SB _	0.875	6.000	96.205							134.40	60.96
--------	---------------------------------	--------	-------	-------	--------	--	--	--	--	--	--	--------	-------

455 G General Purpose

Serial Number: STANDARD TRACK

T106761	Base Edge For Bolt-on Edges or Teeth	1 SB	0.750	8.000	77.717	12						125.70	57.02
T151773	One Piece bolt on	1 DB	0.750	8.000	77.750	8	8	0.750 x 3	5.00	7.31	10.63	122.00	55.34

455 G Multi Purpose

Serial Number: MULTI PURPOSE BUCKET

T106761	Base Edge For Bolt-on Edges or Teeth	1 SB	0.750	8.000	77.717	12						125.70	57.02
T124077	Multi purpose dozer center	1 DB	0.625	6.000	53.000	5	5	0.625 x 2	2.50	12.00	12.00	51.60	23.41
U11708	Multi purpose dozer end	2 DB	0.625	6.000	12.000	3	3	0.625 x 2	3.00	3.00	3.00	11.50	5.22
T124082	Multi purpose clam edge	1 SB	1.000	6.000	76.070							123.10	55.84

455 G General Purpose

Serial Number: WIDE TRACK

T124268	Base Edge For Bolt-on Edges or Teeth	1 SB	0.750	8.000	94.438	14						138.00	62.60
T151774	One Piece bolt on	1 DB	0.750	8.000	94.400	9	9	0.875 x 3	5.00	7.98	11.41	147.70	67.00

555 A B Multi Purpose

Serial Number: 1.25YD MULTI PURPOSE BUCKET

U16966	Bent up base edge	1 SB _	0.875	6.000	80.984	7						111.30	50.48
T84182	One Piece bolt on	1 DB	0.750	8.000	72.500	7	7	0.750 x 2.25	3.31	10.14	11.40	113.40	51.44
U11711	Multi purpose dozer center	1 DB	0.500	6.000	47.880	6	6	0.625 x 2	2.94	3.00	12.00	36.40	16.51
U11708	Multi purpose dozer end	2 DB	0.625	6.000	12.000	3	3	0.625 x 2	3.00	3.00	3.00	11.50	5.22
T43485	Multi purpose clam edge	1 SB	1.000	6.000	70.500							106.50	48.31

555 General Purpose

Serial Number: 1.75YD BUCKET

U40116	Bent up base edge Without Holes	1 SB _	0.875	6.000	96.205							134.40	60.96
--------	---------------------------------	--------	-------	-------	--------	--	--	--	--	--	--	--------	-------

555 G General Purpose

Serial Number: STANDARD TRACK

T105643	Base Edge For Bolt-on Edges or Teeth	1 SB	1.000	8.000	84.882	12						179.60	81.47
T149487	One Piece bolt on	1 DB	1.000	10.000	84.880	8	8	0.750 x 3.5	5.00	8.22	11.69	221.40	100.43

555 G Multi Purpose

Serial Number: MULTI PURPOSE BUCKET

T105643	Base Edge For Bolt-on Edges or Teeth	1 SB	1.000	8.000	84.882	12						179.60	81.47
T149487	One Piece bolt on	1 DB	1.000	10.000	84.880	8	8	0.750 x 3.5	5.00	8.22	11.69	221.40	100.43
T124094	Multi purpose dozer center	1 DB	0.625	6.000	60.161	7	7	0.625 x 2	3.08	3.00	12.00	58.50	26.54
U11708	Multi purpose dozer end	2 DB	0.625	6.000	12.000	3	3	0.625 x 2	3.00	3.00	3.00	11.50	5.22
T124099	Multi purpose clam edge	1 SB	1.000	6.000	83.236							134.70	61.10

555 G General Purpose

Serial Number: WIDE TRACK

T124257	Base Edge For Bolt-on Edges or Teeth	1 SB	1.000	8.000	97.402	14						207.00	93.89
T151772	One Piece bolt on	1 DB	1.000	10.000	97.400	9	9	0.875 x 3.5	5.00	8.36	11.78	254.30	115.35

605 C General Purpose

Serial Number: 88.5"

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Crawler Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . Dimensions			Total Holes	. . . Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg		
T219615	Base Edge For Bolt-on Edges or Teeth	1	SB	1.000	x 9.618	x 88.500	28							227.40	103.15	
10287327	Center	2	DB													
AT301554	End	2	DB				3	3	1.000 x 3							
T219616	Center Segment	5	DB	1.000	x 11.000	x 7.689	2	2	1.000 x 2.75	1.37	4.94			19.70	8.94	
T219617	End Segment	2	DB	1.000	x 11.000	x 8.252	2	2	1.000 x 2.75	1.37	5.50			21.30	9.66	
1U0257	J250 Bolt-On Center Adapter	6	ADP	4.135	x 3.248	x 14.267	2							22.70	10.30	
TEETH	J250 Options															

605 C Multi Purpose

Serial Number: 1.57 YRD

T219615	Base Edge For Bolt-on Edges or Teeth	1	SB	1.000	x 9.618	x 88.500	28							227.40	103.15
10287327	Center	2	DB												
AT301554	End	2	DB				3	3	1.000 x 3						
T219616	Center Segment	5	DB	1.000	x 11.000	x 7.689	2	2	1.000 x 2.75	1.37	4.94			19.70	8.94
T219617	End Segment	2	DB	1.000	x 11.000	x 8.252	2	2	1.000 x 2.75	1.37	5.50			21.30	9.66
1U0257	J250 Bolt-On Center Adapter	6	ADP	4.135	x 3.248	x 14.267	2							22.70	10.30
TEETH	J250 Options														
T219618	Multi purpose dozer center	2	DB	0.625	x 6.000	x 43.969	7	7	0.750	3.98	6.00	6.00		42.30	19.19

655 B General Purpose

Serial Number: 2YD BUCKET

T104564	Base Edge For Bolt-on Edges or Teeth	1	SB	1.250	x 10.000	x 84.646	10							285.00	129.27
---------	--------------------------------------	---	----	-------	----------	----------	----	--	--	--	--	--	--	--------	--------

655 B Multi Purpose

Serial Number: MULTI PURPOSE BUCKET

T104563	Base Edge For Bolt-on Edges or Teeth	1	SB	1.250	x 10.000	x 89.134	10							300.20	136.17
T131503	One Piece bolt on	1	DB	1.000	x 10.000	x 89.125	7	5	1.000 x 3.5	5.00	10.95	14.33		231.80	105.14
T80712	Multi purpose dozer center	1	DB	0.750	x 6.000	x 63.750	7	7	1.000 x 2.75	2.88	5.00	12.00		74.10	33.61
T52515	Multi purpose dozer end	2	DB	0.750	x 6.000	x 12.000	3	3	1.000 x 2.75	3.00	3.00	3.00		13.40	6.08
T80713	Multi purpose clam edge	1	SB	1.000	x 6.000	x 87.790								142.30	64.55

655 B General Purpose

Serial Number: WIDE TRACK ROCKLAND BUCKET

T106952	Base Edge For Bolt-on Edges or Teeth	1	SB	1.250	x 10.000	x 96.614	12							325.10	147.46
---------	--------------------------------------	---	----	-------	----------	----------	----	--	--	--	--	--	--	--------	--------

655 C General Purpose

Serial Number: 2.35YD BUCKET

AT274361	Base Edge With Segment Holes	1	SB	1.000	x 9.650	x 93.310	28							244.80	111.04
AT301553	Center	1	DB				3	3	1.000 x 3						
AT301554	End	2	DB				3	3	1.000 x 3						
AT279997	Segment	7	DB	1.000	x 11.000	x 8.860	2	2	1.000 x 3	1.38	6.10			22.90	10.39
1U0307	J300 Bolt-On Center Adapter	6	ADP	4.497	x 4.000	x 14.416	2							29.70	13.47
TEETH	J300 Options	8													

655 C Multi Purpose

Serial Number: 2.1YD BUCKET

AT274361	Base Edge With Segment Holes	1	SB	1.000	x 9.650	x 93.310	28							244.80	111.04
AT301553	Center	1	DB				3	3	1.000 x 3						
AT301554	End	2	DB				3	3	1.000 x 3						
AT279997	Segment	7	DB	1.000	x 11.000	x 8.860	2	2	1.000 x 3	1.38	6.10			22.90	10.39
1U0307	J300 Bolt-On Center Adapter	6	ADP	4.497	x 4.000	x 14.416	2							29.70	13.47

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Crawler Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
TEETH	J300 Options	8													
AT278482	Multi purpose dozer edge	3	DB	0.750	x 8.000	x 31.024	5	0.750		3.50	6.00	6.00	47.72	21.65	
755 General Purpose															
Serial Number: <u>2YD BUCKET</u>															
T104564	Base Edge For Bolt-on Edges or Teeth	1	SB	1.250	x 10.000	x 84.646	10						285.00	129.27	
755 Multi Purpose															
Serial Number: <u>1.75YD MULTI PURPOSE BUCKET</u>															
T50099	Base Edge For Bolt-on Edges or Teeth	1	SB	1.250	x 8.000	x 80.810	8						238.10	108.00	
T50084	Multi purpose dozer center	1	DB	0.625	x 6.000	x 58.500	7	7	1.000 x 2.75	2.25	3.00	12.00	55.70	25.27	
T52515	Multi purpose dozer end	2	DB	0.750	x 6.000	x 12.000	3	3	1.000 x 2.75	3.00	3.00	3.00	13.40	6.08	
T50094	Multi purpose clam edge	1	SB	1.250	x 6.000	x 80.370							162.00	73.48	
755 B General Purpose															
Serial Number: <u>WIDE TRACK ROCKLAND BUCKET</u>															
T106952	Base Edge For Bolt-on Edges or Teeth	1	SB	1.250	x 10.000	x 96.614	12						325.10	147.46	
755 A B Multi Purpose															
Serial Number: <u>2YD MULTI PURPOSE BUCKET</u>															
T104563	Base Edge For Bolt-on Edges or Teeth	1	SB	1.250	x 10.000	x 89.134	10						300.20	136.17	
T131503	One Piece bolt on	1	DB	1.000	x 10.000	x 89.125	7	5	1.000 x 3.5	5.00	10.95	14.33	231.80	105.14	
T80712	Multi purpose dozer center	1	DB	0.750	x 6.000	x 63.750	7	7	1.000 x 2.75	2.88	5.00	12.00	74.10	33.61	
T52515	Multi purpose dozer end	2	DB	0.750	x 6.000	x 12.000	3	3	1.000 x 2.75	3.00	3.00	3.00	13.40	6.08	
T80713	Multi purpose clam edge	1	SB	1.000	x 6.000	x 87.790							142.30	64.55	
755 A B General Purpose															
Serial Number: <u>2.25YD BUCKET</u>															
T104563	Base Edge For Bolt-on Edges or Teeth	1	SB	1.250	x 10.000	x 89.134	10						300.20	136.17	
T131503	One Piece bolt on	1	DB	1.000	x 10.000	x 89.125	7	5	1.000 x 3.5	5.00	10.95	14.33	231.80	105.14	
755 C General Purpose															
Serial Number: <u>3.1YD BUCKET</u>															
AT276502	Base Edge With Segment Holes	1	SB	1.500	x 11.813	x 95.750	30						424.20	192.41	
AT301551	Center	2	DB		1.180 x 14.170 x		3	3	1.250 x 4.125				163.00	73.94	
AT305970	End	2	DB				3	3	1.250 x 4.125						
AT279998	Segment	7	DB	1.180	x 14.170	x 7.500	2	2	1.250 x 4.125	2.00	3.50		29.60	13.43	
855 General Purpose															
Serial Number: <u>2.75/3.25YD BUCKET</u>															
T80813	Base Edge For Bolt-on Edges or Teeth	1	SB	1.250	x 10.000	x 98.660	16						330.10	149.73	
855 Multi Purpose															
Serial Number: <u>2.75YD MULTI PURPOSE</u>															
T55074	Bent up base edge	1	SB _	1.250	x 10.000	x 93.620	16						354.20	160.66	
T53051	Multi purpose dozer center	1	DB	0.750	x 6.000	x 71.250	7	7	1.000 x 2.75	2.63	9.00	12.00	89.00	40.37	
T52515	Multi purpose dozer end	2	DB	0.750	x 6.000	x 12.000	3	3	1.000 x 2.75	3.00	3.00	3.00	13.40	6.08	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loader Backhoes

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
210 C General Purpose															
Serial Number: <u>79.25" BUCKET</u>															
T105892	Bent up base edge Without Holes	1	SB _	0.875	x 4.000	x 87.000								79.10	35.88
PBT105892	Bent up base edge	1	SB _	0.875	x 4.000	x 87.325	8							78.40	35.56
T103142	Center	1	DB	0.750	x 8.000	x 43.560	4	4	0.625 x 2.25	10.94	10.94	10.94		68.30	30.98
T103141	End	2	DB	0.750	x 8.000	x 18.940	2	2	0.625 x 2.25	2.63	10.94			29.70	13.47
210 C General Purpose															
Serial Number: <u>86" BUCKET</u>															
T150487	Base Edge	1	SB	0.750	x 6.000	x 85.984	7							96.90	43.95
T150517	Carbon Center	1	DB	0.750	x 8.000	x 85.984	7	7	0.625 x 2.5	6.99	12.00	12.00		135.10	61.28
T150517HT	Center	1	DB	0.750	x 8.000	x 85.984	7	7	0.625 x 2.5	6.99	12.00	12.00		135.10	61.28
210 C General Purpose															
Serial Number: <u>90" BUCKET</u>															
T118977	Base Edge	1	SB	0.750	x 6.000	x 90.079	8							101.50	46.04
T84194HT	One Piece bolt on	1	DB	0.750	x 8.000	x 92.375	8	8	0.625 x 2.5	4.19	12.00	12.00		145.00	65.77
210 C General Purpose															
Serial Number: <u>92.5" BUCKET</u>															
T118768	Base Edge	1	SB	0.750	x 6.000	x 92.362	8							104.10	47.22
T84194HT	One Piece bolt on	1	DB	0.750	x 8.000	x 92.375	8	8	0.625 x 2.5	4.19	12.00	12.00		145.00	65.77
210 C Multi Purpose															
Serial Number: <u>84" MULTI PURPOSE GANNON BUCKET</u>															
T128527	Base Edge	1	SB	0.750	x 8.000	x 84.500	14							128.50	58.29
T150517	Carbon Center	1	DB	0.750	x 8.000	x 85.984	7	7	0.625 x 2.5	6.99	12.00	12.00		135.10	61.28
T150517HT	Center	1	DB	0.750	x 8.000	x 85.984	7	7	0.625 x 2.5	6.99	12.00	12.00		135.10	61.28
T143803	Multi purpose dozer center	1	DB	0.750	x 8.000	x 82.250	7	7	0.625 x 3	5.13	12.00	12.00		129.20	58.60
T143687	Multi purpose clam edge	1	SE	0.750	x 4.000	x 81.250								69.20	31.39
210 LE General Purpose															
Serial Number: <u>86" BUCKET</u>															
T150487	Base Edge	1	SB	0.750	x 6.000	x 85.984	7							96.90	43.95
T150517	Carbon Center	1	DB	0.750	x 8.000	x 85.984	7	7	0.625 x 2.5	6.99	12.00	12.00		135.10	61.28
T150517HT	Center	1	DB	0.750	x 8.000	x 85.984	7	7	0.625 x 2.5	6.99	12.00	12.00		135.10	61.28
210 LE Multi Purpose															
Serial Number: <u>82" MULTI PURPOSE BUCKET AT308042</u>															
T166419	Base Edge	1	SB	0.750	x 8.000	x 82.000	14							124.70	56.56
T166437	Center	1	DB	0.750	x 8.000	x 82.000	7	7	0.625 x 2.25	5.00	12.00	12.00		128.80	58.42
T166418	Multi purpose dozer center	1		0.750	x 8.000	x 79.870	7	7	0.625 x 2	3.93	12.00	12.00		125.40	56.88
210 LE Multi Purpose															
Serial Number: <u>84" MULTI PURPOSE BUCKET AT308191</u>															
T166455	Base Edge	1	SB	0.750	x 8.000	x 85.984	14							130.80	59.33
T150517	Carbon Center	1	DB	0.750	x 8.000	x 85.984	7	7	0.625 x 2.5	6.99	12.00	12.00		135.10	61.28
T150517HT	Center	1	DB	0.750	x 8.000	x 85.984	7	7	0.625 x 2.5	6.99	12.00	12.00		135.10	61.28
T166454	Multi purpose dozer center	1	DB	0.750	x 8.000	x 83.854	7	7	0.625 x 2	5.93	12.00	12.00		131.70	59.74
210 LE Multi Purpose															
Serial Number: <u>86" MULTI PURPOSE GANNON BUCKET</u>															
T161635	Base Edge	1	SB	0.750	x 8.000	x 86.500	14							134.50	61.01

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loader Backhoes

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T150517	Carbon Center	1	DB	0.750	8.000	85.984	7	7	0.625 x 2.5	6.99	12.00	12.00	135.10	61.28	
T150517HT	Center	1	DB	0.750	8.000	85.984	7	7	0.625 x 2.5	6.99	12.00	12.00	135.10	61.28	
T162400	Multi purpose dozer center	1	DB	0.750	8.000	84.250	7	7	0.625 x 3	6.13	12.00	12.00	129.00	58.51	
T161636	Multi purpose clam edge	1	SE	0.750	6.000	83.252							106.00	48.08	

310 General Purpose

Serial Number: 66" BUCKET

T34095	Bent up base edge Without Holes	1	SB _]	0.875	4.000	73.325							66.10	29.98
PBT34095	Bent up base edge	1	SB _]	0.875	4.000	64.438	8						65.00	29.48
T84180	One Piece bolt on	1	DB	0.750	8.000	66.250	8	8	0.500 x 2.75	3.50	7.50	9.75	103.90	47.13

310 315 C D E SE G SG General Purpose

Serial Number: 86" BUCKET

T150487	Base Edge	1	SB	0.750	6.000	85.984	7						96.90	43.95
T150517	Carbon Center	1	DB	0.750	8.000	85.984	7	7	0.625 x 2.5	6.99	12.00	12.00	135.10	61.28
T150517HT	Center	1	DB	0.750	8.000	85.984	7	7	0.625 x 2.5	6.99	12.00	12.00	135.10	61.28

310 315 A B C D General Purpose

Serial Number: 90" BUCKET

T118977	Base Edge	1	SB	0.750	6.000	90.079	8						101.50	46.04
T84194HT	One Piece bolt on	1	DB	0.750	8.000	92.375	8	8	0.625 x 2.5	4.19	12.00	12.00	145.00	65.77

310 315 C D E SE G SG General Purpose

Serial Number: 92.5" BUCKET

T118768	Base Edge	1	SB	0.750	6.000	92.362	8						104.10	47.22
T84194HT	One Piece bolt on	1	DB	0.750	8.000	92.375	8	8	0.625 x 2.5	4.19	12.00	12.00	145.00	65.77

310 315 E SE G SG Multi Purpose

Serial Number: 82" MULTI PURPOSE BUCKET

T166419	Base Edge	1	SB	0.750	8.000	82.000	14						124.70	56.56
T166437	Center	1	DB	0.750	8.000	82.000	7	7	0.625 x 2.25	5.00	12.00	12.00	128.80	58.42
T166418	Multi purpose dozer center	1		0.750	8.000	79.870	7	7	0.625 x 2	3.93	12.00	12.00	125.40	56.88

310 315 E SE Multi Purpose

Serial Number: 86" MULTI PURPOSE BUCKET

T161635	Base Edge	1	SB	0.750	8.000	86.500	14						134.50	61.01
T150517	Carbon Center	1	DB	0.750	8.000	85.984	7	7	0.625 x 2.5	6.99	12.00	12.00	135.10	61.28
T150517HT	Center	1	DB	0.750	8.000	85.984	7	7	0.625 x 2.5	6.99	12.00	12.00	135.10	61.28
T162400	Multi purpose dozer center	1	DB	0.750	8.000	84.250	7	7	0.625 x 2	6.13	12.00	12.00	129.00	58.51
T161636	Multi purpose clam edge	1	SE	0.750	6.000	83.252							106.00	48.08

310 315 C D E SE Multi Purpose

Serial Number: 92.5" MULTI PURPOSE BUCKET

T128538	Base Edge	1	SB	0.750	8.000	92.500	16						140.60	63.78
T84194HT	One Piece bolt on	1	DB	0.750	8.000	92.375	8	8	0.625 x 2.5	4.19	12.00	12.00	145.00	65.77
T143802	Multi purpose dozer center	1	DB	0.750	8.000	90.248	8	8	0.625 x 2	3.12	12.00	12.00	141.70	64.27
T143679	Multi purpose clam edge	1	SE	0.750	4.000	89.250							75.80	34.38

410 510 610 C D General Purpose

Serial Number: 90" BUCKET 1.0YD

T118977	Base Edge	1	SB	0.750	6.000	90.079	8						101.50	46.04
T84194	Center	1	DB	0.750	8.000	92.378	8	8	0.625 x 2.5	4.19	12.00	12.00	145.10	65.82

410 510 610 C D General Purpose

Serial Number: 92.5" BUCKET 1.42YD

T118768	Base Edge	1	SB	0.750	6.000	92.362	8						104.10	47.22
---------	-----------	---	----	-------	-------	--------	---	--	--	--	--	--	--------	-------

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Loader Backhoes

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
T84194	Center	1 DB	0.750	8.000	92.378	8	8	0.625 x 2.5	4.19	12.00	12.00	145.10	65.82	
410 510 610 C D General Purpose														
Serial Number: <u>93" BUCKET 1.5YD</u>														
T142888	Base Edge	1	1.000	8.000	92.878	8						193.90	87.95	
T126774	Center	1 DB	0.625	8.000	97.000	8	8	0.625 x 2.75	6.50	12.00	12.00	125.20	56.79	
410 510 610 C D Multi Purpose														
Serial Number: <u>92.5" MULTI PURPOSE BUCKET</u>														
T128538	Base Edge	1 SB	0.750	8.000	92.500	16						140.60	63.78	
T84194	Center	1 DB	0.750	8.000	92.378	8	8	0.625 x 2.5	4.19	12.00	12.00	145.10	65.82	
T143802	Multi purpose dozer center	1 DB	0.750	8.000	90.248	8	8	0.625 x 2	3.12	12.00	12.00	141.70	64.27	
T143679	Multi purpose clam edge	1 SE	0.750	4.000	89.250							75.80	34.38	
410 E G General Purpose														
Serial Number: <u>86" BUCKET</u>														
T150487	Base Edge	1 SB	0.750	6.000	85.984	7						96.90	43.95	
T150517	Carbon Center	1 DB	0.750	8.000	85.984	7	7	0.625 x 2.5	6.99	12.00	12.00	135.10	61.28	
T150517HT	Center	1 DB	0.750	8.000	85.984	7	7	0.625 x 2.5	6.99	12.00	12.00	135.10	61.28	
410 E G General Purpose														
Serial Number: <u>92.5" BUCKET</u>														
T118768	Base Edge	1 SB	0.750	6.000	92.362	8						104.10	47.22	
T84194	Center	1 DB	0.750	8.000	92.378	8	8	0.625 x 2.5	4.19	12.00	12.00	145.10	65.82	
410 E G General Purpose														
Serial Number: <u>94.5" BUCKET</u>														
T164728	Base Edge	1 SB	0.750	6.000	94.362	8						107.00	48.53	
T143804	Center	1 DB	0.750	8.000	94.248	8	8	0.625 x 2	5.13	12.00	12.00	148.00	67.13	
410 E G Multi Purpose														
Serial Number: <u>92.5" MULTI PURPOSE BUCKET</u>														
T128538	Base Edge	1 SB	0.750	8.000	92.500	16						140.60	63.78	
T84194	Center	1 DB	0.750	8.000	92.378	8	8	0.625 x 2.5	4.19	12.00	12.00	145.10	65.82	
T143802	Multi purpose dozer center	1 DB	0.750	8.000	90.248	8	8	0.625 x 2	3.12	12.00	12.00	141.70	64.27	
T143679	Multi purpose clam edge	1 SE	0.750	4.000	89.250							75.80	34.38	
410 E G Multi Purpose														
Serial Number: <u>92.38" MULTI PURPOSE BUCKET</u>														
T166474	Base Edge	1 SB	0.750	8.000	92.381	16						140.40	63.68	
T84194	Center	1 DB	0.750	8.000	92.378	8	8	0.625 x 2.5	4.19	12.00	12.00	145.10	65.82	
T166472	Multi purpose dozer center	1 DB	0.750	8.000	90.250	8	8	0.625 x 2	3.13	12.00	12.00	145.10	65.82	
710 D G General Purpose														
Serial Number: <u>92.5" BUCKET</u>														
T142888	Base Edge	1	1.000	8.000	92.878	8						193.90	87.95	
T84194	Center	1 DB	0.750	8.000	92.378	8	8	0.625 x 2.5	4.19	12.00	12.00	145.10	65.82	
710 D G General Purpose														
Serial Number: <u>97" BUCKET</u>														
T143074	Base Edge	1 SB	1.000	8.000	97.000	8						205.90	93.39	
T126774	Center	1 DB	0.625	8.000	97.000	8	8	0.625 x 2.75	6.50	12.00	12.00	125.20	56.79	
710 G General Purpose														
Serial Number: <u>100.5" BUCKET</u>														
T157282	Base Edge With Segment Holes	1 SB	1.000	8.000	100.394	30						209.70	95.12	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.


Black Cat Replacement Parts For John Deere® Equipment Loader Backhoes

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
T157311	Center	2	DB	1.000	10.000	41.594	3	3	0.750 x 3	6.96	14.08	14.08	110.10	49.94
T146672	End	2	DB	1.000	14.000	8.120	3	3	0.750 x 3	5.00	2.00	2.00	30.00	13.61
D45436	Half Arrow Center LH (Fabricated)	1	HA	1.563	10.000	50.236	4	4	0.750 x 3	6.96	14.08	14.08	245.00	111.13
D45437	Half Arrow Center RH (Fabricated)	1	HA	1.563	10.000	50.236	4	4	0.750 x 3	6.96	14.08	14.08	245.00	111.13
T157306	Segment	7	DB	1.000	10.000	10.173	2	2	0.750 x 3	1.37	7.43		26.20	11.88
T157306HA	HA Segment (Fabricated)	7	HA	1.563	10.000	10.173	2	2	0.750 x 3	1.37	7.43		49.00	22.23
T156599	Bolt-On Wear Plate	2	DB	1.000	8.000	15.748	4	2	0.625 x 2	1.18	13.39		33.00	14.97
								2	0.625 x 2	1.18	13.39		...	2nd Row

710 D G Multi Purpose

Serial Number: 96.5" MULTI PURPOSE BUCKET

T128539	Base Edge	1	SB	1.000	8.000	96.500	16						203.40	92.26
T126774	Center	1	DB	0.625	8.000	97.000	8	8	0.625 x 2.75	6.50	12.00	12.00	125.20	56.79
T143804	Multi purpose dozer center	1	DB	0.750	8.000	94.248	8	8	0.625 x 2	5.13	12.00	12.00	148.00	67.13
T143690	Multi purpose clam edge	1	SE	0.750	4.000	93.250							79.20	35.92





Black Cat Blades Ltd.

Black Cat Replacement Parts For
John Deere® Equipment
Skid Steers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
240 250 260 270 280 317 320 325 328 332 54" BUCKETS															
Serial Number: <u>CONSTRUCTION, UTILITY, MANURE, SLURRY BUCKETS</u>															
KV12945	Base Edge	1	SB	0.750	6.000	54.000	5							60.80	27.58
KV12470	One Piece bolt on	1	DB	0.625	6.000	54.000	5	5	0.625 x 2.25	3.00	12.00	12.00		52.60	23.86
240 250 260 270 280 317 320 325 328 332 54" BUCKETS															
Serial Number: <u>TOOTH BUCKET</u>															
KV12946	Base Edge Without Holes	1	SB	0.750	6.000	54.000								61.20	27.76
240 250 260 270 280 317 320 325 328 332 60" BUCKETS															
Serial Number: <u>CONSTRUCTION, UTILITY, MANURE, SLURRY, FOUNDRY BUCKETS</u>															
KV12947	Base Edge	1	SB	0.750	6.000	60.000	6							68.00	30.84
KV17819	One Piece bolt on	1	DB	0.625	6.000	60.000	6	6	0.625 x 2.25	3.00	9.00	12.00		57.30	25.99
240 250 260 270 280 317 320 325 328 332 60" BUCKETS															
Serial Number: <u>TOOTH, LIGHT MATERIAL BUCKETS</u>															
KV12948	Base Edge Without Holes	1	SB	0.750	6.000	60.000								68.00	30.84
240 250 260 270 280 317 320 325 328 332 66" BUCKETS															
Serial Number: <u>CONSTRUCTION, UTILITY, MANURE, SLURRY, FOUNDRY BUCKETS</u>															
T211664	Base Edge	1	SB	0.750	6.000	66.000	7							74.50	33.79
U16748	One Piece bolt on	1	DB	0.625	6.000	65.875	7	7	0.750 x 2.25	2.94	6.00	12.00		63.90	28.98
240 250 260 270 280 317 320 325 328 332 66" BUCKETS															
Serial Number: <u>TOOTH BUCKET</u>															
KV10297	Base Edge Without Holes	1	SB	0.750	6.000	66.000								75.00	34.02
240 250 260 270 280 317 320 325 328 332 66" BUCKETS															
Serial Number: <u>MULTI PURPOSE BUCKET</u>															
KV15522	Base Edge	1	SB												
KV15527	Multi purpose clam edge	1	SE												
KV15516	Multi purpose dozer center	1	DB				9	9	0.625 x 2						
240 250 260 270 280 317 320 325 328 332 72" BUCKETS															
Serial Number: <u>CONSTRUCTION, UTILITY, MANURE, SLURRY, FOUNDRY BUCKETS</u>															
KV12951	Base Edge	1	SB	0.750	6.000	72.000	7							81.00	36.74
T32742	One Piece bolt on	1	DB	0.625	6.000	71.874	7	7	0.750 x 2.25	2.94	9.00	12.00		69.80	31.66
240 250 260 270 280 317 320 325 328 332 72" BUCKETS															
Serial Number: <u>TOOTH, LIGHT MATERIAL BUCKETS</u>															
KV12952	Base Edge Without Holes	1	SB	0.750	6.000	72.000								82.00	37.19
240 250 260 270 280 317 320 325 328 332 72" BUCKETS															
Serial Number: <u>MULTI PURPOSE BUCKET</u>															
KV15523	Base Edge	1	SB												
KV15528	Multi purpose clam edge	1	SE												
KV15517	Multi purpose dozer center	1	DB				9	9	0.625 x 2						
240 250 260 270 280 317 320 325 328 332 76" BUCKETS															
Serial Number: <u>CONSTRUCTION</u>															
T222985	Base Edge	1	SB	0.750	6.000	76.000	7							85.30	38.69
T223081	One Piece bolt on	1	DB	0.625	6.000	75.984	7	7	0.750 x 2.25	3.00	11.00	12.00		73.80	33.48
T223081HT		1	DB	0.625	6.000	75.984	7		0.750	3.00	11.00	12.00		73.80	33.48
240 250 260 270 280 317 320 325 328 332 76" BUCKETS															
Serial Number: <u>TOOTH BUCKET</u>															
T223037	Base Edge Without Holes	1	SB	0.750	6.000	76.000								86.10	39.05
240 250 260 270 280 317 320 325 328 332 78" BUCKETS															
Serial Number: <u>CONSTRUCTION, UTILITY BUCKETS</u>															


Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For
John Deere® Equipment
Skid Steers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
KV12953	Base Edge	1	SB	0.750	6.000	77.874	8						87.00	39.46
KV12758	One Piece bolt on	1	DB	0.625	6.000	78.000	8	8	0.750 x 2.25	3.00	6.00	12.00	75.70	34.34
240 250 260 270 280 317 320 325 328 332 78" BUCKETS														
Serial Number: <u>TOOTH BUCKET</u>														
KV14396	Base Edge Without Holes	1	SB	0.750	6.000	78.000							89.00	40.37
240 250 260 270 280 317 320 325 328 332 78" BUCKETS														
Serial Number: <u>MULTI PURPOSE BUCKET</u>														
KV19428	Base Edge	1	SB											
KV19429	Multi purpose clam edge	1	SB											
240 250 260 270 280 317 320 325 328 332 84" BUCKETS														
Serial Number: <u>CONSTRUCTION, UTILITY BUCKETS</u>														
KV12954	Base Edge	1	SB	0.750	6.000	84.000	8						92.30	41.87
KV12471	One Piece bolt on	1	DB	0.625	6.000	84.000	8	8	0.750 x 2.25	3.00	9.00	12.00	81.60	37.01
240 250 260 270 280 317 320 325 328 332 84" BUCKETS														
Serial Number: <u>TOOTH, LIGHT MATERIAL BUCKETS</u>														
KV12955	Base Edge Without Holes	1	SB	0.750	6.000	84.000							95.00	43.09
240 250 260 270 280 317 320 325 328 332 84" BUCKETS														
Serial Number: <u>MULTI PURPOSE BUCKET</u>														
KV22160	Base Edge	1	SB											
KV22161	Multi purpose clam edge	1	SE											





Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Scraper

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
1312 C Pull Scraper														
Serial Number: <u>UP TO 1069</u>														
0241364699	Center	1	DB	0.750 x 13.000 x 63.820			18	6	0.750 x 2.25 0.750 x 0	1.94	12.00	12.00	156.30	70.90
										1.94	12.00	12.00	...2nd Row	
0241395873	Heavy Duty Wider Center	1	DB	1.000 x 16.000 x 63.790			12	6	0.750 x 2.25 0.750 x 2.25	1.94	12.00	12.00	249.40	113.13
										1.94	12.00	12.00	...2nd Row	
0241364716	End	2	DB	0.750 x 10.000 x 39.820			8	4	0.750 x 2.25 0.750 x 0	1.94	12.00	12.00	72.80	33.02
										1.94	12.00	12.00	...2nd Row	
CB01440140	Router Bit	2	IRR	1.500 x 10.000 x 30.038			10		0.688 x 2 0.688 x 0	1.07	6.01	2.93	47.40	21.50
										1.07	6.01	2.93	...2nd Row	
CB01440140L	Light Duty Router Bit	2	IRR	1.000 x 10.100 x 30.350			10		0.688 x 2 0.688 x 0	1.07	6.01	2.93	36.40	16.51
										1.07	6.01	2.93	...2nd Row	
1312 C Pull Scraper														
Serial Number: <u>1070 AND UP</u>														
CB01440376	Center	1	DB	0.875 x 13.000 x 63.870			33	11	0.750 x 2.25 0.750 x 0	1.94	6.00	6.00	185.70	84.23
										1.94	6.00	6.00	...2nd Row	
CB01440377	Heavy Duty Wider Center	1	DB	0.875 x 16.000 x 63.880			22	11	0.750 x 2.25 0.750 x 2.25	1.94	6.00	6.00	226.60	102.78
										1.94	6.00	6.00	...2nd Row	
CB01440368	End	2	DB	0.750 x 10.000 x 39.840			14	7	0.750 x 2.25 0.750 x 0	1.91	6.00	6.00	71.60	32.48
										1.91	6.00	6.00	...2nd Row	
CB01440140	Router Bit	2	IRR	1.500 x 10.000 x 30.038			10		0.688 x 2 0.688 x 0	1.07	6.01	2.93	47.40	21.50
										1.07	6.01	2.93	...2nd Row	
CB01440140L	Light Duty Router Bit	2	IRR	1.000 x 10.100 x 30.350			10		0.688 x 2 0.688 x 0	1.07	6.01	2.93	36.40	16.51
										1.07	6.01	2.93	...2nd Row	
1412 E Pull Scraper														
Serial Number:														
CB01428503	Center	8	DB	0.875 x 16.000 x 17.945			6	3	0.750 x 2.5 0.750 x 2.5	2.97	6.00	6.00	64.40	29.21
										2.97	6.00	6.00	...2nd Row	
CB01428505	Optional Center	12	DB	0.875 x 16.000 x 11.940			4	2	0.750 x 2.5 0.750 x 2.5	2.95	6.00		42.40	19.23
										2.95	6.00		...2nd Row	
CB01440140	Router Bit	2	IRR	1.500 x 10.000 x 30.038			10		0.688 x 2 0.688 x 0	1.07	6.01	2.93	47.40	21.50
										1.07	6.01	2.93	...2nd Row	
CB01440140L	Light Duty Router Bit	2	IRR	1.000 x 10.100 x 30.350			10		0.688 x 2 0.688 x 0	1.07	6.01	2.93	36.40	16.51
										1.07	6.01	2.93	...2nd Row	
1510 C Pull Scraper														
Serial Number: <u>UP TO 1150</u>														
0241365534	Center	1	DB	0.750 x 13.000 x 39.880			12	4	0.750 x 2.25 0.750 x 0	1.94	12.00	12.00	97.30	44.13
										1.94	12.00	12.00	...2nd Row	
0241397974	Heavy Duty Wider Center	1	DB	1.000 x 16.000 x 39.820			8	4	0.750 x 2.25 0.750 x 2.25	1.94	12.00	12.00	155.50	70.53
										1.94	12.00	12.00	...2nd Row	
0241364716	End	2	DB	0.750 x 10.000 x 39.820			8	4	0.750 x 2.25 0.750 x 0	1.94	12.00	12.00	72.80	33.02
										1.94	12.00	12.00	...2nd Row	
CB01440140	Router Bit	2	IRR	1.500 x 10.000 x 30.038			10		0.688 x 2 0.688 x 0	1.07	6.01	2.93	47.40	21.50
										1.07	6.01	2.93	...2nd Row	
CB01440140L	Light Duty Router Bit	2	IRR	1.000 x 10.100 x 30.350			10		0.688 x 2 0.688 x 0	1.07	6.01	2.93	36.40	16.51
										1.07	6.01	2.93	...2nd Row	
1510 C Pull Scraper														
Serial Number: <u>1511 AND UP</u>														
CB01440373	Center	1	DB	0.875 x 13.000 x 39.870			21	7	0.750 x 2.25 0.750 x 0	1.94	6.00	6.00	115.80	52.53
										1.94	6.00	6.00	...2nd Row	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Scraper

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
CB01440374	Heavy Duty Wider Center	1 DB	0.875 x 16.000 x 39.870			14	7	0.750 x 2.25	1.94	6.00	6.00	141.30	64.09	
							7	0.750 x 2.25	1.94	6.00	6.00	...2nd Row		
CB01440368	End	2 DB	0.750 x 10.000 x 39.840			14	7	0.750 x 2.25	1.91	6.00	6.00	71.60	32.48	
								0.750 x 0	1.91	6.00	6.00	...2nd Row		
CB01440140	Router Bit	2 IRR	1.500 x 10.000 x 30.038			10		0.688 x 2	1.07	6.01	2.93	47.40	21.50	
								0.688 x 0	1.07	6.01	2.93	...2nd Row		
CB01440140L	Light Duty Router Bit	2 IRR	1.000 x 10.100 x 30.350			10		0.688 x 2	1.07	6.01	2.93	36.40	16.51	
								0.688 x 0	1.07	6.01	2.93	...2nd Row		

1512 C Pull Scraper

Serial Number:

CB01440376	Center	1 DB	0.875 x 13.000 x 63.870			33	11	0.750 x 2.25	1.94	6.00	6.00	185.70	84.23
								0.750 x 0	1.94	6.00	6.00	...2nd Row	
CB01440368	End	2 DB	0.750 x 10.000 x 39.840			14	7	0.750 x 2.25	1.91	6.00	6.00	71.60	32.48
								0.750 x 0	1.91	6.00	6.00	...2nd Row	
CB01440140	Router Bit	2 IRR	1.500 x 10.000 x 30.038			10		0.688 x 2	1.07	6.01	2.93	47.40	21.50
								0.688 x 0	1.07	6.01	2.93	...2nd Row	
CB01440140L	Light Duty Router Bit	2 IRR	1.000 x 10.100 x 30.350			10		0.688 x 2	1.07	6.01	2.93	36.40	16.51
								0.688 x 0	1.07	6.01	2.93	...2nd Row	

1512 E Pull Scraper

Serial Number:

CB01428503	Center	8 DB	0.875 x 16.000 x 17.945			6	3	0.750 x 2.5	2.97	6.00	6.00	64.40	29.21
							3	0.750 x 2.5	2.97	6.00	6.00	...2nd Row	
CB01428505	Optional Center	12 DB	0.875 x 16.000 x 11.940			4	2	0.750 x 2.5	2.95	6.00		42.40	19.23
							2	0.750 x 2.5	2.95	6.00		...2nd Row	
CB01440140	Router Bit	2 IRR	1.500 x 10.000 x 30.038			10		0.688 x 2	1.07	6.01	2.93	47.40	21.50
								0.688 x 0	1.07	6.01	2.93	...2nd Row	
CB01440140L	Light Duty Router Bit	2 IRR	1.000 x 10.100 x 30.350			10		0.688 x 2	1.07	6.01	2.93	36.40	16.51
								0.688 x 0	1.07	6.01	2.93	...2nd Row	

1512 E Pull Scraper

Serial Number:

CB01428503	Center	7 DB	0.875 x 16.000 x 17.945			6	3	0.750 x 2.5	2.97	6.00	6.00	64.40	29.21
							3	0.750 x 2.5	2.97	6.00	6.00	...2nd Row	
CB01440140	Router Bit	2 IRR	1.500 x 10.000 x 30.038			10		0.688 x 2	1.07	6.01	2.93	47.40	21.50
								0.688 x 0	1.07	6.01	2.93	...2nd Row	
CB01440140L	Light Duty Router Bit	2 IRR	1.000 x 10.100 x 30.350			10		0.688 x 2	1.07	6.01	2.93	36.40	16.51
								0.688 x 0	1.07	6.01	2.93	...2nd Row	

1812 C Pull Scraper

Serial Number: UP TO 1583

0241364699	Center	1 DB	0.750 x 13.000 x 63.820			18	6	0.750 x 2.25	1.94	12.00	12.00	156.30	70.90
								0.750 x 0	1.94	12.00	12.00	...2nd Row	
0241395873	Heavy Duty Wider Center	1 DB	1.000 x 16.000 x 63.790			12	6	0.750 x 2.25	1.94	12.00	12.00	249.40	113.13
							6	0.750 x 2.25	1.94	12.00	12.00	...2nd Row	
0241364716	End	2 DB	0.750 x 10.000 x 39.820			8	4	0.750 x 2.25	1.94	12.00	12.00	72.80	33.02
								0.750 x 0	1.94	12.00	12.00	...2nd Row	
CB01440140	Router Bit	2 IRR	1.500 x 10.000 x 30.038			10		0.688 x 2	1.07	6.01	2.93	47.40	21.50
								0.688 x 0	1.07	6.01	2.93	...2nd Row	
CB01440140L	Light Duty Router Bit	2 IRR	1.000 x 10.100 x 30.350			10		0.688 x 2	1.07	6.01	2.93	36.40	16.51
								0.688 x 0	1.07	6.01	2.93	...2nd Row	

1812 C Pull Scraper

Serial Number: 1584 AND UP

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Scraper

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
CB01440376	Center	1 DB	0.875	13.000	63.870	33	11	0.750 x 2.25 0.750 x 0	1.94	6.00	6.00	185.70	84.23
									1.94	6.00	6.00	...2nd Row	
CB01440377	Heavy Duty Wider Center	1 DB	0.875	16.000	63.880	22	11	0.750 x 2.25 0.750 x 2.25	1.94	6.00	6.00	226.60	102.78
									1.94	6.00	6.00	...2nd Row	
CB01440368	End	2 DB	0.750	10.000	39.840	14	7	0.750 x 2.25 0.750 x 0	1.91	6.00	6.00	71.60	32.48
									1.91	6.00	6.00	...2nd Row	
CB01440140	Router Bit	2 IRR	1.500	10.000	30.038	10		0.688 x 2 0.688 x 0	1.07	6.01	2.93	47.40	21.50
									1.07	6.01	2.93	...2nd Row	
CB01440140L	Light Duty Router Bit	2 IRR	1.000	10.100	30.350	10		0.688 x 2 0.688 x 0	1.07	6.01	2.93	36.40	16.51
									1.07	6.01	2.93	...2nd Row	

1814 C Pull Scraper

Serial Number: UP TO 1123

0241365538	Center	1 DB	1.000	13.000	87.880	24	8	0.750 x 2.25 0.750 x 0	1.97	12.00	12.00	267.70	121.43
									1.94	12.00	12.00	...2nd Row	
CB01432845	Heavy Duty Wider Center	1 DB	1.000	16.000	87.940	16	8	0.750 x 2.25 0.750 x 2.25	1.97	12.00	12.00	349.00	158.30
									1.97	12.00	12.00	...2nd Row	
0241364716	End	2 DB	0.750	10.000	39.820	8	4	0.750 x 2.25 0.750 x 0	1.94	12.00	12.00	72.80	33.02
									1.94	12.00	12.00	...2nd Row	
CB01440140	Router Bit	2 IRR	1.500	10.000	30.038	10		0.688 x 2 0.688 x 0	1.07	6.01	2.93	47.40	21.50
									1.07	6.01	2.93	...2nd Row	
CB01440140L	Light Duty Router Bit	2 IRR	1.000	10.100	30.350	10		0.688 x 2 0.688 x 0	1.07	6.01	2.93	36.40	16.51
									1.07	6.01	2.93	...2nd Row	

1814 C Pull Scraper

Serial Number: 1124 AND UP

CB01440379	Center	1 DB	0.875	13.000	87.870	45	15	0.750 x 2.25 0.750 x 0	1.94	6.00	6.00	255.40	115.85
									1.94	6.00	6.00	...2nd Row	
CB01440368	End	2 DB	0.750	10.000	39.840	14	7	0.750 x 2.25 0.750 x 0	1.91	6.00	6.00	71.60	32.48
									1.91	6.00	6.00	...2nd Row	
CB01440140	Router Bit	2 IRR	1.500	10.000	30.038	10		0.688 x 2 0.688 x 0	1.07	6.01	2.93	47.40	21.50
									1.07	6.01	2.93	...2nd Row	
CB01440140L	Light Duty Router Bit	2 IRR	1.000	10.100	30.350	10		0.688 x 2 0.688 x 0	1.07	6.01	2.93	36.40	16.51
									1.07	6.01	2.93	...2nd Row	

1814 E Pull Scraper

Serial Number:

CB01428503	Center	7 DB	0.875	16.000	17.945	6	3	0.750 x 2.5 0.750 x 2.5	2.97	6.00	6.00	64.40	29.21
									2.97	6.00	6.00	...2nd Row	
CB01428505	Center	4 DB	0.875	16.000	11.940	4	2	0.750 x 2.5 0.750 x 2.5	2.95	6.00		42.40	19.23
									2.95	6.00		...2nd Row	
CB01440140	Router Bit	2 IRR	1.500	10.000	30.038	10		0.688 x 2 0.688 x 0	1.07	6.01	2.93	47.40	21.50
									1.07	6.01	2.93	...2nd Row	
CB01440140L	Light Duty Router Bit	2 IRR	1.000	10.100	30.350	10		0.688 x 2 0.688 x 0	1.07	6.01	2.93	36.40	16.51
									1.07	6.01	2.93	...2nd Row	

2112 E Pull Scraper

Serial Number:

CB01428503	Center	8 DB	0.875	16.000	17.945	6	3	0.750 x 2.5 0.750 x 2.5	2.97	6.00	6.00	64.40	29.21
									2.97	6.00	6.00	...2nd Row	
CB01428505	Optional Center	12 DB	0.875	16.000	11.940	4	2	0.750 x 2.5 0.750 x 2.5	2.95	6.00		42.40	19.23
									2.95	6.00		...2nd Row	
D26669	Router Bit	2 IRR	1.000	10.100	30.350	10	5	0.688 x 2	1.07	6.01	2.93	49.10	22.27

760 762 Motor Scraper

Serial Number:

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Scraper

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
U15809	Center	1	DB	0.750	x 10.000	x 53.875	27	9	0.750 x 2.5 0.750 x 0	2.94 2.94	6.00 6.00	6.00 6.00	100.40	45.54	...2nd Row
U15808	End	2	DB	0.750	x 10.000	x 17.875	9	3	0.750 x 2.5 0.750 x 0	2.94 2.94	6.00 6.00	6.00 6.00	33.50	15.20	...2nd Row
U15809HT	Center	1	DB	0.750	x 10.000	x 53.875	27	9	0.750 x 2.5 0.750 x 0	2.94 2.94	6.00 6.00	6.00 6.00	101.10	45.86	...2nd Row
U15808HT	End	2	DB	0.750	x 10.000	x 17.875	9	3	0.750 x 2.5 0.750 x 0	2.94 2.94	6.00 6.00	6.00 6.00	33.50	15.20	...2nd Row
T107607	Heavy Duty Center	1	DB	1.000	x 10.000	x 53.875	27	9	0.750 x 2.5 0.750 x 0	2.94 2.94	6.00 6.00	6.00 6.00	134.10	60.83	...2nd Row
T107606	HD End	2	DB	1.000	x 10.000	x 17.875	9	3	0.750 x 2.5 0.750 x 0	2.94 2.94	6.00 6.00	6.00 6.00	45.00	20.41	...2nd Row
U16420	RH Router Bit	1	IRR	0.750	x 10.250	x 16.500	5	3	0.813 x 2.5	1.63	6.75	6.75	23.00	10.43	
U16421	LH Router Bit	1	IRR	0.750	x 10.250	x 16.500	5	3	0.813 x 2.5	1.63	6.75	6.75	23.00	10.43	
U17518	Extended RH Router Bit	1	IRR	0.750	x 11.810	x 25.500	5	5	0.813 x 2.5	1.63	3.38	3.38	48.00	21.77	
U17519	Extended LH Router Bit	1	IRR	0.750	x 11.810	x 25.500	5	5	0.813 x 2.5	1.63	3.38	3.38	48.00	21.77	
762BS	Straight Blade Support	1	SE	0.750	x 9.000	x 90.000	25		0.813 0.813	3.00 3.00	6.00 6.00	6.00 6.00	167.81	76.12	...2nd Row

860 862 Motor Scraper

Serial Number:

T145455	Center	1	DB	1.000	x 13.000	x 65.880	33	11	0.750 x 2.75 0.750 x 2.75	2.94 2.94	6.00 6.00	6.00 6.00	216.20	98.07	...2nd Row
T145456	End	2	DB	1.000	x 13.000	x 20.000	9	3	0.750 x 2.75 0.750 x 0	2.94 2.94	6.00 6.00	6.00 6.00	65.90	29.89	...2nd Row
T145457	Heavy Duty Center	1	DB	1.125	x 13.000	x 65.880	33	11	0.750 x 2.75 0.750 x 2.75	2.94 2.94	6.00 6.00	6.00 6.00	234.50	106.37	...2nd Row
T145458	HD End	2	DB	1.125	x 13.000	x 20.000	9	3	0.750 x 2.75 0.750 x 0	2.94 2.94	6.00 6.00	6.00 6.00	71.50	32.43	...2nd Row
T114519	RH Router Bit	1	IRR	0.750	x 11.299	x 19.921	4	4	0.813 x 2.75	1.61	5.56	5.56	59.00	26.76	
T114520	LH Router Bit	1	IRR	0.750	x 11.299	x 19.921	4	4	0.813 x 2.75	1.61	5.56	5.56	59.00	26.76	
860FROG	Straight Blade Support	1	SE	1.000	x 10.500	x 106.000	34		0.813 0.813	5.00 5.00	6.00 6.00	6.00 6.00	306.00	138.80	...2nd Row

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Grader End Bits and Overlays

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
570															
<u>Serial Number:</u> UP TO 551920															
U42495	End bit LH/RH	2	DB	0.625	6.000	16.744	4	4	0.625 x 2.25	2.19	4.93	4.74	14.30	6.49	
T34084	Overlay RH for 6" blades	1	IRR	0.625	9.000	21.963	6	6	0.625 x 2.75	4.33	2.33	4.70	29.50	13.38	
T34085	Overlay LH for 6" blades	1	IRR	0.625	9.000	21.813	6	6	0.625 x 2.75	4.33	2.33	4.70	29.50	13.38	
570															
<u>Serial Number:</u> 551921 AND UP															
T152767	End bit LH/RH	2	DB	0.625	6.000	16.587	4	4	0.625 x 2.25	2.77	3.68	3.68	14.00	6.35	
670 672 A B C CII CH CHII															
<u>Serial Number:</u>															
T71955	End bit LH/RH	2	DB	0.625	6.000	18.213	4	4	0.625 x 2.25	2.41	4.91	4.91	17.00	7.71	
T71956	Heavy Duty End bit LH/RH	2	DB	0.750	6.000	18.181	4	4	0.625 x 2.25	2.44	4.91	4.91	21.00	9.53	
T70926	Overlay LH/RH for 6" blades	1	DB	0.625	9.000	23.539	10	5	0.625 x 2.75 0.625 x 0	1.61 1.61	4.06 4.06	4.70 4.70	32.20 ...2nd Row	14.61	
T70927	Overlay LH/RH for 8" blades	1	DB	0.625	9.000	25.661	10	5	0.625 x 2.75 0.625 x 0	6.34 6.34	4.14 4.14	4.72 4.72	38.00 ...2nd Row	17.24	
670 672 A B C CII CH CHII															
<u>Serial Number:</u>															
T149152	End bit LH/RH	2	DB	0.625	6.000	18.354	5	5	0.625 x 2.25	1.81	3.69	3.69	18.00	8.16	
T149153	Heavy Duty End bit LH/RH	2	DB	0.750	6.000	18.197	5	5	0.625 x 2.25	1.81	3.69	3.69	22.00	9.98	
T162466	Overlay LH for 6" blades	1	DB	0.500	8.457	23.217	7	7	0.625 x 2.75 0.625 x 0	18.95 1.88	3.00 3.52	3.55 3.52	24.40 ...2nd Row	11.07	
T162467	Overlay RH for 6" blades	1	DB	0.500	8.457	23.217	7	7	0.625 x 2.75 0.625 x 0	18.95 3.52	3.00 3.52	3.55 3.52	24.40 ...2nd Row	11.07	
T162468	Overlay LH for 8" blades	1	DB	0.500	8.457	25.118	7	7	0.625 x 2.75	6.07	3.04	3.54	26.50	12.02	
T162469	Overlay RH for 8" blades	1	DB	0.500	8.500	25.118	7	7	0.625 x 2.75	6.07	3.04	3.54	26.60	12.07	
670 672 D															
<u>Serial Number:</u>															
T202876	End bit LH/RH	2	DB	0.625	6.000	18.575	5	5	0.625 x 2.25	1.81	3.74	3.74	18.00	8.16	
T202877	Heavy Duty End bit LH/RH	2	DB	0.750	18.617	6.000	5	5	0.625 x 2.25	1.82	3.75	3.75	21.00	9.53	
T202938	Overlay RH for 8" blades	2	DB	0.500	8.858	18.492	8	5	0.625 x 2.75	4.33	3.10	3.63	21.60	9.80	
T202940	Overlay LH/RH for 8" blades	2	DB	0.500	8.858	21.953	8	5	0.625 x 2.75	6.06	3.10	3.63	26.00	11.79	
770 772 A B BH C CH CII CHII															
<u>Serial Number:</u>															
T71955	End bit LH/RH	2	DB	0.625	6.000	18.213	4	4	0.625 x 2.25	2.41	4.91	4.91	17.00	7.71	
T71956	Heavy Duty End bit LH/RH	2	DB	0.750	6.000	18.181	4	4	0.625 x 2.25	2.44	4.91	4.91	21.00	9.53	
T70926	Overlay LH/RH for 6" blades	1	DB	0.625	9.000	23.539	10	5	0.625 x 2.75 0.625 x 0	1.61 1.61	4.06 4.06	4.70 4.70	32.20 ...2nd Row	14.61	
T70927	Overlay LH/RH for 8" blades	1	DB	0.625	9.000	25.661	10	5	0.625 x 2.75 0.625 x 0	6.34 6.34	4.14 4.14	4.72 4.72	38.00 ...2nd Row	17.24	
770 772 A B BH C CH CII CHII															
<u>Serial Number:</u>															
T149152	End bit LH/RH	2	DB	0.625	6.000	18.354	5	5	0.625 x 2.25	1.81	3.69	3.69	18.00	8.16	
T149153	Heavy Duty End bit LH/RH	2	DB	0.750	6.000	18.197	5	5	0.625 x 2.25	1.81	3.69	3.69	22.00	9.98	
T162466	Overlay LH for 6" blades	1	DB	0.500	8.457	23.217	7	7	0.625 x 2.75 0.625 x 0	18.95 1.88	3.00 3.52	3.55 3.52	24.40 ...2nd Row	11.07	
T162467	Overlay RH for 6" blades	1	DB	0.500	8.457	23.217	7	7	0.625 x 2.75 0.625 x 0	18.95 3.52	3.00 3.52	3.55 3.52	24.40 ...2nd Row	11.07	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Grader End Bits and Overlays

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
T162468	Overlay LH for 8" blades	1	DB	0.500	8.457	25.118	7	7	0.625 x 2.75	6.07	3.04	3.54	26.50	12.02
T162469	Overlay RH for 8" blades	1	DB	0.500	8.500	25.118	7	7	0.625 x 2.75	6.07	3.04	3.54	26.60	12.07

770 772 D


Serial Number:

T202876	End bit LH/RH	2	DB	0.625	6.000	18.575	5	5	0.625 x 2.25	1.81	3.74	3.74	18.00	8.16
T202877	Heavy Duty End bit LH/RH	2	DB	0.750	18.617	6.000	5	5	0.625 x 2.25	1.82	3.75	3.75	21.00	9.53
T202938	Overlay LH/RH for 6" blades	2	DB	0.500	8.858	18.492	8	5	0.625 x 2.75	4.33	3.10	3.63	21.60	9.80
T202940	Overlay LH/RH for 8" blades	2	DB	0.500	8.858	21.953	8	5	0.625 x 2.75	6.06	3.10	3.63	26.00	11.79

870 872 D

Serial Number:

T202876	End bit LH/RH	2	DB	0.625	6.000	18.575	5	5	0.625 x 2.25	1.81	3.74	3.74	18.00	8.16
T202877	Heavy Duty End bit LH/RH	2	DB	0.750	18.617	6.000	5	5	0.625 x 2.25	1.82	3.75	3.75	21.00	9.53
T202938	Overlay LH/RH for 6" blades	2	DB	0.500	8.858	18.492	8	5	0.625 x 2.75	4.33	3.10	3.63	21.60	9.80
T202940	Overlay LH/RH for 8" blades	2	DB	0.500	8.858	21.953	8	5	0.625 x 2.75	6.06	3.10	3.63	26.00	11.79



Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Grader Blades by Length and Hole

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg

5/8" HOLES Curved Carbon

Serial Number:

-->	1/2" Thick x 6" Wide													
T74839	4 Foot		C	0.500	6.000	48.000	6	0.625		3.00	3.00	12.00	34.00	15.42
T74840	5 Foot		C	0.500	6.000	60.000	7	0.625		3.00	3.00	12.00	43.00	19.50
T74841	6 Foot		C	0.500	6.000	72.000	8	0.625		3.00	3.00	12.00	52.00	23.59
T74842	7 Foot			0.500	6.000	84.000	9	0.625		3.00	3.00	12.00	61.00	27.67
T74843	8 Foot		C	0.500	6.000	96.000	10	0.625		3.00	3.00	12.00	69.00	31.30
T146078	12 Foot		C	0.500	6.000	144.000	14	0.625		3.00	3.00	6.00	104.00	47.17
-->	1/2" Thick x 8" Wide													
T74851	4 Foot		C	0.500	8.000	48.000	6	0.625		3.00	3.00	12.00	49.00	22.23
T74852	5 Foot		C	0.500	8.000	60.000	7	0.625		3.00	3.00	12.00	62.00	28.12
T74853	6 Foot		C	0.500	8.000	72.000	8	0.625		3.00	3.00	12.00	74.00	33.57
T74854	7 Foot		C	0.500	8.000	84.000	9	0.625		3.00	3.00	12.00	86.00	39.01
T74855	8 Foot		C	0.500	8.000	96.000	10	0.625		3.00	3.00	12.00	98.00	44.45
T146079	14 Foot		C	0.500	6.000	168.000	16	0.625		3.00	3.00	12.00	122.00	55.34
-->	5/8" Thick x 6" Wide													
U42840	2 Foot		C	0.625	6.000	24.000	4	0.625		3.00	3.00	12.00	22.00	9.98
T74844	4 Foot		C	0.625	6.000	48.000	6	0.625		3.00	3.00	12.00	43.00	19.50
U46287	5 Foot		C	0.625	6.000	60.000	7	0.625		3.00	3.00	12.00	54.00	24.49
U42494	6 Foot		C	0.625	6.000	72.000	8	0.625		3.00	3.00	12.00	65.00	29.48
T42277	7 Foot		C	0.625	6.000	84.000	9	0.625		3.00	3.00	12.00	75.00	34.02
T74849	8 Foot		C	0.625	6.000	96.000	10	0.625		3.00	3.00	12.00	86.00	39.01
-->	5/8" Thick x 8" Wide													
T144356	3 Foot		C	0.625	8.000	36.000	5	0.625		3.00	3.00	12.00	46.00	20.87
T74856	4 Foot		C	0.625	8.000	48.000	6	0.625		3.00	3.00	12.00	61.00	27.67
T74858	5 Foot		C	0.625	8.000	60.000	7	0.625		3.00	3.00	12.00	77.00	34.93
T74860	6 Foot		C	0.625	8.000	72.000	8	0.625		3.00	3.00	12.00	92.00	41.73
T74862	7 Foot		C	0.625	8.000	84.000	9	0.625		3.00	3.00	12.00	107.00	48.53
T74864	8 Foot		C	0.625	8.000	96.000	10	0.625		3.00	3.00	12.00	122.00	55.34
-->	3/4" Thick x 8" Wide													
T145924	3 Foot		C	0.750	8.000	36.000	5	0.625		3.00	3.00	12.00	55.00	24.95
T74866	4 Foot		C	0.750	8.000	48.000	6	0.625		3.00	3.00	12.00	75.00	34.02
T74868	5 Foot		C	0.750	8.000	60.000	7	0.625		3.00	3.00	12.00	92.00	41.73
T74870	6 Foot		C	0.750	8.000	72.000	8	0.625		3.00	3.00	12.00	111.00	50.35
T74872	7 Foot		C	0.750	8.000	84.000	9	0.625		3.00	3.00	12.00	129.00	58.51
T74874	8 Foot			0.750	8.000	96.000	10	0.625		3.00	3.00	12.00	147.00	66.68

5/8" HOLES Curved Heat-treated

Serial Number:

-->	1/2" Thick x 6" Wide													
T145942	6 Foot		C	0.500	6.000	72.000	13	0.625		3.00	3.00	6.00	52.00	23.59
T145943	7 Foot		C	0.500	6.000	84.000	15	0.625		3.00	3.00	6.00	61.00	27.67
T145944	8 Foot		C	0.500	6.000	96.000	10	0.625		3.00	3.00	6.00	69.00	31.30
-->	1/2" Thick x 8" Wide													
T146075	4 Foot			0.500	8.000	48.000	9	0.625		3.00	3.00	6.00	49.00	22.23

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Grader Blades by Length and Hole

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
T146077	8 Foot			0.500 x 8.000 x 96.000			17	0.625		3.00	3.00	6.00	98.00	44.45
-->	5/8" Thick x 6" Wide													
T66709	2 Foot		C	0.625 x 6.000 x 24.000			5	0.625		3.00	3.00	6.00	22.00	9.98
T74778	4 Foot		C	0.625 x 6.000 x 48.000			9	0.625		3.00	3.00	6.00	42.80	19.41
T74778CD	4 Foot			0.625 x 6.000 x 48.000			9	0.625		3.00	3.00	6.00	43.00	19.50
T74751	5 Foot		C	0.625 x 6.000 x 60.000			11	0.625		3.00	3.00	6.00	54.00	24.49
T66702	6 Foot		C	0.625 x 6.000 x 72.000			13	0.625		3.00	3.00	6.00	64.10	29.08
T217945	7 Foot			0.625 x 6.000 x 84.000			9	0.625		3.00	3.00	12.00	75.70	34.34
T66707	7 Foot		C	0.625 x 6.000 x 84.000			15	0.625		3.00	3.00	6.00	74.80	33.93
T66705	8 Foot		C	0.625 x 6.000 x 96.000			17	0.625		3.00	3.00	6.00	86.00	39.01
-->	5/8" Thick x 8" Wide													
T147390	4 Foot		C	0.625 x 8.000 x 48.000			9	0.625		3.00	3.00	6.00	62.00	28.12
T74764	5 Foot		C	0.625 x 8.000 x 60.000			11	0.625		3.00	3.00	6.00	77.00	34.93
T71978	6 Foot		C	0.625 x 8.000 x 72.000			13	0.625		3.00	3.00	6.00	92.00	41.73
T71979	7 Foot		C	0.625 x 8.000 x 84.000			15	0.625		3.00	3.00	6.00	107.00	48.53
T71980	8 Foot		C	0.625 x 8.000 x 96.000			17	0.625		3.00	3.00	6.00	122.00	55.34
-->	3/4" Thick x 6" Wide													
T74756	5 Foot		C	0.750 x 6.000 x 60.000			11	0.625		3.00	3.00	6.00	65.00	29.48
T74758	6 Foot		C	0.750 x 6.000 x 72.000			13	0.625		3.00	3.00	6.00	78.00	35.38
T74760	7 Foot		C	0.750 x 6.000 x 84.000			15	0.625		3.00	3.00	6.00	91.00	41.28
T74762	8 Foot		C	0.750 x 6.000 x 96.000			17	0.625		3.00	3.00	6.00	106.00	48.08
-->	3/4" Thick x 8" Wide													
T145767	3 Foot		C	0.750 x 8.000 x 36.000			7	0.625		3.00	3.00	6.00	57.00	25.85
T74769	5 Foot		C	0.750 x 8.000 x 60.000			11	0.625		3.00	3.00	6.00	94.00	42.64
T66703	6 Foot		C	0.750 x 8.000 x 72.000			13	0.625		3.00	3.00	6.00	111.60	50.62
T66704	7 Foot		C	0.750 x 8.000 x 84.000			15	0.625		3.00	3.00	6.00	130.10	59.01
T66706	8 Foot		C	0.750 x 8.000 x 96.000			17	0.625		3.00	3.00	6.00	147.00	66.68
-->	1" Thick x 8" Wide													
T147391	6 Foot		CS	1.000 x 8.000 x 72.000			13	0.625		3.00	3.00	6.00	149.80	67.95
T147392	7 Foot		CS	1.000 x 8.000 x 84.000			15	0.625		3.00	3.00	6.00	175.00	79.38

5/8" HOLES Flat Heat-treated

Serial Number:

-->	5/8" Thick x 8" Wide													
T74796	5 Foot			0.625 x 8.000 x 60.000			11	0.625		3.00	3.00	6.00	76.00	34.47
T74798	6 Foot		F	0.625 x 8.000 x 72.000			13	0.625		3.00	3.00	6.00	92.00	41.73
T74800	7 Foot		F	0.625 x 8.000 x 84.000			15	0.625		3.00	3.00	6.00	108.00	48.99
T74802	8 Foot		F	0.625 x 8.000 x 96.000			17	0.625		3.00	3.00	6.00	123.00	55.79
-->	3/4" Thick x 8" Wide													
T66708	2 Foot		C	0.750 x 8.000 x 24.000			5	0.625		3.00	3.00	6.00	38.00	17.24
T74804	5 Foot		F	0.750 x 8.000 x 60.000			11	0.625		3.00	3.00	6.00	96.00	43.54
T74806	6 Foot		F	0.750 x 8.000 x 72.000			13	0.625		3.00	3.00	6.00	115.00	52.16
T74808	8 Foot		F	0.750 x 8.000 x 84.000			15	0.625		3.00	3.00	6.00	134.00	60.78
T74810	8 Foot		F	0.750 x 8.000 x 96.000			17	0.625		3.00	3.00	6.00	152.00	68.95

5/8" HOLES Curved Serrated Heat-treated

Serial Number:

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Grader Blades by Length and Hole

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
-->	5/8" Thick x 6" Wide												
T66702-S	6 Foot		0.625	6.000	72.000	13	0.625		3.00	3.00	6.00	53.00	24.04
T66707-S	7 Foot		0.625	6.000	84.000	15	0.625		3.00	3.00	6.00	62.00	28.12
-->	3/4" Thick x 6" Wide												
T74762-S	8 Foot		0.750	6.000	96.000	17	0.625		3.00	3.00	6.00	88.60	40.19
-->	3/4" Thick x 8" Wide												
T74769-S	5 Foot		0.750	8.000	60.000	11	0.625		3.00	3.00	6.00	75.00	34.02
T74769-SSP	5 Foot		0.750	8.000	60.000	11	0.625		3.00	3.00	6.00	70.40	31.93
T74788ICEA	5 Foot				x x 60.000	11	0.625		3.00	3.00	6.00	76.00	34.47
T74788ICEB	5 Foot		0.750	8.000	60.000	11	0.625		3.00	3.00	6.00	65.00	29.48
T66703-S	6 Foot		0.750	8.000	72.000	13	0.625		3.00	3.00	6.00	91.00	41.28
T66703-SSP	6 Foot		0.750	8.000	72.000	13	0.625		3.00	3.00	6.00	85.00	38.56
T147192	7 Foot	CS	0.750	8.000	84.000	15	0.625		3.00	3.00	6.00	106.00	48.08
T66704-S	7 Foot		0.750	8.000	84.000	15	0.625		3.00	3.00	6.00	106.00	48.08
T66704-SSP	7 Foot		0.750	8.000	84.000	15	0.625		3.00	3.00	6.00	106.00	48.08
T148935	8 Foot	CS	0.750	8.000	96.000	17	0.625		3.00	3.00	6.00	119.70	54.30
-->	1" Thick x 8" Wide												
T147392-S	7 Foot		1.000	8.000	84.000	15	0.625		3.00	3.00	6.00	149.00	67.59

3/4" HOLES Curved Carbon

Serial Number:

-->	5/8" Thick x 6" Wide												
T74845	4 Foot	C	0.625	6.000	48.000	6	0.750		3.00	3.00	12.00	43.00	19.50
T74846	6 Foot	C	0.625	6.000	60.000	7	0.750		3.00	3.00	12.00	54.00	24.49
T74847	6 Foot	C	0.625	6.000	72.000	8	0.750		3.00	3.00	12.00	65.00	29.48
T74848	7 Foot	C	0.625	6.000	84.000	9	0.750		3.00	3.00	12.00	75.40	34.20
T74850	8 Foot	C	0.625	6.000	96.000	10	0.750		3.00	3.00	12.00	86.50	39.24
-->	5/8" Thick x 8" Wide												
T74857	4 Foot		0.625	8.000	48.000		0.750					61.00	27.67
T74859	5 Foot	C	0.625	8.000	60.000	7	0.750		3.00	3.00	12.00	77.00	34.93
T74861	6 Foot	C	0.625	8.000	72.000	8	0.750		3.00	3.00	12.00	92.00	41.73
T74863	7 Foot	C	0.625	8.000	84.000	10	0.750		3.00	3.00	12.00	107.00	48.53
T74865	8 Foot	C	0.625	8.000	96.000	10	0.750		3.00	3.00	12.00	122.00	55.34
-->	3/4" Thick x 8" Wide												
T74867	4 Foot	C	0.750	8.000	48.000	6	0.750		3.00	3.00	6.00	75.00	34.02
T74871	6 Foot	C	0.750	8.000	72.000	8	0.750		3.00	3.00	12.00	111.00	50.35
T74873	7 Foot	C	0.750	8.000	84.000	9	0.750		3.00	3.00	12.00	129.00	58.51
T74875	8 Foot	C	0.750	8.000	96.000	10	0.750		3.00	3.00	12.00	147.00	66.68

3/4" HOLES Curved Heat-treated

Serial Number:

-->	5/8" Thick x 6" Wide												
T74752	5 Foot	C	0.625	6.000	60.000	11	0.750		3.00	3.00	6.00	54.00	24.49
T74753	6 Foot	C	0.625	6.000	72.000	13	0.750		3.00	3.00	6.00	64.30	29.17
T74754	7 Foot	C	0.625	6.000	84.000	15	0.750		3.00	3.00	6.00	76.00	34.47
T74755	8 Foot	C	0.625	6.000	96.000	17	0.750		3.00	3.00	6.00	85.20	38.65
-->	5/8" Thick x 8" Wide												

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Grader Blades by Length and Hole

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
T74765	5 Foot		C	0.625	8.000	60.000	11	0.750		3.00	3.00	6.00	76.00	34.47
T74766	6 Foot		C	0.625	8.000	72.000	13	0.750		3.00	3.00	6.00	92.00	41.73
T74767	7 Foot		C	0.625	8.000	84.000	15	0.750		3.00	3.00	6.00	107.00	48.53
T74768	8 Foot		C	0.625	8.000	96.000	17	0.750		3.00	3.00	6.00	122.00	55.34
-->	3/4" Thick x 6" Wide													
T74757	5 Foot		C	0.750	6.000	60.000	11	0.750		3.00	3.00	6.00	65.00	29.48
T74759	6 Foot		C	0.750	6.000	72.000	13	0.750		3.00	3.00	6.00	79.00	35.83
T74761	7 Foot		C	0.750	6.000	84.000	15	0.750		3.00	3.00	6.00	91.00	41.28
T74763	8 Foot		C	0.750	6.000	96.000	17	0.750		3.00	3.00	6.00	106.00	48.08
-->	3/4" Thick x 8" Wide													
T74770	5 Foot		C	0.750	8.000	60.000	11	0.750		3.00	3.00	6.00	92.00	41.73
T74771	6 Foot		C	0.750	8.000	72.000	13	0.750		3.00	3.00	6.00	111.00	50.35
T74772	7 Foot		C	0.750	8.000	84.000	15	0.750		3.00	3.00	6.00	129.90	58.92
T74773	8 Foot		C	0.750	8.000	96.000	17	0.750		3.00	3.00	6.00	148.50	67.36
-->	1" Thick x 8" Wide													
T74774	5 Foot		C	1.000	8.000	60.000	11	0.750		3.00	3.00	6.00	125.00	56.70
T74775	6 Foot		C	1.000	8.000	72.000	13	0.750		3.00	3.00	6.00	151.50	68.72
T74776	7 Foot		C	1.000	8.000	84.000	15	0.750		3.00	3.00	6.00	172.80	78.38
T74777	8 Foot		C	1.000	8.000	96.000	17	0.750		3.00	3.00	6.00	197.50	89.58

3/4" HOLES Flat Heat-treated

Serial Number:

-->	3/4" Thick x 8" Wide													
T74807	6 Foot		F	0.750	8.000	72.000	13	0.750		3.00	3.00	6.00	111.50	50.58
T74809	7 Foot		F	0.750	8.000	84.000	15	0.750		3.00	3.00	12.00	134.00	60.78
T74811	8 Foot		F	0.750	8.000	96.000	17	0.750		3.00	3.00	6.00	148.70	67.45
-->	1" Thick x 10" Wide													
T74815	6 Foot		F	1.000	10.000	72.000	13	0.750		3.00	3.00	6.00	186.00	84.37
T74816	7 Foot		F	1.000	10.000	84.000	15	0.750		3.00	3.00	6.00	218.00	98.88
T74817	8 Foot		F	1.000	10.000	96.000	15	0.750		3.00	3.00	6.00	248.00	112.49
-->	1-3/8" Thick x 10" Wide													
T148098	7 Foot			1.375	10.000	84.000	15	0.750		3.00	3.00	6.00	306.00	138.80
T147439	8 Foot			1.375	10.000	96.000	17	0.750		3.00	3.00	6.00	354.00	160.57

5/8" HOLES Curved Serrated Heat-treated

Serial Number:

-->	3/4" Thick x 8" Wide													
T74786	4 Foot		CS	0.750	8.000	48.000	9	0.625		3.00	3.00	6.00	61.00	27.67
T74788	5 Foot		CS	0.750	8.000	60.000	11	0.625		3.00	3.00	6.00	75.00	34.02
T147191	6 Foot		CS	0.750	8.000	72.000	13	0.625		3.00	3.00	6.00	90.00	40.82
-->	1" Thick x 8" Wide													
T74775-SSP	6 Foot			1.000	8.000	72.000	13	0.750		3.00	3.00	6.00	114.20	51.80
T74776-S	7 Foot			1.000	8.000	84.000	15	0.750		3.00	3.00	6.00	143.50	65.09
T74777-S	8 Foot			1.000	8.000	96.000	17	0.750		3.00	3.00	6.00	164.00	74.39
-->	1" Thick x 10" Wide													
T74816-S	7 Foot		SER	1.000	10.000	84.000	15	0.750		3.00	3.00	6.00	178.00	80.74
T74817-S	8 Foot		SER	1.000	10.000	96.000	17	0.750		3.00	3.00	6.00	202.00	91.63

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For John Deere® Equipment Grader Blades by Length and Hole

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
-->	1-3/8" Thick x 10" Wide												
T148098-S	7 Foot	SER	1.375	x 10.000	x 84.000	15		0.750	3.00	3.00	6.00	257.00	116.57
3/4" HOLES Curved Serrated Heat-treated													
<u>Serial Number:</u>													
-->	3/4" Thick x 6" Wide												
T74761-S	7 Foot		0.750	x 6.000	x 84.000	15		0.750	3.00	3.00	6.00	78.00	35.38
-->	3/4" Thick x 8" Wide												
T74772-S	7 Foot		0.750	x 8.000	x 84.000	15		0.750	3.00	3.00	6.00	106.00	48.08
T74772-SSP	7 Foot		0.750	x 8.000	x 84.000	15		0.750				107.00	48.53

