



Black Cat Blades Ltd.

Black Cat Replacement Parts For New Holland® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	

DC70 Long Track

Serial Number: 106" BLADE

D32023	Center	2	DB	0.750	6.000	39.750	7	7	0.625 x 2	1.88	6.00	6.00	46.50	21.09
76598267	Level Cut End Bit RH	1	DB/	0.750	6.000	13.000	3	3	0.625 x 2	1.13	4.00	4.00	14.00	6.35
76598270	Level Cut End Bit LH	1	DB\	0.750	6.000	13.000	3	3	0.625 x 2	1.13	4.00	4.00	14.00	6.35

DC70 Low Ground Pressure

Serial Number: 120" BLADE

D29280	Center	2	DB	0.750	6.000	46.500	8	8	0.625 x 2	1.75	6.00	6.00	54.60	24.77
76598267	Level Cut End Bit RH	1	DB/	0.750	6.000	13.000	3	3	0.625 x 2	1.13	4.00	4.00	14.00	6.35
76598270	Level Cut End Bit LH	1	DB\	0.750	6.000	13.000	3	3	0.625 x 2	1.13	4.00	4.00	14.00	6.35

DC75 Long Track

Serial Number: 98" BLADE

327245A1	Center	1	DB	0.750	8.000	62.913	10	10	0.750 x 2.5	4.46	6.00	6.00	97.70	44.32
R42490	Level Cut End Bit LH/RH	2	DB	0.750	8.000	17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07
							3	3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R37034	Heavy Duty Level Cut End Bit LH/RH	2	DB	1.000	8.000	17.400	5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28
							3	3	0.750 x 2.5	5.70	6.00		...2nd Row	
R41911	Hot Cup End Bit RH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R41910	Hot Cup End Bit LH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	3	0.750 x 2.5	2.75	6.00		...2nd Row	

DC75 Wide Track

Serial Number: 110" BLADE

430157A1	Center	1	DB	0.750	8.000	75.118	13	13	0.750 x 2.5	1.56	6.00	6.00	116.40	52.80
R42490	Level Cut End Bit LH/RH	2	DB	0.750	8.000	17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07
							3	3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R37034	Heavy Duty Level Cut End Bit LH/RH	2	DB	1.000	8.000	17.400	5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28
							3	3	0.750 x 2.5	5.70	6.00		...2nd Row	
R41911	Hot Cup End Bit RH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R41910	Hot Cup End Bit LH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	3	0.750 x 2.5	2.75	6.00		...2nd Row	

DC75 Low Ground Pressure

Serial Number: 120" BLADE

327539A1	Center	1	DB	0.750	8.000	84.960	14	14	0.750 x 2.5	3.48	6.00	6.00	131.80	59.78
R42490	Level Cut End Bit LH/RH	2	DB	0.750	8.000	17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07
							3	3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R37034	Heavy Duty Level Cut End Bit LH/RH	2	DB	1.000	8.000	17.400	5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28
							3	3	0.750 x 2.5	5.70	6.00		...2nd Row	
R41911	Hot Cup End Bit RH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R41910	Hot Cup End Bit LH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	3	0.750 x 2.5	2.75	6.00		...2nd Row	

DC80 Long Track

Serial Number: 110" BLADE

76598268	Center	2	DB	0.750	6.000	41.750	7	7	0.625 x 2	2.88	6.00	6.00	48.60	22.04
76598267	Level Cut End Bit RH	1	DB/	0.750	6.000	13.000	3	3	0.625 x 2	1.13	4.00	4.00	14.00	6.35
76598270	Level Cut End Bit LH	1	DB\	0.750	6.000	13.000	3	3	0.625 x 2	1.13	4.00	4.00	14.00	6.35

DC80 Low Ground Pressure

Serial Number: 120" BLADE

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For New Holland® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Blade Req Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
D29280	Center	2 DB	0.750	6.000	46.500	8	8	0.625 x 2	1.75	6.00	6.00	54.60	24.77
76598267	Level Cut End Bit RH	1 DB /	0.750	6.000	13.000	3	3	0.625 x 2	1.13	4.00	4.00	14.00	6.35
76598270	Level Cut End Bit LH	1 DB \	0.750	6.000	13.000	3	3	0.625 x 2	1.13	4.00	4.00	14.00	6.35

DC85 Long Track

Serial Number: 104" BLADE

115631A1	Center	2 DB	0.750	8.000	34.134	6	6	0.750 x 2.5	2.06	6.00	6.00	53.00	24.04
R42490	Level Cut End Bit LH/RH	2 DB	0.750	8.000	17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07
							3	0.750 x 2.5	2.75	6.00	6.00	...	2nd Row
R37034	Heavy Duty Level Cut End Bit LH/RH	2 DB	1.000	8.000	17.400	5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28
							3	0.750 x 2.5	5.70	6.00		...	2nd Row
R41911	Hot Cup End Bit RH	1 EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00	6.00	...	2nd Row
R41910	Hot Cup End Bit LH	1 EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00		...	2nd Row

DC85 Wide Track

Serial Number: 110" BLADE

430157A1	Center	1 DB	0.750	8.000	75.118	13	13	0.750 x 2.5	1.56	6.00	6.00	116.40	52.80
R42490	Level Cut End Bit LH/RH	2 DB	0.750	8.000	17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07
							3	0.750 x 2.5	2.75	6.00	6.00	...	2nd Row
R37034	Heavy Duty Level Cut End Bit LH/RH	2 DB	1.000	8.000	17.400	5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28
							3	0.750 x 2.5	5.70	6.00		...	2nd Row
R41911	Hot Cup End Bit RH	1 EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00	6.00	...	2nd Row
R41910	Hot Cup End Bit LH	1 EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00		...	2nd Row

DC85 Low Ground Pressure

Serial Number: 124" BLADE

126519A1	Center	1 DB	0.750	8.000	88.898	15	15	0.750 x 2.5	2.45	6.00	6.00	137.80	62.51
R42490	Level Cut End Bit LH/RH	2 DB	0.750	8.000	17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07
							3	0.750 x 2.5	2.75	6.00	6.00	...	2nd Row
R37034	Heavy Duty Level Cut End Bit LH/RH	2 DB	1.000	8.000	17.400	5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28
							3	0.750 x 2.5	5.70	6.00		...	2nd Row
R41911	Hot Cup End Bit RH	1 EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00	6.00	...	2nd Row
R41910	Hot Cup End Bit LH	1 EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00		...	2nd Row

DC95 Extra Long Track

Serial Number: 104" BLADE

115631A1	Center	2 DB	0.750	8.000	34.134	6	6	0.750 x 2.5	2.06	6.00	6.00	53.00	24.04
R42490	Level Cut End Bit LH/RH	2 DB	0.750	8.000	17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07
							3	0.750 x 2.5	2.75	6.00	6.00	...	2nd Row
R37034	Heavy Duty Level Cut End Bit LH/RH	2 DB	1.000	8.000	17.400	5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28
							3	0.750 x 2.5	5.70	6.00		...	2nd Row
R41911	Hot Cup End Bit RH	1 EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00	6.00	...	2nd Row
R41910	Hot Cup End Bit LH	1 EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
							3	0.750 x 2.5	2.75	6.00		...	2nd Row

DC95 Wide Track

Serial Number: 120" BLADE

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For New Holland® Equipment Bulldozers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
327539A1	Center	1	DB	0.750	8.000	84.960	14	14	0.750 x 2.5	3.48	6.00	6.00	131.80	59.78	
R42490	Level Cut End Bit LH/RH	2	DB	0.750	8.000	17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07	
								3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row		
R37034	Heavy Duty Level Cut End Bit LH/RH	2	DB	1.000	8.000	17.400	5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28	
								3	0.750 x 2.5	5.70	6.00		...2nd Row		
R41911	Hot Cup End Bit RH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73	
								3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row		
R41910	Hot Cup End Bit LH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73	
								3	0.750 x 2.5	2.75	6.00		...2nd Row		

DC95 Low Ground Pressure

Serial Number: 130" BLADE

430350A1	Center	1	DB	0.750	8.000	94.803	16	16	0.750 x 2.5	2.40	6.00	6.00	147.00	66.68
R42490	Level Cut End Bit LH/RH	2	DB	0.750	8.000	17.402	5	2	0.750 x 2.5	5.75	6.00		26.60	12.07
								3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R37034	Heavy Duty Level Cut End Bit LH/RH	2	DB	1.000	8.000	17.400	5	2	0.750 x 2.5	2.70	6.00	6.00	35.90	16.28
								3	0.750 x 2.5	5.70	6.00		...2nd Row	
R41911	Hot Cup End Bit RH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
								3	0.750 x 2.5	2.75	6.00	6.00	...2nd Row	
R41910	Hot Cup End Bit LH	1	EBHC	1.000	9.488	20.512	5	2	0.750 x 2.5	5.75	6.00		45.70	20.73
								3	0.750 x 2.5	2.75	6.00		...2nd Row	

DC100 Long Track

Serial Number: 110" BLADE

76598268	Center	2	DB	0.750	6.000	41.750	7	7	0.625 x 2	2.88	6.00	6.00	48.60	22.04
76598267	Level Cut End Bit RH	1	DB/	0.750	6.000	13.000	3	3	0.625 x 2	1.13	4.00	4.00	14.00	6.35
76598270	Level Cut End Bit LH	1	DB \	0.750	6.000	13.000	3	3	0.625 x 2	1.13	4.00	4.00	14.00	6.35

DC100 Low Ground Pressure

Serial Number: 130" BLADE

76606068	Center	2	DB	0.750	6.000	51.750	9	9	0.625 x 2	1.88	6.00	6.00	60.50	27.44
76598267	Level Cut End Bit RH	1	DB/	0.750	6.000	13.000	3	3	0.625 x 2	1.13	4.00	4.00	14.00	6.35
76598270	Level Cut End Bit LH	1	DB \	0.750	6.000	13.000	3	3	0.625 x 2	1.13	4.00	4.00	14.00	6.35

DC150 Extra Long Track

Serial Number: 126" BLADE

79101015	Center	2	DB	0.750	8.000	46.299	8		0.750	1.38	6.00	6.00	71.80	32.57
DC150E	Level Cut End Bit LH/RH	2	DB	0.750	8.000	16.000	3		0.750	2.50	4.00	4.00	24.80	11.25

DC180 B Straight

Serial Number: 116" BLADE

08298624	Center	2	DB	0.750	8.000	42.500	7		0.750	3.13	6.00	6.00	66.00	29.94
73117714	Hot Cup End Bit RH	1	EBHC	1.000	10.000	17.500	6		0.750	2.50	4.00	4.00	40.20	18.23
									0.750	2.50	4.00	4.00	...2nd Row	
73117713	Hot Cup End Bit LH	1	EBHC	1.000	10.000	17.500	6		0.750	2.50	4.00	4.00	40.20	18.23
									0.750	2.50	4.00	4.00	...2nd Row	

DC180 B Semi-U

Serial Number: 136" BLADE

73117698	Center	1	DB	0.750	8.000	29.875	5		0.750	2.94	6.00	6.00	46.20	20.96
8294667	End	2		0.750	8.000	36.375	6		0.750	2.88	6.00	6.00	55.90	25.36
73117700	Hot Cup End Bit RH	1	EBHC	1.000	10.197	17.835	6		0.750	2.40	4.00	4.00	37.60	17.06
									0.750	2.40	4.00	4.00	...2nd Row	
73117699	Hot Cup End Bit LH	1	EBHC	1.000	10.197	17.835	6		0.750	2.40	4.00	4.00	37.60	17.06
									0.750	2.40	4.00	4.00	...2nd Row	

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For New Holland® Equipment Loaders

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . Dimensions . . .			Total Holes	. . . Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
LW50														
Serial Number: <u>75" BUCKET</u>														
72183743	Center	3	DB	0.875 x 8.270 x 24.880			4	4	0.500 x 2	2.99	6.30	6.30	47.00	21.32
LW80														
Serial Number: <u>84" BUCKET</u>														
4552727	Center	3	DB	0.750 x 8.000 x 27.480			5		0.625	2.87	5.43	5.43	42.00	19.05
LW90														
Serial Number: <u>92.5" BUCKET</u>														
76016357	Base Edge	1	WOSB	0.750 x 8.000 x 92.531			21							
76016358	Center	1	DB	0.750 x 8.000 x 58.504			9	9	0.750 x 2.25	3.16	6.52	6.52	90.80	41.19
76016359	End	2	DB	0.750 x 8.000 x 16.614			2	2	0.750 x 2.25	2.76	10.89		25.90	11.75
LW130														
Serial Number: <u>96.5" BUCKET</u>														
76033550	Base Edge	1	SB	1.000 x 10.000 x 96.063			26						249.60	113.22
76034782	Center	1	DB	1.000 x 13.000 x 51.024			6		0.750	1.50	7.28	9.94	175.50	79.61
76034783	End	2	DB	1.000 x 13.000 x 22.638			2		0.750	4.53	13.58		77.00	34.93
LW130														
Serial Number: <u>98.5" BUCKET</u>														
76054294	Center	1	DB	1.000 x 13.000 x 51.969			6		0.750	1.50	7.52	10.06	178.80	81.10
76054295	End	2	DB	1.000 x 13.000 x 22.913			2		0.750	4.55	13.82		78.00	35.38
LW170														
Serial Number: <u>98" BUCKET</u>														
76047507	Center	1	DB	1.000 x 13.000 x 51.811			6		99.999	1.89	6.93	10.24	175.10	79.42
76047508	End	2	DB	1.000 x 13.000 x 22.913			2		99.999	4.61	13.70		77.70	35.24
LW170														
Serial Number: <u>106.5" BUCKET</u>														
38916	Center	1	DB	1.000 x 12.880 x 49.500			5		1.000	2.55	9.13	13.07	166.00	75.30
38917	End	2	DB	1.000 x 12.880 x 28.310			3		1.000	5.02	9.13	9.14	95.00	43.09
LW190														
Serial Number: <u>114.5" BUCKET</u>														
76045065	Base Edge With Segment Holes	1	SB	1.250 x 10.830 x 114.170			30						403.00	182.80
76047624	Center	1	DB	1.000 x 13.000 x 53.622			5		99.999 x 3.5	2.24	14.09	10.47	184.20	83.55
76047625	End	2	DB	1.000 x 13.000 x 30.400			3		99.999 x 3.5	4.72	10.47	10.47	104.30	47.31
LW230														
Serial Number: <u>118.5" BUCKET</u>														
76034788	Center	1	DB	1.375 x 16.000 x 55.315			5		1.000	2.93	10.20	14.53	325.00	147.42
76034789	End	2	DB	1.375 x 16.000 x 31.496			3		1.000	5.63	10.12	10.12	185.00	83.91
LW270														
Serial Number: <u>124.5" BUCKET</u>														
76034446	Base Edge For Bolt-on Edges or Teeth	1	SB	1.500 x 11.811 x 124.016			30						575.00	260.82
76034790	Center	1	DB	1.000 x 16.000 x 59.803			5		99.999	3.50	10.97	15.43	247.10	112.08
76034791	End	2	DB	1.000 x 16.000 x 32.244			3		0.875	5.16	10.97	10.97	133.10	60.37

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.


Black Cat Replacement Parts For
New Holland® Equipment
Loader Backhoes

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	

B95 B110 B115

Serial Number:

86576800	Bent up base edge	1	BU	0.500	6.000	52.882	7							47.00	21.32
86577164	Bent up base edge	1	SB	0.500	6.000	66.630	7							52.10	23.63
86577165	One Piece bolt on	1	DB	0.750	8.000	59.874	7	0.625		2.94	9.00	9.00		92.00	41.73
86577166	Bent up base edge	1	BU	0.750	6.000	71.625	7							81.30	36.88
86577167	One Piece bolt on	1	DB	0.750	8.000	65.874	7	0.625		2.94	10.00	10.00		103.10	46.77
86577168	Bent up base edge	1	BU	0.750	6.000	77.291	7							87.50	39.69
86577169	One Piece bolt on	1	DB	0.750	8.000	71.874	7	0.625		2.94	11.00	11.00		112.60	51.07
86577170	Bent up base edge	1	BU	0.750	6.000	83.441	9							94.40	42.82
86577171	One Piece bolt on	1	DB	0.750	8.000	77.874	9	0.625		2.94	9.00	9.00		121.80	55.25
86900574	Bent up base edge	1	BU	0.750	6.000	89.370	9							101.70	46.13
86577172	Bent up base edge	1	BU	0.750	8.000	89.398	9							139.80	63.41
86577173	One Piece bolt on	1	DB	0.750	8.000	83.874	9	0.625		2.95	9.75	9.75		131.50	59.65
87403368	Bent up base edge		SB	0.750	6.000	89.402	9							100.90	45.77



Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



Black Cat Blades Ltd.

Black Cat Replacement Parts For
New Holland® Equipment
Skid Steers

Model/ Part Number	Blade Position	Qty Req	Blade Type Dimensions			Total Holes Bolts Hole Spacing Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
L120 L125 L140 L150 L160 L170 L180 L185 L190															
Serial Number: MISCELLANEOUS EDGES BY LENGTH															
87361180	Bent up base edge Without Holes		SB	0.375	3.000	48.500								14.00	6.35
86576800	Bent up base edge	1	BU	0.500	6.000	52.882	7							47.00	21.32
87344072	Bent up base edge Without Holes		SB	0.375	3.000	54.547								16.00	7.26
86577164	Bent up base edge	1	SB	0.500	6.000	66.630	7							52.10	23.63
86577165	One Piece bolt on	1	DB	0.750	8.000	59.874	7	0.625		2.94	9.00	9.00		92.00	41.73
87335506	Bent up base edge Without Holes		SB	0.375	3.000	60.531								17.00	7.71
87367416	Bent up base edge		SB	0.375	4.000	60.531	7							16.66	7.56
86577166	Bent up base edge	1	BU	0.750	6.000	71.625	7							81.30	36.88
86577167	One Piece bolt on	1	DB	0.750	8.000	65.874	7	0.625		2.94	10.00	10.00		103.10	46.77
87367096	Bent up base edge Without Holes		SB	0.375	3.000	68.531								20.00	9.07
87367484	Bent up base edge		SB	0.375	4.000	68.531	8							19.60	8.89
86577168	Bent up base edge	1	BU	0.750	6.000	77.291	7							87.50	39.69
86577169	One Piece bolt on	1	DB	0.750	8.000	71.874	7	0.625		2.94	11.00	11.00		112.60	51.07
87345135	Bent up base edge		SB	0.375	4.000	72.531	8							20.58	9.33
87368820	Bent up base edge		SB	0.500	4.000	72.657	8							37.00	16.78
86577170	Bent up base edge	1	BU	0.750	6.000	83.441	9							94.40	42.82
86577171	One Piece bolt on	1	DB	0.750	8.000	77.874	9	0.625		2.94	9.00	9.00		121.80	55.25
86900574	Bent up base edge	1	BU	0.750	6.000	89.370	9							101.70	46.13
86577172	Bent up base edge	1	BU	0.750	8.000	89.398	9							139.80	63.41
86577173	One Piece bolt on	1	DB	0.750	8.000	83.874	9	0.625		2.95	9.75	9.75		131.50	59.65
87403368	Bent up base edge		SB	0.750	6.000	89.402	9							100.90	45.77

BLACK CAT BLADES