



# Black Cat Blades Ltd.

Black Cat Replacement Parts For  
Wabco® Equipment  
Scrapper

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . . Dimensions . . . .			Total Holes	. . . . Bolts . . . .		. . . . Hole Spacing . . . .				. . . . Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
<b>Q-48"</b>															
<u>Serial Number:</u>															
R4772	Center	1	DB	0.750	10.000	24.000	6	6	0.625 x 2.25						
R4773	End	2	DB	0.625	8.000	12.000	3	3	0.625 x 2.25						
<b>D-72"</b>															
<u>Serial Number:</u>															
R141		1	DB	0.750	13.000	72.000	18	18	0.875 x 2.25						
VD3359	Drop Center	1	DB	0.750	13.000	40.000	20	20	0.875 x 2.25						
VD3360	End	2	DB	0.750	10.000	16.000	4	4	0.875 x 2.25						
<b>E-4 X Z 72"</b>															
<u>Serial Number:</u>															
SL6598		1	DB	0.625	8.000	72.000	18	18	0.875 x 2.25						
VD2094	Drop Center	1	DB	0.750	10.000	40.000	10	10	0.875 x 2.25						
TV2718	End	2	DB	0.625	8.000	16.000	4	4	0.875 x 2.25						
<b>M(JR6) U9 J6 84"</b>															
<u>Serial Number:</u>															
VD371	Drop Center	1	DB	0.750	13.000	51.750	13	13	0.875 x 2.25						
VD2073		1	DB	0.750	10.000	16.000	4	4	0.875 x 2.25						
VD2074		1	DB	0.750	10.000	16.000	4	4	0.875 x 2.25						
VD2073		1	DB	0.750	10.000	16.000	4	4	0.875 x 2.25						
VD2074		1	DB	0.750	10.000	16.000	4	4	0.875 x 2.25						
D9470			DB	0.750	10.000	84.000	21	21	0.875 x 2.25						
<b>G-6 R-5 96"</b>															
<u>Serial Number:</u>															
VD2071		1	DB	0.750	10.000	39.813	10	10	0.875 x 2.25						
VD2072		2	DB	0.750	10.000	27.875	7	7	0.875 x 2.25						
VD373	Drop Center	1	DB	0.750	13.000	55.625	14	14	0.875 x 2.25						
VD374		1	DB	0.750	10.000	20.000	5	5	0.875 x 2.25						
VD2093		1	DB	0.750	10.000	20.000	5	5	0.875 x 2.25						
F5465		1	DB	0.750	10.000	96.000	24	24	0.875 x 2.25						
<b>J-8 L(JR8) U-12 P S SU 102"</b>															
<u>Serial Number:</u>															
VD2071		1	DB	0.750	10.000	39.813	10	10	0.875 x 2.25						
VD2079		1	DB	0.750	10.000	30.750	8	8	0.875 x 2.25						
VD2080		1	DB	0.750	10.000	30.750	8	8	0.875 x 2.25						
VD373	Drop Center	1	DB	0.750	13.000	55.625	14	14	0.875 x 2.25						
VD2086		1	DB	0.750	10.000	22.875	6	6	0.875 x 2.25						
VD2087		1	DB	0.750	10.000	22.875	6	6	0.875 x 2.25						
H6037		1	DB	1.000	13.000	55.625	14	14	0.875 x 2.25						
VD2086		1	DB	0.750	10.000	22.875	6	6	0.875 x 2.25						
VD2087		1	DB	0.750	10.000	22.875	6	6	0.875 x 2.25						
D9472		1	DB	0.750	10.000	101.750	26	26	0.875 x 2.25						
<b>LPO LP LU LS E-25 LSP E-16 E-18 102"</b>															
<u>Serial Number:</u>															
VD373	Drop Center	1	DB	0.750	13.000	55.625	14	14	0.875 x 2.25						

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



# Black Cat Blades Ltd.

## Black Cat Replacement Parts For Wabco® Equipment Scrapper

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . Dimensions . . .			Total Holes	. . . Bolts . . .		. . . Hole Spacing . . .			. . . Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
VD370		1	DB	0.750	13.000	22.938	12	12	0.875 x 2.25 0.875 x 0	2.00	4.00	4.00	59.00	26.76
VD372		1	DB	0.750	13.000	22.938	12	12	0.875 x 2.25 0.875 x 0	2.00	4.00	4.00	59.00	26.76
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
H6037		1	DB	1.000	13.000	55.625	14	14	0.875 x 2.25					
VD5734	HD End LH	1	DB	1.000	13.000	22.938	12	12	0.875 x 2.25	1.00	4.00			
VD5735	HD End RH	1	DB	1.000	13.000	22.938	12	12	0.875 x 2.25	1.00	4.00			
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD2055		1	DB	1.000	16.000	55.625	28	28	0.875 x 2.25 0.875 x 0	1.81	4.00	4.00	234.00	106.14
VD5734	HD End LH	1	DB	1.000	13.000	22.938	12	12	0.875 x 2.25	1.00	4.00			
VD5735	HD End RH	1	DB	1.000	13.000	22.938	12	12	0.875 x 2.25	1.00	4.00			
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD391		1	DB	1.000	16.000	55.625	56	28	0.875 x 2.25 0.875 x 0	1.81	4.00	4.00	254.00	115.21
VD5734	HD End LH	1	DB	1.000	13.000	22.938	12	12	0.875 x 2.25	1.00	4.00			
VD5735	HD End RH	1	DB	1.000	13.000	22.938	12	12	0.875 x 2.25	1.00	4.00			
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD2096	Center	2	DB	0.750	13.000	50.813	26	26	0.875 x 2.25					
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
SL6596		1	DB	0.750	13.000	101.750	52	52	0.875 x 2.25					
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
H3094		1	DB	1.000	13.000	101.750	52	52	0.875 x 2.25					
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
<b>U-18 U-20 K(YR13) J-12 B RU W 120"</b>														
<u>Serial Number:</u>														
VD2071		3	DB	0.750	10.000	39.813	10	10	0.875 x 2.25					
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
H378		3	DB	1.000	13.000	39.875	10	10	0.875 x 2.25					
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD2097		2	DB	0.750	13.000	59.875	30	15	0.875 x 2.25 0.875 x 0	1.94	4.00	4.00	154.00	69.85
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD3352	Drop Center	1	DB	0.750	13.000	63.625	16	16	0.875 x 2.25					
VD2089		1	DB	0.750	10.000	28.000	7	7	0.875 x 2.25					
VD375		1	DB	0.750	10.000	28.000	7	7	0.875 x 2.25					
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD2068		1	DB	1.000	13.000	63.625	32	16	0.875 x 2.25					
VD2082	HD End LH	1	DB	1.000	10.000	28.000	7	7	0.875 x 2.25					
VD2083	HD End RH	1	DB	1.000	10.000	28.000	7	7	0.875 x 2.25					
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
H392		1	DB	1.000	13.000	119.875	60	30	0.875 x 2.25					
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



# Black Cat Blades Ltd.

## Black Cat Replacement Parts For Wabco® Equipment Scrapper

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . Dimensions . . .			Total Holes	. . . Bolts . . .			. . . Hole Spacing . . .			. . . Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
D5910		1	DB	0.750	10.000	119.875	30	30	0.875 x 2.25						
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34	
D9201		1	DB	1.000	10.000	119.875	30	30	0.875 x 2.25						
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34	
SL6597		1	DB	0.750	13.000	119.875	60	30	0.875 x 2.25 0.875 x 0				...2nd Row		
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34	

### E-35 O-35 P-35 P-50 114"

Serial Number:

VD5725	Drop Center	1	DB	1.000	16.000	68.000	34	34	0.875 x 2.25					
VD370		1	DB	0.750	13.000	22.938	12	12	0.875 x 2.25 0.875 x 0	2.00	4.00	4.00	59.00	26.76
VD372		1	DB	0.750	13.000	22.938	12	12	0.875 x 2.25 0.875 x 0	2.00	4.00	4.00	59.00	26.76
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD5734	HD End LH	1	DB	1.000	13.000	22.938	12	12	0.875 x 2.25	1.00	4.00			
VD5735	HD End RH	1	DB	1.000	13.000	22.938	12	12	0.875 x 2.25	1.00	4.00			

### FP FR NP NU N 120"

Serial Number:

VD2097		2	DB	0.750	13.000	59.875	30	15	0.875 x 2.25 0.875 x 0	1.94	4.00	4.00	154.00	69.85
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD2068		1	DB	1.000	13.000	63.625	32	16	0.875 x 2.25					
VD2098		1	DB	1.000	13.000	27.875	14	14	0.875 x 2.25 0.875 x 0	1.94	4.00	4.00	71.00	32.21
VD2099		1	DB	0.750	13.000	27.938	14	14	0.875 x 2.25					
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD2054	Drop Center	1	DB	1.000	16.000	63.625	30	32	0.875 x 2.25 0.875 x 0	1.81	4.00	4.00	265.00	120.20
VD2098		1	DB	1.000	13.000	27.875	14	14	0.875 x 2.25 0.875 x 0	1.94	4.00	4.00	71.00	32.21
VD2099		1	DB	0.750	13.000	27.938	14	14	0.875 x 2.25					
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
SL6597		1	DB	0.750	13.000	119.875	60	30	0.875 x 2.25 0.875 x 0				...2nd Row	
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
H392		1	DB	1.000	13.000	119.875	60	30	0.875 x 2.25					
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
R2052	HD End LH	1	DB	1.000	13.000	27.938	14	14	0.875 x 2.25					
R2053	HD End RH	1	DB	1.000	13.000	27.938	14	14	0.875 x 2.25					

### DM(E9) DM2 & UP DM3 109A

Serial Number:

TV2719	Center	1	DB	0.750	8.000	51.750	13	13	0.875 x 2.5					
TV2718	End	2	DB	0.625	8.000	16.000	4	4	0.875 x 2.5					
SF4216	Router Bit	2	DB	0.750	6.000	12.000	3	3	0.625 x 2					
VD3389		1	DB	0.750	10.000	51.750	13	13	0.875 x 2.5					

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



# Black Cat Blades Ltd.

## Black Cat Replacement Parts For Wabco® Equipment Scrapper

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . . Dimensions . . . .			Total Holes	. . . . Bolts . . . .		. . . . Hole Spacing . . . .				. . . Weight. . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
TV2718	End	2	DB	0.625	8.000	16.000	4	4	0.875 x 2.5						
SF4216	Router Bit	2	DB	0.750	6.000	12.000	3	3	0.625 x 2						
VD2088		1	DB	0.750	10.000	51.750	13	13	0.875 x 2.5						
TV2718	End	2	DB	0.625	8.000	16.000	4	4	0.875 x 2.5						
SF4216	Router Bit	2	DB	0.750	6.000	12.000	3	3	0.625 x 2						
VD3396		1	DB	0.750	13.000	51.750	13	13	0.875 x 2.5						
TV2718	End	2	DB	0.625	8.000	16.000	4	4	0.875 x 2.5						
SF4216	Router Bit	2	DB	0.750	6.000	12.000	3	3	0.625 x 2						
VD388	Router Bit	2	DB	0.750	4.000	12.000	3	3	0.625 x 2						

### DT(014) DT2

Serial Number:

VD5722	Drop Center	1	DB	1.000	16.000	39.750	30	20	0.875 x 2.25 0.875 x 0	1.88	4.00	4.00	181.00	82.10
VD5718		1	DB	0.750	13.000	30.938	16	16	0.875 x 2.25 0.875 x 0	1.94	4.00	4.00	86.00	39.01
VD5700		1	DB	0.750	13.000	30.938	16	16	0.875 x 2.25 0.875 x 0	1.00	4.00	4.00	86.00	39.01
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34

### DT-2 & UP

Serial Number:

VD2053	Drop Center	1	DB	1.000	16.000	52.125	14	14	0.875 x 2.25					
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD5732	End	2	DB	0.750	13.000	29.500	10	10	0.875 x 2.25					

### O-19CE P-19 PO-19 S/N P-19-D & UP

Serial Number:

VD5723	Drop Center	1	DB	1.000	16.000	55.625	28	28	0.875 x 2.25				214.00	97.07
VD370		1	DB	0.750	13.000	22.938	12	12	0.875 x 2.25 0.875 x 0	2.00	4.00	4.00	59.00	26.76
VD372		1	DB	0.750	13.000	22.938	12	12	0.875 x 2.25 0.875 x 0	2.00	4.00	4.00	59.00	26.76
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD5736		1	DB	1.250	16.000	55.500	28	28	0.875 x 2.5					
VD5734	HD End LH	1	DB	1.000	13.000	22.938	12	12	0.875 x 2.25	1.00	4.00			
VD5735	HD End RH	1	DB	1.000	13.000	22.938	12	12	0.875 x 2.25	1.00	4.00			
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34

### C(CM) CT SUFFIX P-19J

Serial Number:

VD5736		1	DB	1.250	16.000	55.500	28	28	0.875 x 2.5					
VD5734	HD End LH	1	DB	1.000	13.000	22.938	12	12	0.875 x 2.5	1.00	4.00			
VD5735	HD End RH	1	DB	1.000	13.000	22.938	12	12	0.875 x 2.5	1.00	4.00			
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34

### CT-2 & UP

Serial Number:

VD393	Drop Center	1	DB	1.000	16.000	60.250	30	20	1.000 x 3					
VD3383	End	2	DB	1.000	13.000	26.500	10	10	1.000 x 3 1.000 x 0	1.25	6.00	6.00	90.00	40.82
										1.25	6.00	6.00		...2nd Row

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



# Black Cat Blades Ltd.

## Black Cat Replacement Parts For Wabco® Equipment Scrapper

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . . Dimensions . . . .			Total Holes	. . . . Bolts . . . .			. . . . Hole Spacing . . . .			. . . Weight. . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34	
VD5720		2	DB	1.250	16.000	60.250	20	4	1.000 x 2.25						
VD362		2	DB	1.250	13.000	26.500	10	10	1.000 x 3						
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34	
VD3385		1	DB	1.250	16.000	60.250	10	10	1.000 x 3						
VD362		2	DB	1.250	13.000	26.500	10	10	1.000 x 3						
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34	

### BT(O23) CL(P-23) CLE(PO-23)

Serial Number:

VD2097		2	DB	0.750	13.000	59.875	30	15	0.875 x 2.25 0.875 x 0	1.94	4.00	4.00	154.00	69.85
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD5724	Drop Center	1	DB	1.000	16.000	63.750	32	32	0.875 x 2.25					
R2052	HD End LH	1	DB	1.000	13.000	27.938	14	14	0.875 x 2.25					
R2053	HD End RH	1	DB	1.000	13.000	27.938	14	14	0.875 x 2.25					
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
SL6597		1	DB	0.750	13.000	119.875	60	30	0.875 x 2.25 0.875 x 0					...2nd Row
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
H392		1	DB	1.000	13.000	119.875	60	30	0.875 x 2.25					
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34

### BT(O23) (SUFFIX 0-23D-SP & UP)

Serial Number:

VD2097		2	DB	0.750	13.000	59.875	30	15	0.875 x 2.25 0.875 x 0	1.94	4.00	4.00	154.00	69.85
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD5723	Drop Center	1	DB	1.000	16.000	55.625	28	28	0.875 x 2.25				214.00	97.07
VD5730		1	DB	0.750	13.000	31.938	16	16	0.875 x 2.25					
VD5731		1	DB	0.750	13.000	31.938	16	16	0.875 x 2.25					
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
SL6597		1	DB	0.750	13.000	119.875	60	30	0.875 x 2.25 0.875 x 0					...2nd Row
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34

### BT-2 & UP

Serial Number:

VD5720		1	DB	1.250	16.000	60.250	20	20	1.000 x 3					
VD360	End	2	DB	1.000	13.000	29.500	5	5	1.000 x 3					
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD3385		1	DB	1.250	16.000	60.250	10	10	1.000 x 3					
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34

### BM (THROUGH SUFFIX C)

Serial Number:

VD5737	Drop Center	1	DB	1.250	16.000	59.500	30	30	0.875 x 2.75					
VD2084	Router Bit	2	DB	0.750	8.000	15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD361	End	2	DB	1.000	13.000	26.938	14	14	0.875 x 2.5 0.875 x 0	1.47	4.00	4.00	91.00	41.28
										1.47	4.00	4.00		...2nd Row

### BM (SUFFIX D & UP)

Serial Number:

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



# Black Cat Blades Ltd.

## Black Cat Replacement Parts For Wabco® Equipment Scraper

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . . Dimensions . . . .			Total Holes	. . . . Bolts . . . .		. . . . Hole Spacing . . . .			. . . . Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
VD5737	Drop Center	1	DB	1.250	x 16.000	x 59.500	30	30	0.875 x 2.75					
VD2084	Router Bit	2	DB	0.750	x 8.000	x 15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD5739	End	2	DB	1.000	x 13.000	x 29.938	14	14	0.875 x 2.5					

### BM-2 & UP B-70

Serial Number:

VD5720		1	DB	1.250	x 16.000	x 60.250	20	20	1.000 x 3					
VD360	End	2	DB	1.000	x 13.000	x 29.500	5	5	1.000 x 3					
VD2084	Router Bit	2	DB	0.750	x 8.000	x 15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD3385		1	DB	1.250	x 16.000	x 60.250	10	10	1.000 x 3					
VD2084	Router Bit	2	DB	0.750	x 8.000	x 15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
TF5268	Router Bit	2	DB	1.000	x 8.000	x 21.230	4	4	1.063 x 2.75	3.94	4.50	4.50	66.10	29.98

### AT

Serial Number:

VD2081	Drop Center	1	DB	1.000	x 16.000	x 59.500	30	30	0.875 x 2.5					
VD361	End	2	DB	1.000	x 13.000	x 26.938	14	14	0.875 x 2.5 0.875 x 0	1.47	4.00	4.00	91.00	41.28
VD2084	Router Bit	2	DB	0.750	x 8.000	x 15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD5737	Drop Center	1	DB	1.250	x 16.000	x 59.500	30	30	0.875 x 2.75					
VD2084	Router Bit	2	DB	0.750	x 8.000	x 15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34

### CM3 A B C K

Serial Number:

VD2081	Drop Center	1	DB	1.000	x 16.000	x 59.500	30	30	0.875 x 2.5					
VD3388		1	DB	0.750	x 13.000	x 26.938	14	14	0.875 x 2.5					
VD3387		1	DB	0.750	x 13.000	x 26.938	14	14	0.875 x 2.5					
VD2084	Router Bit	2	DB	0.750	x 8.000	x 15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD5737	Drop Center	1	DB	1.250	x 16.000	x 59.500	30	30	0.875 x 2.75					
SP2623	HD End LH	1	DB	1.000	x 13.000	x 26.938	14	14	0.875 x 2.75					
SP2624	HD End RH	1	DB	1.000	x 13.000	x 26.938	14	14	0.875 x 2.75					
VD2084	Router Bit	2	DB	0.750	x 8.000	x 15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34

### CM3 SUFFIX D & UP EXCEPT K CM5

Serial Number:

VD393	Drop Center	1	DB	1.000	x 16.000	x 60.250	30	20	1.000 x 3					
VD3383	End	2	DB	1.000	x 13.000	x 26.500	10	10	1.000 x 3 1.000 x 0	1.25	6.00	6.00	90.00	40.82
VD2084	Router Bit	2	DB	0.750	x 8.000	x 15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VG3894	Drop Center	1	DB	1.000	x 16.000	x 60.250	10	10	1.000 x 3					
VD3383	End	2	DB	1.000	x 13.000	x 26.500	10	10	1.000 x 3 1.000 x 0	1.25	6.00	6.00	90.00	40.82
VD2084	Router Bit	2	DB	0.750	x 8.000	x 15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD5720		1	DB	1.250	x 16.000	x 60.250	20	20	1.000 x 3					
VD362		2	DB	1.250	x 13.000	x 26.500	10	10	1.000 x 3					
VD2084	Router Bit	2	DB	0.750	x 8.000	x 15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34
VD3385		1	DB	1.250	x 16.000	x 60.250	10	10	1.000 x 3					
VD362		2	DB	1.250	x 13.000	x 26.500	10	10	1.000 x 3					
VD2084	Router Bit	2	DB	0.750	x 8.000	x 15.000	4	4	0.938 x 2.25	4.50	4.50	4.50	25.00	11.34

### D-10E2 Elevating Scraper

Serial Number:

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



# Black Cat Blades Ltd.

## Black Cat Replacement Parts For Wabco® Equipment Scraper

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . . Dimensions . . . .			Total Holes	. . . . Bolts . . . .			. . . . Hole Spacing . . . .			. . . . Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
VL1264		2	DB	1.000	12.000	29.875	5	12	0.750 x 3	4.94	5.00	5.00			
VL2103	End	2	DB	1.000	12.000	14.875	2	6	0.750 x 3	4.94	5.00				
VL2032	Router Bit	2	DB	0.750	4.000	16.000	4	4	0.625 x 2.75						
VL2103	End	2	DB	1.000	12.000	14.875	2	6	0.750 x 3	4.94	5.00				
VL2032	Router Bit	2	DB	0.750	4.000	16.000	4	4	0.625 x 2.75						
VL2153	Strike Off	2	DB	0.500	6.000	46.438	24	12	0.500						

### D-111A Elevating Scraper

Serial Number:

VN1948	Center	1	DB	1.000	13.000	43.858	21	14	0.750 x 2.5 0.750 x 0	3.93	6.00	6.00	146.20	66.32
										3.93	6.00	6.00	...2nd Row	
VN1947	End	2	DB	0.984	13.000	21.969	12	8	0.750 x 2.5 0.750 x 0	1.98	6.00	6.00	72.80	33.02
										1.98	6.00	6.00	...2nd Row	
VN2288	Router Bit	2	DB	0.750	4.000	16.000	4	4	0.625 x 2.75					
VN1947	End	2	DB	0.984	13.000	21.969	12	8	0.750 x 2.5 0.750 x 0	1.98	6.00	6.00	72.80	33.02
										1.98	6.00	6.00	...2nd Row	
VN2288	Router Bit	5	DB	0.750	4.000	16.000	4	4	0.625 x 2.75					
VM8474	Strike Off	1	DB	0.500	6.000	93.500	24	24	0.500 x 2					

### C-222 Elevating Scraper

Serial Number:

VL1264		4	DB	1.000	12.000	29.875	5	12	0.750 x 3	4.94	5.00	5.00		
VL1253	Router Bit	2	DB	0.750	6.000	15.500	4	4	0.750 x 2.75					
VL1264		2	DB	1.000	12.000	29.875	5	12	0.750 x 3	4.94	5.00	5.00		
VL1253	Router Bit	2	DB	0.750	6.000	15.500	4	4	0.750 x 2.75					
VL1476	Strike Off	2	DB	0.750	6.000	62.625	12	12	0.500 x 2					

### C-222F 222G 222H C-222S Elevating Scraper

Serial Number:

VY2621	Center	1	DB	1.000	13.000	63.125	33	22	0.750 x 2.75 0.750 x 0	1.56	6.00	6.00	206.70	93.76
										1.56	6.00	6.00	...2nd Row	
VY2620	End	2	DB	1.000	13.000	27.000	15	10	0.750 x 2.75 0.750 x 0	1.63	6.00	6.00	88.20	40.01
										1.63	6.00	6.00	...2nd Row	
TF5268	Router Bit	2	DB	1.000	8.000	21.230	4	4	1.063 x 2.75	3.94	4.50	4.50	66.10	29.98
VY2620	End	2	DB	1.000	13.000	27.000	15	10	0.750 x 2.75 0.750 x 0	1.63	6.00	6.00	88.20	40.01
										1.63	6.00	6.00	...2nd Row	
VY4162		2	DB	1.000	14.750	26.125	4	4	1.000 x 2.75					
VL1476	Strike Off	2	DB	0.750	6.000	62.625	12	12	0.500 x 2					

### C-222A CM10-UP Elevating Scraper

Serial Number:

VM1363	Center	1	DB	1.000	13.000	64.000	22	22	0.750 x 3					
VM1362	End	2	DB	1.000	13.000	28.750	10	10	0.750 x 3					
TF5268	Router Bit	2	DB	1.000	8.000	21.230	4	4	1.063 x 2.75	3.94	4.50	4.50	66.10	29.98
VM1362	End	2	DB	1.000	13.000	28.750	10	10	0.750 x 3					
VY4162		2	DB	1.000	14.750	26.125	4	4	1.000 x 2.75					
VL1476	Strike Off	2	DB	0.750	6.000	62.625	12	12	0.500 x 2					

### 222FT Elevating Scraper

Serial Number:

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



# Black Cat Blades Ltd.

## Black Cat Replacement Parts For Wabco® Equipment Scrapper

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . . Dimensions . . . .			Total Holes	. . . . Bolts . . . .			. . . . Hole Spacing . . . .			. . . Weight . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
DA3201		1	DB	1.125	16.000	64.000	33	11	1.000 x 3.5 1.000 x 0	2.00	6.00	6.00	295.60	134.08	
DA7814	End	2	DB	0.875	8.000	28.938	4	4	0.750 x 3	2.00	6.00	6.00	...	2nd Row	
DA1716		1	DB	1.000	15.750	26.500	4	4	1.000 x 2.75						
DA1717		1	DB	1.000	15.750	26.500	4	4	1.000 x 2.75						
DA7814	End	2	DB	0.875	8.000	28.938	4	4	0.750 x 3						
DA1716		1	DB	1.000	15.750	26.500	4	4	1.000 x 2.75						
DA1717		1	DB	1.000	15.750	26.500	4	4	1.000 x 2.75						
DA5516	Strike Off	2	DB	0.625	6.000	61.000		7	0.750 x 2.5						

### C-229F 229G CM12A 229H

Serial Number:

DA5412	Center	4	DB	1.000	16.000	28.375	5	5	1.000 x 3.5	2.19	6.00	6.00	115.00	52.16
TF5268	Router Bit	2	DB	1.000	8.000	21.230	4	4	1.063 x 2.75	3.94	4.50	4.50	66.10	29.98
VY4162		2	DB	1.000	14.750	26.125	4	4	1.000 x 2.75					

### 252FT THRU CM17C Elevating Scrapper

Serial Number:

DA3201		1	DB	1.125	16.000	64.000	33	11	1.000 x 3.5 1.000 x 0	2.00	6.00	6.00	295.60	134.08
PB1588	End	2	DB	1.250	16.000	28.250	5	5	1.000 x 3.5					
TF5268	Router Bit	2	DB	1.000	8.000	21.230	4	4	1.063 x 2.75	3.94	4.50	4.50	66.10	29.98
PB1588	End	2	DB	1.250	16.000	28.250	5	5	1.000 x 3.5					
VY4162		2	DB	1.000	14.750	26.125	4	4	1.000 x 2.75					
DA5516	Strike Off	2	DB	0.625	6.000	61.000		7	0.750 x 2.5					

### 252FT CM17D & UP Elevating Scrapper

Serial Number:

PB2293		1	DB	1.250	19.000	63.938	11	11	1.000 x 3.5					
PB1588	End	2	DB	1.250	16.000	28.250	5	5	1.000 x 3.5					
VY4162		2	DB	1.000	14.750	26.125	4	4	1.000 x 2.75					
DA5516	Strike Off	2	DB	0.625	6.000	61.000		7	0.750 x 2.5					
TF5268	Router Bit	2	DB	1.000	8.000	21.230	4	4	1.063 x 2.75	3.94	4.50	4.50	66.10	29.98

### B70-333A SERIES BM11 BM11A Elevating Scrapper

Serial Number:

VH9731	Center	1	DB	1.250	14.000	62.000	20	20	1.000 x 3.5					
VH9732	End	2	DB	1.250	14.000	34.875	12	12	1.000 x 3.5					
VL2677	Router Bit	2	DB	0.750	6.000	15.000	4	4	0.750 x 2.75					
VH9732	End	2	DB	1.250	14.000	34.875	12	12	1.000 x 3.5					
VL2677	Router Bit	2	DB	0.750	6.000	15.000	4	4	0.750 x 2.75					
VL3019	Strike Off	3	DB	0.750	6.000	46.125	5	5	0.750 x 2.5					

### B70-333A SERIES BM11B Elevating Scrapper

Serial Number:

VM6059	Center	1	DB	1.250	14.000	64.000	33	22	1.000 x 3.5 1.000 x 0	2.00	6.00	6.00	292.00	132.45
VM6060	End	2	DB	1.250	14.000	33.750	12	12	1.000 x 3.5					
TF5268	Router Bit	2	DB	1.000	8.000	21.230	4	4	1.063 x 2.75	3.94	4.50	4.50	66.10	29.98
VM6060	End	2	DB	1.250	14.000	33.750	12	12	1.000 x 3.5					

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.





# Black Cat Blades Ltd.

## Black Cat Replacement Parts For Wabco® Equipment Scraper

Model/ Part Number	Blade Position	Qty Blade Req Type	. . . . Dimensions . . . .			Total Holes	. . . . Bolts . . . .		. . . . Hole Spacing . . . .			. . . . Weight . . . .	
			Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg
VY4162		2 DB	1.000	x 14.750	x 26.125	4	4	1.000 x 2.75					
VL3019	Strike Off	3 DB	0.750	x 6.000	x 46.125	5	5	0.750 x 2.5					

### B-333F BM12B BM12C Elevating Scraper

Serial Number:

VM6059	Center	1 DB	1.250	x 14.000	x 64.000	33	22	1.000 x 3.5 1.000 x 0	2.00 2.00	6.00 6.00	6.00 6.00	292.00 ...2nd Row	132.45
VN3937	End	2 DB	1.250	x 14.000	x 33.375	18	12	1.000 x 3.5 1.000 x 0	1.69 1.69	6.00 6.00	6.00 6.00	152.00 ...2nd Row	68.95
TF5268	Router Bit	2 DB	1.000	x 8.000	x 21.230	4	4	1.063 x 2.75	3.94	4.50	4.50	66.10	29.98
VN3937	End	2 DB	1.250	x 14.000	x 33.375	18	12	1.000 x 3.5 1.000 x 0	1.69 1.69	6.00 6.00	6.00 6.00	152.00 ...2nd Row	68.95
VY4162		2 DB	1.000	x 14.750	x 26.125	4	4	1.000 x 2.75					
VY316	Strike Off	1 DB	0.750	x 6.000	x 54.000	7	7	0.750 x 2.5					
VN8997	Strike Off	1 DB	0.750	x 6.000	x 41.875	5	7	0.750 x 2.5					

### 333F 333FT B333F BT333F BM12D BM17B BPA17B DM15 Elevati

Serial Number:

VY5105	Center	1 DB	1.250	x 16.000	x 63.875	33	11	1.000 x 3.5 1.000 x 0	1.94 1.94	6.00 6.00	6.00 6.00	362.00 ...2nd Row	164.20
DA4267	End	2 DB	1.125	x 16.000	x 33.375	6	6	1.000 x 3.5	1.69	6.00	6.00	156.60	71.03
TF5268	Router Bit	2 DB	1.000	x 8.000	x 21.230	4	4	1.063 x 3.75	3.94	4.50	4.50	66.10	29.98
DA3201		1 DB	1.125	x 16.000	x 64.000	33	11	1.000 x 3.5 1.000 x 0	2.00 2.00	6.00 6.00	6.00 6.00	295.60 ...2nd Row	134.08
DA4267	End	2 DB	1.125	x 16.000	x 33.375	6	6	1.000 x 3.5	1.69	6.00	6.00	156.60	71.03
TF5268	Router Bit	2 DB	1.000	x 8.000	x 21.230	4	4	1.063 x 2.75	3.94	4.50	4.50	66.10	29.98
DA4267	End	2 DB	1.125	x 16.000	x 33.375	6	6	1.000 x 3.5	1.69	6.00	6.00	156.60	71.03
VY4162		2 DB	1.000	x 14.750	x 26.125	4	4	1.000 x 2.75					
VY316	Strike Off	1 DB	0.750	x 6.000	x 54.000	7	7	0.750 x 2.5					
VN8997	Strike Off	2 DB	0.750	x 6.000	x 41.875	5	5	0.750 x 2.5					

### B-339F 339F 259FT

Serial Number:

DA4274	Center	4 DB	1.250	x 16.000	x 32.813	6	6	1.000 x 3					
TF5268	Router Bit	2 DB	1.000	x 8.000	x 21.230	4	4	1.063 x 2.75	3.94	4.50	4.50	66.10	29.98
VY4162		2 DB	1.000	x 14.750	x 26.125	4	4	1.000 x 2.75					
VY4162		2 DB	1.000	x 14.750	x 26.125	4	4	1.000 x 2.75					
VY4162		2 DB	1.000	x 14.750	x 26.125	4	4	1.000 x 2.75					

### 353FT BM17B BPAMB DM15D DM15E Elevating Scraper

Serial Number:

VY5105	Center	1 DB	1.250	x 16.000	x 63.875	33	11	1.000 x 3.5 1.000 x 0	1.94 1.94	6.00 6.00	6.00 6.00	362.00 ...2nd Row	164.20
DA4267	End	2 DB	1.125	x 16.000	x 33.375	6	6	1.000 x 3.5	1.69	6.00	6.00	156.60	71.03
VY4162		2 DB	1.000	x 14.750	x 26.125	4	4	1.000 x 2.75					
DA3201		1 DB	1.125	x 16.000	x 64.000	33	11	1.000 x 3.5 1.000 x 0	2.00 2.00	6.00 6.00	6.00 6.00	295.60 ...2nd Row	134.08
DA4267	End	2 DB	1.125	x 16.000	x 33.375	6	6	1.000 x 3.5	1.69	6.00	6.00	156.60	71.03
VY4162		2 DB	1.000	x 14.750	x 26.125	4	4	1.000 x 2.75					
DA4267	End	2 DB	1.125	x 16.000	x 33.375	6	6	1.000 x 3.5	1.69	6.00	6.00	156.60	71.03

Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.



# Black Cat Blades Ltd.

Black Cat Replacement Parts For  
Wabco® Equipment  
Scraper

Model/ Part Number	Blade Position	Qty Req	Blade Type	. . . . Dimensions . . . .			Total Holes	. . . . Bolts . . . .		. . . . Hole Spacing . . . .				. . . . Weight . . . .	
				Thick	Width	Length		Qty	Dia x Len	End to 1	1st to 2	2nd to 3	Lbs	Kg	
VY4162		2	DB	1.000	x 14.750	x 26.125	4	4	1.000 x 2.75						
VS7622	Strike Off	3	DB	0.750	x 6.000	x 44.875	5	5	0.750 x 2.5						
TF5268	Router Bit	2	DB	1.000	x 8.000	x 21.230	4	4	1.063 x 2.75	3.94	4.50	4.50	66.10	29.98	



Caterpillar®, Komatsu®, and other identities and/or trademarks referred to in this publication are the registered marks of the entities noted herein. The use of any trademarks of others than Black Cat Blades Ltd. are solely and exclusively for identification, informational, comparative, and descriptive purposes. Black Cat Blades Ltd. is not affiliated with any owner of such registered marks and does not make, use, or sell any products manufactured by any such entity identified in this publication. © 2013 Black Cat Blades, Ltd.